

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
11 January 2001 (11.01.2001)

PCT

(10) International Publication Number
WO 01/02561 A2

(51) International Patent Classification⁷: C12N 15/12,
C07K 14/705, G01N 33/50, 33/53, A61K 38/17, C12N
15/11, C12Q 1/68, C07K 16/28

British Columbia V6S 1M1 (CA). BAILLIE, David, L.
[CA/CA]; 698 Millbank, Vancouver, British Columbia
V5Z 3Z3 (CA).

(21) International Application Number: PCT/CA00/00794

(74) Agents: ROBINSON, J., Christopher et al.; Featherston-
haugh & Co., Suite 2200, 650 West Georgia Street, Box
11560, Vancouver, British Columbia V6B 4N8 (CA).

(22) International Filing Date: 4 July 2000 (04.07.2000)

(25) Filing Language: English

(81) Designated States (*national*): AU, CA, IL, JP, NO, US.

(26) Publication Language: English

(84) Designated States (*regional*): European patent (AT, BE,
CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,
NL, PT, SE).

(30) Priority Data:
09/346,794 2 July 1999 (02.07.1999) US

(71) Applicant (*for all designated States except US*): NEU-
ROMED TECHNOLOGIES, INC. [CA/CA]; 3250 East
Mall, Vancouver, British Columbia V6T 1W5 (CA).

Published:

— Without international search report and to be republished
upon receipt of that report.

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): SNUTCH, Ter-
rance, P. [CA/CA]; 3963 West 24th Avenue, Vancouver,

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*



WO 01/02561 A2

(54) Title: NOVEL MAMMALIAN CALCIUM CHANNELS AND RELATED PROBES, CELL LINES AND METHODS

(57) Abstract: Sequences and partial sequences for three types of mammalian (human and rat sequences identified) T-type calcium channel subunits which we have labeled as the α_{1G} , α_{1H} and α_{1I} subunits are provided. Knowledge of the sequence of these calcium channels permits the localization and recovery of the complete sequence from human cells, and the development of cell lines which express the novel calcium channels of the invention. These cells may be used for identifying compounds capable of acting as agonists or antagonists to the calcium channels.

NOVEL MAMMALIAN CALCIUM CHANNELS AND RELATED PROBES, CELL LINES AND METHODS

TECHNICAL FIELD

The invention relates to T-type calcium channel encoding sequences,
5 expression of these sequences, and methods to screen for compounds which
antagonize calcium channel activity. The invention is also related to molecular tools
derived from knowledge of the molecular structure of T-type calcium channels.

BACKGROUND OF THE INVENTION

The rapid entry of calcium into cells is mediated by a class of proteins called
10 voltage-gated calcium channels. Calcium channels are a heterogeneous class of
molecules that respond to depolarization by opening a calcium-selective pore through
the plasma membrane. The entry of calcium into cells mediates a wide variety of
cellular and physiological responses including excitation-contraction coupling,
hormone secretion and gene expression. In neurons, calcium entry directly affects
15 membrane potential and contributes to electrical properties such as excitability,
repetitive firing patterns and pacemaker activity. Miller, R.J. (1987) "Multiple
calcium channels and neuronal function." *Science* 235:46-52. Calcium entry further
affects neuronal functions by directly regulating calcium-dependent ion channels and
modulating the activity of calcium-dependent enzymes such as protein kinase C and
20 calmodulin-dependent protein kinase II. An increase in calcium concentration at the
presynaptic nerve terminal triggers the release of neurotransmitter. Calcium entry
also plays a role in neurite outgrowth and growth cone migration in developing
neurons and has been implicated in long-term changes in neuronal activity.

In addition to the variety of normal physiological functions mediated by
25 calcium channels, they are also implicated in a number of human disorders. Recently,
mutations identified in human and mouse calcium channel genes have been found to
account for several disorders including, familial hemiplegic migraine, episodic ataxia
type 2, cerebellar ataxia, absence epilepsy and seizures. Fletcher, *et al.* (1996)
"Absence epilepsy in tottering mutant mice is associated with calcium channel
30 defects." *Cell* 87:607-617; Burgess, *et al.* (1997) "Mutation of the Ca²⁺ channel

β subunit gene *Cchb4* is associated with ataxia and seizures in the lethargic (lh) mouse." *Cell* 88:385-392; Ophoff, *et al.* (1996) "Familial hemiplegic migraine and episodic ataxia type-2 are caused by mutations in the Ca^{2+} channel gene *CACNL1A4*." *Cell* 87:543-552; Zhuchenko, O. *et al.* (1997) "Autosomal dominant cerebellar ataxia (SCA6) associated with the small polyglutamine expansions in the α_{1A} -voltage-dependent calcium channel." *Nature Genetics* 15:62-69.

The clinical treatment of some disorders has been aided by the development of therapeutic calcium channel antagonists. Janis, *et al.* (1991) in *Calcium Channels: Their Properties, Functions, Regulation and Clinical Relevance*. CRC Press, London.

Native calcium channels have been classified by their electrophysiological and pharmacological properties as T, L, N, P and Q types (for reviews see McCleskey, *et al.* (1991) "Functional properties of voltage-dependent calcium channels." *Curr. Topics Membr.* 39: 295-326, and Dunlap, *et al.* (1995) "Exocytotic Ca^{2+} channels in mammalian central neurons." *Trends Neurosci.* 18:89-98.). T-type (or low voltage-activated) channels describe a broad class of molecules that activate at negative potentials and are highly sensitive to changes in resting potential. The L, N, P and Q-type channels activate at more positive potentials and display diverse kinetics and voltage-dependent properties. There is some overlap in biophysical properties of the high voltage-activated channels, consequently pharmacological profiles are useful to further distinguish them. L-type channels are sensitive to dihydropyridine (DHP) agonists and antagonists, N-type channels are blocked by the *Conus geographus* peptide toxin, ω -conotoxin GVIA, and P-type channels are blocked by the peptide ω -agatoxin IVA from the venom of the funnel web spider, *Agelenopsis aperta*. A fourth type of high voltage-activated Ca channel (Q-type) has been described, although whether the Q- and P-type channels are distinct molecular entities is controversial (Sather *et al.* (1993) "Distinctive biophysical and pharmacological properties of class A (B1) calcium channel α_1 subunits." *Neuron* 11:291-303; Stea, *et al.* (1994) "Localization and functional properties of a rat brain α_{1A} calcium channel reflect similarities to neuronal Q- and P-type channels." *Proc Natl Acad Sci (USA)* 91:10576-10580; Bourinet, E. *et al.* (1999) *Nature Neuroscience* 2:407-415). Several types of calcium conductances do not fall neatly into any of the above categories and there is variability of properties even within a category suggesting that additional calcium channels subtypes remain to be classified.

Biochemical analyses show that neuronal high-threshold calcium channels are heterooligomeric complexes consisting of three distinct subunits (α_1 , $\alpha_2\delta$ and β) (reviewed by De Waard, *et al.* (1997) in *Ion Channels*, Volume 4, edited by Narahashi, T. Plenum Press, New York). The α_1 subunit is the major pore-forming subunit and contains the voltage sensor and binding sites for calcium channel antagonists. The mainly extracellular α_2 subunit is disulphide-linked to the transmembrane δ subunit and both are derived from the same gene and are proteolytically cleaved *in vivo*. The β subunit is a non-glycosylated, hydrophilic protein with a high affinity of binding to a cytoplasmic region of the α_1 subunit. A fourth subunit, γ is unique to L-type Ca channels expressed in skeletal muscle T-tubules. The isolation and characterization of γ -subunit-encoding cDNAs is described in U.S. Patent No. 5,386,025 which is incorporated herein by reference.

Molecular cloning has revealed the cDNA and corresponding amino acid sequences of six different types of α_1 subunits (α_{1A} , α_{1B} , α_{1C} , α_{1D} , α_{1E} and α_{1S}) and four types of β subunits (β_1 , β_2 , β_3 and β_4) (reviewed in Stea, A., Soong, T.W. and Snutch, T.P. (1994) "Voltage-gated calcium channels." in *Handbook of Receptors and Channels*. Edited by R.A. North, CRC Press). A comparison of the amino acid sequences of these α_1 subunits is included in this publication, which is incorporated herein by reference. PCT Patent Publication WO 95/04144, which is incorporated herein by reference, discloses the sequence and expression of α_{1E} calcium channel subunits.

As described in Stea, A. *et al.* (1994) (*supra*), the α_1 subunits are generally of the order of 2000 amino acids in length, ranging from 1873 amino acids in α_{1S} derived from rabbit to 2424 amino acids in α_{1A} derived from rabbit. Generally, these subunits contain 4 internal homologous repeats (I-IV) each having six putative alpha helical membrane spanning segments (S1-S6) with one segment (S4) having positively charged residues every 3rd or 4th amino acid. There are a minority of a splice variant exceptions. Between domains II and III there is a cytoplasmic domain which is believed to mediate excitation-contraction coupling in α_{1S} and which ranges from 100-400 amino acid residues among the subtypes. The domains I-IV make up roughly 2/3 of the molecule and the carboxy terminus adjacent to the S6 region of domain IV is believed to be on the intracellular side of the calcium channel. There is a consensus motif (QQ-E-L-GY-WI-E) in all of the subunits cloned and described in Stea, A. *et al.*

(supra) downstream from the domain I S6 transmembrane segment that is a binding site for the B subunit.

PCT publication WO 98/38301, which describes the work of the inventors herein, and which is incorporated herein by reference, reports the first description of the molecular composition of T-type calcium channel α_1 subunits. The present application describes full-length genes for 3 mammalian subtypes, α_{1G} , α_{1H} , and α_{1I} associated with T-type calcium channels.

In some expression systems the high threshold α_1 subunits alone can form functional calcium channels although their electrophysiological and pharmacological properties can be differentially modulated by coexpression with any of the four β subunits. Until recently, the reported modulatory affects of β subunit coexpression were to mainly alter kinetic and voltage- dependent properties. More recently it has been shown that β subunits also play crucial roles in modulating channel activity by protein kinase A, protein kinase C and direct G-protein interaction. (Bourinet, *et al.* (1994) "Voltage-dependent facilitation of a neuronal α_1C L-type calcium channel." *EMBO J.* 13: 5032-5039; Stea, *et al.* (1995) "Determinants of PKC- dependent modulation of a family of neuronal calcium channels." *Neuron* 15:929-940; Bourinet, *et al.* (1996) "Determinants of the G-protein-dependent opioid modulation of neuronal calcium channels." *Proc. Natl. Acad. Sci. (USA)* 93: 1486-1491.)

Because of the importance of calcium channels in cellular metabolism and human disease, it would be desirable to identify the remaining classes of α_1 subunits, and to develop expression systems for these subunits which would permit the study and characterization of these calcium channels, including the study of pharmacological modulators of calcium channel function.

DISCLOSURE OF THE INVENTION

The present invention provides sequences for a novel mammalian calcium channel subunits of T-type calcium channels, which we have labeled as α_{1G} , α_{1H} and α_{1I} subunits. Knowledge of the sequences of these calcium channel subunits may be used in the development of probes for mapping the distribution and expression of the subunits in target tissues. In addition, as the molecular structure of the α_1 subunits of these T-type calcium channels has been elucidated, it is possible to identify those

portions which reside extracellularly and thus to design peptides to elicit antibodies which can be employed to assess the location and level of expression of T-type calcium channels. In addition, these subunits, either alone or assembled with other proteins, can produce functional calcium channels, which can be evaluated in model cell lines to determine the properties of the channels containing the subunits of the invention. These cell lines can be used to evaluate the effects of pharmaceuticals and/or toxic substances on calcium channels incorporating α_{1G} , α_{1H} and α_{1I} subunits. The resulting identified compounds are useful in treating conditions where undesirable T-type calcium channel activity is present. These conditions include epilepsy, sleep disorders, mood disorders, cardiac hypertrophy and arrhythmia and hypertension, among others. In addition, antisense and triplex nucleotide sequences can be designed to inhibit the production of T-type calcium channels.

In some embodiments of the methods and products of this invention, the α_1 subunits are other than those encoded by SEQ ID NO: 17; or, alternatively, are other than those encoded by SEQ ID NO: 17 and by the full length sequences of which SEQ ID NO: 19 and 21 are part. Other embodiments of the methods and products of this invention exclude probes representing portions of or all of SEQ ID NO: 13-21; or, alternatively, exclude probes representing portions of or all of SEQ ID NO: 1-22.

BRIEF DESCRIPTION OF THE DRAWINGS

Figs. 1A and B show a comparison of the waveforms and current voltage relationship for α_{1G} ;

Figs. 2A and B show a comparison of the waveforms and current voltage relationship for α_{1I} calcium channels.

Fig. 3 shows a comparison of the steady state inactivation profiles of the α_{1G} and α_{1I} calcium channels.

Figs. 4A-C show a comparison of the inactivation kinetics of the α_{1G} and α_{1I} calcium channels.

Figures 5A and 5B show the construction of the human α_{1G} cDNA complete sequence from partial clones.

Figure 6 shows the nucleotide and deduced amino acid sequence of human T-type calcium channel α_{1G} .

Figure 7 shows a comparison of the waveforms and current voltage relationship for human α_{1G} calcium channel.

Figure 8 shows the characteristic pore pattern for T-type channels.

5 MODES OF CARRYING OUT THE INVENTION

The present invention includes the following aspects for which protection is sought:

- (a) novel mammalian (including human) calcium channel subunits and
- 10 DNA sequences encoding such subunits. Specifically, the invention encompasses an at least partially purified DNA molecule comprising a sequence of nucleotides that encodes an α_1 subunit of a T-type calcium channel, and such α_1 subunits *per se*. It will be appreciated that polymorphic variations may be made or may exist in the DNA of some individuals leading to minor deviations in the DNA or amino acids sequences
- 15 from those shown which do not lead to any substantial alteration in the function of the calcium channel. Such variations, including variations which lead to substitutions of amino acids having similar properties are considered to be within the scope of the present invention. Thus, in one embodiment, the present application claims DNA molecules which encode α_1 subunits of mammalian T-type calcium channels, and
- 20 which hybridize under conditions of medium (or higher) hybridization stringency with one or another of the specific sequences disclosed in this application. This level of hybridization stringency is generally sufficient given the length of the sequences involved to permit recovery of the subunits within the scope of the invention from mammalian DNA libraries.

- 25 Alternatively, the T-type calcium channels of the invention are recognized by their functional characteristic of low voltage gating along with defined structural characteristics which classify them as α_1 calcium channel subunits and also characterize them as of the T-type. By virtue of the present invention, these characteristics have been elucidated as follows:

- 30 One distinguishing feature of the α_{1G} , α_{1H} and α_{1I} T-type channels over other types of calcium channels and sodium channels is that the pore region (P-region) in each of the four structural domains contains a diagnostic amino acid sequence implicated in channel permeability. Figure 8 shows that the T-type channels contain the residues glutamate/glutamate/aspartate/aspartate (single letter amino acid code:

EEDD) in their P-regions (in domains I-IV). In contrast, figure 8 shows that in sodium (Na) channels the P-region of the four domains contains the residues: aspartate/glutamate/lysine/alanine (single letter amino acid code: DEKA), while high threshold calcium channels such as the L-type channel contain the residues:
5 glutamate/glutamate/glutamate/glutamate (single letter amino acid code: EEEE). The α_{1G} , α_{1H} and α_{1I} T-type channels are also distinct in this region compared to other types of ion channels including the *C. elegans* C11D2.6 and C27F2.3 and the rat NIC-channel (Figure 8).

A second distinguishing characteristic of the α_{1G} , α_{1H} and α_{1I} T-type channels
10 compared to other types of calcium channels is that they do not contain a β subunit binding consensus sequence in the cytoplasmic linker separating domains I and II. In contrast, all high threshold calcium channels contain a consensus sequence (single letter amino acid code: QQ-E-L-GY-WI-E) shown to physically interact with the calcium channel β subunit (Pragnell, M., De Waard, M., Mori, Y., Tanabe, T., Snutch,
15 T.P. & Campbell, K.P., 1994, Nature 368:67-70). Thus, it appears the presence of a β subunit does not modify activity, nor is its presence required.

A third distinguishing characteristic of the (α_{1G} , α_{1H} and α_{1I} T-type channels is that they do not possess an EF-hand calcium binding motif in the region carboxyl to domain IV S6. In contrast, all high threshold calcium channels contain a consensus
20 sequence that is closely related to the EF-hand domain found in certain calcium binding proteins (de Leon, M., Wang, Y., Jones, L., Perez-Reyes, E., Wei, X., Soong, T.W., Snutch, T.P. & Yue, D.T., 1995, Science 270: 1502-1506).

Thus, as defined herein, "T-type calcium channel α_1 subunits" refers to subunits which contain these structural characteristics.

25 Alternatively, the T-type α_1 subunit molecules can be defined by homology to the human and rat nucleotide and amino acid sequences described herein. Thus, T-type α_1 subunits will typically have at least 50% and preferably 70% homology in terms of amino acid sequence or encoding nucleotide sequence to the sequences set forth in SEQ ID NOS. 23-28 herein or those shown in Figure 6. Preferably, the
30 homology will be at least 80%, more preferably 90%, and most preferably 95%, 97%, 98% or 99%.

Relative homology may also be defined in terms of specific regions; as set forth above, certain regions of T-type channel α_1 subunits have very high homologies while other regions, such as the cytoplasmic region between domains II and III have less homology. Thus, T-type α_1 subunits will have over 75% homology, preferably over 85% or over 95% homology, more preferably over 98% homology in domains I-IV to those of SEQ ID NO: 23-28 or Figure 6. The degree of homology in the cytoplasmic region between domains II and III may be substantially less, *e.g.*, only 25% homology, preferably 50% homology or more preferably 60% homology. Similarly, the intracellular region downstream of domain IV may be less homologous than those within domains I-IV.

(b) polynucleotide sequences useful as probes in screening human cDNA libraries for genes encoding these novel calcium channel subunits. These probes can also be used in histological assay to determine the tissue distribution of the novel calcium channel subunits.

As set forth above, the elucidation herein of the structural features of T-type subunits permits the selection of appropriate probes by selecting portions of the encoding nucleotide sequence that are particularly characteristic of this type. As set forth above, for example, T-type subunits have particular patterns of amino acids in the pore forming units as set forth in Figure 8. Alternatively, multiple probes might be used to distinguish other subunits, such as probes which represent the β -binding domain missing from the T-type α_1 subunits combined with a probe representing a consensus sequence for calcium channel α subunits in general.

(c) at least partially purified α_1 subunits and related peptides for mammalian T-type calcium channels. These proteins and peptides can be used to generate polyclonal or monoclonal antibodies to determine the cellular and subcellular distribution of T-type calcium channel subunits.

Again, by virtue of the elucidation of the amino acid sequence of T-type α_1 subunits, it is well within the ordinary skill in the art to determine which regions of the channel are displayed extracellularly and to select these regions for the generation of antibodies.

(d) eukaryotic cell lines expressing the novel calcium channel subunits. These cell lines can be used to evaluate compounds as pharmacological modifiers of the function of the novel calcium channel subunits.

(e) a method for evaluating compounds as pharmacological modifiers of the function of the novel calcium channel subunits using the cell lines expressing those subunits alone or in combination with other calcium channel subunits.

(f) Use of the compounds identified as set forth above for the treatment of conditions which are associated with undesired calcium channel activity.

These diseases include, but are not limited to; epilepsy, migraine, ataxia, schizophrenia, hypertension, arrhythmia, angina, depression and Parkinson's disease; characterization of such associations and ultimately diagnosis of associated diseases can be carried out with probes which bind to the wild-type or defective forms of the novel calcium channels.

T-type channels in particular are responsible for rebound burst firing in central neurons and are implicated in normal brain functions such as slow-wave sleep and in neurological disorders such as epilepsy and mood disorders. They are also important in pacemaker activity in the heart, hormone secretion and fertilization, and are associated with disease states such as cardiac hypertrophy and hypertension.

As used in the specification and claims of this application, the term "T-type calcium channel" refers to a voltage-gated calcium channel having a low activation voltage, generally less than -50 mV, and most commonly less than -60 mV. T-type calcium channels also exhibit comparatively negative steady-state inactivation properties and slow deactivation kinetics. The terms " α_1 subunit" or " α_1 calcium channel" refer to a protein subunit of a calcium channel which is responsible for pore formation and contains the voltage sensor and binding sites for calcium channel agonists and antagonists. Such subunits may be independently functional as calcium channels or may require the presence of other subunit types for complete functionality.

As used in the specification and claims of this application, the phrase "at least partially purified" refers to DNA or protein preparations in the which the specified molecule has been separated from adjacent cellular components and molecules with which it occurs in the natural state, either by virtue of performing a physical separation process or by virtue of making the DNA or protein molecule in a non-natural environment in the first place. The term encompasses cDNA molecules and expression vectors.

In accordance with the present invention, we have identified mammalian DNA sequences which code for novel T-type calcium channel α_1 subunits. These subunits are believed to represent new types of α_1 subunits of mammalian voltage-dependent calcium channels which have been designated as types α_{1G} , α_{1H} and α_{1I} .

5 A Bacterial Artificial Chromosome (BAC) sequence (bK206c7) was identified from sequences in Sanger Genome Sequencing Center (Cambridge, U.K.) and the Washington University Genome Sequencing Center (St. Louis, MO) that contains a nucleotide sequence encoding the α_{1I} subunit of human T-type calcium channel. The rationale for this identification is set forth in WO 98/38301, incorporated herein by
10 reference. The relevant nucleotide sequence and the translated amino acid sequence containing 1854 amino acids are set forth in SEQ ID NO:17 and 18.

As described in WO 98/38031, using PCR cloning techniques to identify relevant sequences within a human brain total RNA preparation, we confirmed that the novel α_{1I} calcium channel subunit is present in human brain. Subcloning of the
15 567 nt PCR product (Seq. ID No. 19, amino acids Seq. ID No. 20) and subsequent sequencing thereof showed that this product corresponds to the derived sequence from the bK206c7 BAC genomic sequence, the nucleotide sequence of which is given as SEQ ID No. 17 (amino acid sequence Seq. ID No. 18). The same experiment was performed using a rat brain RNA preparation and resulted in recovery of a
20 substantially identical PCR product. (SEQ ID. No. 21). The protein encoded by the rat PCR product (SEQ ID No. 22) is 96% identical to the human PCR product (Seq. ID No. 20).

These sequences, which encode a partial subunit were used as a basis for constructing full length human or rat α_{1I} clones. Briefly, the subcloned α_{1I} PCR
25 product is radiolabeled by random hexamer priming according to standard methods (See, Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989) *Molecular Cloning, A Laboratory Manual*. Cold Spring Harbor Press) and used to screen commercial human brain cDNA libraries (Stratagene, La Jolla, CA). The screening of cDNA libraries follows standard methods and includes such protocols as infecting bacteria with
30 recombinant lambda phage, immobilizing lambda DNA to nitrocellulose filters and screening under medium hybridization stringency conditions with radiolabeled probe. cDNA clones homologous to the probe are identified by autoradiography. Positive clones are purified by sequential rounds of screening.

Following this protocol, most purified cDNA's are likely to be partial sequence clones due the nature of the cDNA library synthesis. Full length clones are constructed from cDNA's which overlap in DNA sequence. Restriction enzyme sites which overlap between cDNAs are used to ligate the individual cDNA's to generate a full-length cDNA. For subsequent heterologous expression, the full-length cDNA is subcloned directly into an appropriate vertebrate expression vector, such as pcDNA-3 (Invitrogen, San Diego, CA) in which expression of the cDNA is under the control of a promoter such as the CMV major intermediate early promoter/enhancer. Other suitable expression vectors include, for example, pMT2, pRC/CMV, pcDNA3.1 and pCEP4.

Following these protocols, full length mammalian α_{1G} , α_{1H} and α_{1I} calcium channel subunit cDNAs were isolated by using the 567 base pair human fragment (Seq. ID No. 19) to screen a rat brain cDNA library. Sequencing of the recovered sequences identified the three distinct classes of calcium channel subunits which have been denominated herein as α_{1G} , α_{1H} and α_{1I} subunits. For each class of subunit, complete sequencing of the largest cDNA confirmed that it represented only a portion of the predicted calcium channel coding region. Complete sequences for the three new subunits were obtained by rescreening the rat brain cDNA library with probes derived from the partial length cDNAs to obtain overlapping segments. These segments were combined to form a complete gene by restriction digestion and ligation. The complete cDNA sequences of the rat α_{1G} , α_{1H} and α_{1I} subunits are given by Sequence ID Nos. 23, 25 and 27, respectively. Corresponding amino acid sequences are given by Sequence ID Nos. 24, 26 and 28. The same techniques are employed to recover human sequences by screening of a human or other mammalian library. Thus, for example, partial length human sequences for α_{1G} and α_{1H} T-type calcium channels have been recovered using the same probe (Seq. ID No. 19) and the full length rat α_{1I} cDNA (Seq. ID. No. 27) has been used to recover a partial length DNA encoding a human α_{1I} T-type calcium channel. The DNA and amino acid sequences for these partial length human calcium channels are given by Seq. ID Nos. 30-35. A complete coding sequence for human α_{1G} was obtained and is set forth, along with the deduced amino acid sequence, in Figure 6.

Once the full length cDNA is cloned into an expression vector, the vector is then transfected into a host cell for expression. Suitable host cells include *Xenopus*

oocytes or mammalian cells such as human embryonic kidney cells as described in International Patent Publication No. WO 96/39512 which is incorporated herein by reference and Ltk cells as described in US Patent No. 5,386,025 which is incorporated herein by reference. Transfection into host cells may be accomplished by

5 microinjection, lipofection, glycerol shock, electroporation calcium phosphate or particle-mediated gene transfer. The vector may also be transfected into host cells to provide coexpression of the novel α_1 subunits with other subunits, such as an $\alpha_2\delta$ subunit or a γ subunit.

To confirm that the three full length cDNAs (sequence ID Nos. 23, 25 and 27) encoded functional calcium channels, the α_{1G} and α_{1I} cDNAs were transiently

10 transfected into human embryonic kidney cells and evaluated using electrophysiological recording techniques. The results are consistent with a role of these subunits in native T-type channels in nerve, muscle and endocrine cells. Similarly, a full length clone encoding human α_{1G} T-type subunit was recovered and

15 verified to have the characteristic properties of T-type channels.

The resulting cell lines expressing functional calcium channels including the novel α_1 subunits of the invention can be used test compounds for pharmacological activity with respect to these calcium channels. Thus, the cell lines are useful for screening compounds for pharmaceutical utility. Such screening can be carried out

20 using several available methods for evaluation of the interaction, if any, between the test compound and the calcium channel. One such method involves the binding of radiolabeled agents that interact with the calcium channel and subsequent analysis of equilibrium binding measurements including but not limited to, on rates, off rates, K_d values and competitive binding by other molecules. Another such method involves

25 the screening for the effects of compounds by electrophysiological assay whereby individual cells are impaled with a microelectrode and currents through the calcium channel are recorded before and after application of the compound of interest. Another method, high-throughput spectrophotometric assay, utilizes the loading the cell lines with a fluorescent dye sensitive to intracellular calcium concentration and

30 subsequent examination of the effects of compounds on the ability of depolarization by potassium chloride or other means to alter intracellular calcium levels. Compounds to be tested as agonists or antagonists of the novel α_{1I} calcium channel subunits are combined with cells that are stably or transiently transformed with a

DNA sequence encoding the α_{1G} , α_{1H} and α_{1I} calcium channel subunits of the invention and monitored using one of these techniques.

Compounds which are shown to modulate the activity of calcium channels can then be used in pharmaceutical compositions for the treatment associated with inappropriate T-type calcium channel activity. Such conditions may also include those with inappropriate calcium channel activity in general since such activity may be modified by enhancing or decreasing T-type channel activity. Conditions appropriate for such treatment include those set forth above. The compounds identified are formulated in conventional ways as set forth in Remington's "Pharmaceutical Sciences," latest edition, Mac Publishing Co., Easton, PA. Modes of administration are those appropriate for the condition to be treated and are within the ordinary skill of the practitioner.

In addition, the regulation of expression of T-type calcium channels can be achieved by constructing expression systems encoding antisense sequences or sequences designed for triplex binding to interrupt the expression of nucleotide sequences encoding the T-type calcium channels of the invention.

DNA fragments with sequences given by SEQ ID Nos. 13-17 and 19, or polynucleotides with the complete coding sequences as given by Sequence ID Nos. 23, 25 and 27 or Figure 6, or distinctive portions thereof which do not exhibit non-discriminatory levels of homology with other types of calcium channel subunits may also be used for mapping the distribution of α_{1G} , α_{1H} and α_{1I} calcium channel subunits within a tissue sample. This method follows normal histological procedures using a nucleic acid probe, and generally involves the steps of exposing the tissue to a reagent comprising a directly or indirectly detectable label coupled to a selected DNA fragment, and detecting reagent that has bound to the tissue. Suitable labels include fluorescent labels, enzyme labels, chromophores and radio-labels.

Heterologous Expression of Mammalian T-type Calcium Channels in Cells

A. Transient Transfection in Mammalian Cells

Host cells, such as human embryonic kidney cells, HEK 293 (ATCC# CRL 1573) are grown in standard DMEM medium supplemented with 2 mM glutamine and 10% fetal bovine serum. HEK 293 cells are transfected by a standard calcium-phosphate-DNA co-precipitation method using a full-length mammalian α_1 T-type

calcium channel cDNA (for example, Seq. ID. No. 27) in a vertebrate expression vector (for example see Current protocols in Molecular Biology). The α_{11} calcium channel cDNA may be transfected alone or in combination with other cloned subunits for mammalian calcium channels, such as $\alpha_{2\delta}$ and β or γ subunits, and also with
5 clones for marker proteins such the jellyfish green fluorescent protein.

Electrophysiological Recording: After an incubation period of from 24 to 72 hrs the culture medium is removed and replaced with external recording solution (see below). Whole cell patch clamp experiments are performed using an Axopatch 200B
10 amplifier (Axon Instruments, Burlingame, CA) linked to an IBM compatible personal computer equipped with pCLAMP software. Microelectrodes are filled with 3 M CsCl and have typical resistances from 0.5 to 2.5 M ohms. The external recording solution is 2 mM BaCl₂, 1 mM MgCl₂, 10 mM HEPES, 40 mM TEACl, 10 mM Glucose, 92 mM CsCl, (pH 7.2). The internal pipette solution is 105 mM CsCl, 25
15 mM TEACl, 1 mM CaCl₂, 11 mM EGTA, 10 mM HEPES (pH 7.2). Currents are typically elicited from a holding potential of -100 mV to various test potentials. Data are filtered at 1 kHz and recorded directly on the harddrive of a personal computer. Leak subtraction is carried out on-line using a standard P/5 protocol. Currents are analyzed using pCLAMP versions 5.5 and 6.0. Macroscopic current-voltage relations
20 are fitted with the equation $I = \frac{1}{1 + \exp(-(V_m - V_h)/S)} \times G - (V_m - E_{rev})$, where V_m is the test potential, V_h is the voltage at which half of the channels are activated, and S reflects the steepness of the activation curve and is an indication of the effective gating charge movement. Inactivation curves are normalized to 1 and fitted with $I = (1/1 + \exp((V_m - V_h)/S))$ with V_m being the holding potential. Single channel
25 recordings are performed in the cell-attached mode with the following pipette solution (in mM): 100 BaCl₂, 10 HEPES, pH 7.4 and bath solution: 100 KCl, 10 EGTA, 2 MgCl₂, 10 HEPES, pH 7.4.

B. Transient Transfection in Xenopus Oocytes

30 Stage V and VI Xenopus oocytes are prepared as described by Dascal et al (1986), Expression and modulation of voltage-gated calcium channels after RNA injection into Xenopus oocytes. Science 231:1147-1150. After enzymatic dissociation with

collagenase, oocytes nuclei are microinjected with the human α_{11} calcium channel cDNA expression vector construct (approximately 10 ng DNA per nucleus) using a Drummond nanoject apparatus. The α_{11} calcium channel may be injected alone, or in combination with other mammalian calcium channel subunit cDNAs, such as the $\alpha 2\text{-}\delta$ and $\beta 1b$ and γ subunits. After incubation from 48 to 96 hrs macroscopic currents are recorded using a standard two microelectrode voltage-clamp (Axoclamp 2A, Axon Instruments, Burlingame, CA) in a bathing medium containing (in mM): 40 Ba(OH)₂, 25 TEA-OH, 25 NaOH, 2 CsOH, 5 HEPES (pH titrated to 7.3 with methan-sulfonic acid). Pipettes of typical resistance ranging from 0.5 to 1.5 M ohms are filled with 2.8M CsCl, 0.2M CsOH, 10mM HEPES, 10mM BAPTA free acid. Endogenous Ca (and Ba) -activated Cl currents are suppressed by systematically injecting 10-30 nl of a solution containing 100mM BAPTA-free acid, 10mM HEPES (pH titrated to 7.2 with CsOH) using a third pipette connected to a pneumatic injector. Leak currents and capacitive transients are subtracted using a standard P/5 procedure.

15

Construction of Stable Cell Lines Expressing Mammalian T-type Calcium Channels

Mammalian cell lines stably expressing human α_{11} calcium channels are constructed by transfecting the α_{11} calcium channel cDNA into mammalian cells such as HEK 293 and selecting for antibiotic resistance encoded for by an expression vector. Briefly, a full-length mammalian T-type calcium channel α_1 subunit cDNA (for example Seq. ID No. 27) subcloned into a vertebrate expression vector with a selectable marker, such as the pcDNA3 (InvitroGen, San Diego, CA), is transfected into HEK 293 cells by calcium phosphate coprecipitation or lipofection or electroporation or other method according to well known procedures (Methods in Enzymology, Volume 185, Gene Expression Technology (1990) Edited by Goeddel, D.V.). The α_{11} calcium channel may be transfected alone, or in combination with other mammalian calcium channel subunit cDNAs, such as the $\alpha 2\text{-}\delta$ and $\beta 1b$ subunits, either in a similar expression vector or other type of vector using different selectable markers. After incubation for 2 days in nonselective conditions, the medium is supplemented with Geneticin (G418) at a concentration of between 600 to 800 ug/ml. After 3 to 4 weeks in this medium, cells which are resistant to G418 are visible and can be cloned as isolated colonies using standard cloning rings. After growing up

each isolated colony to confluency to establish cell lines, the expression of α_{11} calcium channels can be determined at with standard gene expression methods such as Northern blotting, RNase protection and reverse-transcriptase PCR.

5 The functional detection of α_{11} calcium channels in stably transfected cells can be examined electrophysiologically, such as by whole patch clamp or single channel analysis (see above). Other means of detecting functional calcium channels include the use of radiolabeled ^{45}Ca uptake, fluorescence spectroscopy using calcium sensitive dyes such as FURA-2, and the binding or displacement of radiolabeled ligands that interact with the calcium channel.

10

EXAMPLE 1

Partial Rat and Human Subunits

In order to recover mammalian sequences for novel calcium channels, the 567 base pair partial length human brain α_{11} cDNA described in WO 98/3801 was gel-purified, radio-labelled with ^{32}P dATP and dCTP by random priming (Feinberg et al., 15 1983, *Anal. Biochem.* 132: 6-13) and used to screen a rat brain cDNA library constructed in the phase vector Lambda Zapp II. (Snutch et al., 1990, *Proc Natl Acad Sci (USA)* 87: 3391-3395). Screening was carried out at 62°C in 5XSSPE (1XSSPE= 0.18 M NaCl; 1mM EDTA; 10 mM sodium phosphate, pH=7.4 0.3% SDS, 0.2 mg/ml denatured salmon sperm DNA). Filters were washed at 62°C in 0.2X SSPE/0.1% 20 SDS. After three rounds of screening and plaque purification, positive phages were transformed into Bluescript phagemids (Stratagene, La Jolla, CA) by *in vivo* excision.

Double stranded DNA sequencing on the recombinant phagemids was performed using a modified dideoxynucleotide protocol (Biggin et al., 1983, *Proc Natl Acad Sci (USA)* 80:3963-3965) and Sequenase version 2.1 (United States 25 Biochemical Corp.). DNA sequencing identified three distinct classes of calcium channel α_1 subunits: designated as α_{1G} , α_{1H} and α_{11} calcium channel subunits.

For each class of calcium channel α_1 subunit, the largest cDNA was completely sequenced and determined to represent only a portion of the predicted calcium channel coding region. In order to isolate the remaining portions of α_{1G} and 30 α_{11} calcium channel subunits, the α_{1G} clone was digested with HindIII and SpeI. The resulting 540 base pair fragment was gel purified, radiolabeled with ^{32}P dATP and dCTP by random priming and used to rescreen the rat brain cDNA library as described above. The sequence of the 540 base pair α_{1G} screening probe used is given

by Seq. ID No. 29. Other sequences spanning regions of distinctiveness within the sequences for the subunits could also be employed.

Double-stranded DNA sequencing of the purified recombinant phagemids showed that additional α_{1G} , α_{1H} and α_{1I} calcium channel subunit cDNAs overlapped with the original partial length cDNAs and together encoded complete protein coding regions as well as portions of their respective 5' and 3' non-coding untranslated regions.

To recover further human sequences for the novel α_{1G} and α_{1H} calcium channels, the 567 base pair partial length human brain α_{1I} cDNA (Seq. 19) was radio-labelled with ^{32}P dATP and dCTP by random priming and used to screen a commercial human thalamus cDNA library (Clontech). Hybridization was performed overnight at 65 °C in 6 X SSPE; 0.3% SDS; 5X Denhardt's. Filters were washed at 65 °C in 0.1 X SSPE/ 0.3% SDS. After four rounds of screening and plaque purification, positive phages were selected, DNA prepared and the insert cDNA excised from the lambda vector by digestion with Eco R1 restriction enzyme. The excised cDNA was subcloned into the plasmid Bluescript KS (Stratagene, La Jolla, CA) and the DNA sequence determined using a modified dideoxynucleotide protocol and Sequence version 2.1. The partial length α_{1G} cDNA isolated consisted of 2212 base pairs of which 279 base pairs were 5' noncoding and 1,933 base pairs were coding region representing 644 amino acids (Seq. ID Nos. 30, 31). The partial α_{1H} cDNA isolated consisted of 1,608 base pairs of which 53 base pairs were 5' noncoding and 1,555 were coding region representing 518 amino acids (Seq. ID Nos. 32, 33).

To recover further human sequences for the novel α_{1I} calcium channel, the full-length rat brain α_{1I} cDNA (Seq. 27; see example 2) was radio-labelled ^{32}P dATP and dCTP by random priming and used to screen a commercial human hippocampus cDNA library (Stratagene). Hybridization was performed overnight at 65°C in 6 X SSPE; 0.3% SDS; 5X Denhardt's. Filters were washed at 65° C in 0.1 X SSPE/ 0.3% SDS. After four rounds of screening and plaque purification, positive phages were transformed into Bluescript phagemids (Stratagene, LA Jolla, CA) by *in vitro* excision. The excised cDNA DNA sequence was determined using a modified dideoxynucleotide protocol and Sequenase version 2.1. The partial α_{1I} cDNA isolated

consisted of 1,080 base pairs of coding region representing 360 amino acids (Seq. ID Nos. 34, 35).

EXAMPLE 2

Full Length Rat Subunits

5 Double-stranded DNA sequencing of the purified recombinant phagemids from rat brain showed that additional α_{1G} and α_{1I} calcium channel cDNAs overlapped with the original partial length cDNAs and together encoded complete protein coding regions as well as portions of their respective 5' and 3' non-coding untranslated regions. (Seq. ID Nos. 23 and 27, respectively) In addition to the α_{1G} and α_{1I} calcium
10 channel classes, DNA sequencing of the recombinant phagemids also identified a third class of calcium channel α_1 subunit: designated as the α_{1H} calcium channel subunit. The partial length α_{1H} calcium channel cDNAs overlapped and together encoded a complete α_{1H} coding region as well as portions of the 5' and 3' untranslated regions (Seq. ID. No. 25).

15 Electrophysiological studies were performed on transiently-transfected human embryonic kidney cells (HEK-tsa201) prepared using the general protocol above. Transfection was carried out by standard calcium phosphate precipitation. (Okayama *et al.*, 1991, *Methods in Molec. Biol.*, Vol. 7, ed. Murray, E.J.). For maintenance, HEK-tsa201 cells were cultured until approximately 70% confluent, the media
20 removed and cells dispersed with trypsin and gentle trituration. Cells were then diluted 1:10 in culture medium (10% FBS, DMEM plus L-glutamine, pen-stp) warmed to 37°C and plated onto tissue culture dishes. For transient transfection, 0.5 mM CaCl_2 was mixed with a total of 20 μg of DNA (consisting of 3 μg of either rat brain α_{1G} or α_{1I} calcium channel cDNA, 2 μg of CD8 plasmid marker, and 15 μg of
25 Bluescript plasmid carrier DNA). The DNA mixture was mixed thoroughly and then slowly added dropwise to 0.5 ml of 2 times HeBS (274 mM NaCl, 20mM D-glucose, 10mM KCl, 1.4 mM Na_2HPO_4 , 40 mM Hepes (pH=7.05). After incubation at room temperature for 20 min, 100 μl of the DNA mixture was slowly added to each dish of HEK-tsa201 cells and then incubated at 37°C for 24 to 48 hours in a tissue culture
30 incubator (5% CO_2).

Positive transfectant cells were identified visually by addition of 1 μl of mouse CD8 (Lyt2) Dynabeads directly to the recording solution and gentle swirling to mix. Whole cell patch clamp readings were carried out with an Axopatch 200A amplifier

(Axon Instruments) as described previously. (Zamponi *et al.*, 1997, *Nature* 385: 442-446). The external recording solution was 2 mM CaCl_2 , 1 mM MgCl_2 , 10 mM HEPES, 40 mM TEA-Cl, 10 mM glucose, 92 mM CsCl, pH=7.2 with TEA-hydroxide. The internal pipette solutions was 105 mM CsCl, 25 mM TEA-Cl, 1mM
5 CaCl_2 , 11 mM EGTA, 10 mM HEPES, pH 7.2 with NaOH.

For determination of current-voltage (I-V) relationships, cells were held at a resting potential of -100 mV and then stepped to various depolarizing test potentials. For steady-state inactivation, cells were held at various potentials for 20 sec. and currents recorded during a subsequent test pulse to the peak potential of the I-V. Leak
10 currents and capacitative transients were subtracted using a P/5 procedure.

Figs. 1-4 show the results obtained for HEK cells transfected with and expressing the cDNA of sequences ID Nos. 23 and 27, which correspond to the subunits designated as α_{1G} and α_{1I} . Figs. 1A and B and 2A and B shows a comparison of the waveforms and current-voltage relationship for the two channel subunit types.
15 In the presence of recording solution containing 2mM Ca^{2+} , both the α_{1G} and α_{1I} channel subunits exhibit activation properties consistent with native T-type calcium currents. Figs 1 A and 2A show the subunit calcium current from a cell held at -120 mV and depolarized to a series of test potentials. Figs 1B and 2B show the magnitude of the calcium current. From a holding potential of -110 mV, both channel first
20 activate at approximately -70 mV and peak currents are obtained between -40 and -50 mV. Upon depolarization to various test potentials, the current waveforms of the α_{1G} and α_{1I} calcium channels exhibit an overlapping pattern characteristic of native T-type channels in nerve, muscle and endocrine cells.

Fig. 3 shows steady-state inactivation profiles for the α_{1G} and α_{1I} calcium
25 channels in HEK 293 cells transiently transformed with full length cDNAs (SEQ ID Nos 23 or 27) for α_{1G} or α_{1I} subunits. Steady state inactivation properties were determined by stepping from -120 mV to prepulse holding potentials between -120 mV and -50 mV for 15 sec. prior to a test potential of -30 mV. The data are plotted as normalized whole cell current versus prepulse holding potential and show that α_{1G}
30 exhibits a V_{50} of approximately -85 mV and α_{1I} a V_{50} of approximately -93 mV. Thus, consistent with native T-type calcium channels, both of the α_{1G} and α_{1I} calcium channels exhibit pronounced steady-state inactivation at negative potentials.

Figs. 4A-C show a comparison of the voltage-dependent deactivation profiles of the α_{1G} and α_{1I} calcium channels. HEK 293 cells were transiently transfected with either an α_{1G} or α_{1I} subunit cDNA (Seq. ID No. 23 or 27). The deactivation properties of α_{1G} were determined by stepping from a holding potential of -100 mV to -40mV for 9 msec, and then to potentials between -120 mV and -45 mV. The deactivation properties of α_{1I} were determined by stepping from a holding potential of -100 mV to -40 mV for 20 msec, and then to potentials between -120 mV and -45 mV. Both channels exhibit slow deactivation kinetics compared to typical high-threshold channels, and is consistent with the α_{1G} and α_{1I} subunits being subunits for T-type calcium channels

Example 3

Cloning of a Full Length cDNA for the Human α_{1G} T-Type Calcium Channel Subunit

Materials and Methods:

A full length cDNA encoding the human α_{1G} subunit was constructed from 5 overlapping clones (Figure 1B) isolated from a human thalamus cDNA library constructed in λ gt11 vector (Clontech, Cat#HL5009b).

Three λ gt11 cDNA clones were isolated by conventional filter hybridization.

Clone 1 was identified by hybridization to a 567 bp cDNA probe (SEQ ID NO: 19) containing the transmembrane region S4 to S6 of domain I of the previously cloned human neuronal α_{1I} T-type calcium channel subunit. Clones HG10-1112 and HG5-1211 were identified by hybridization to a 1265 bp cDNA probe of the rat α_{1H} T-type calcium channel subunit spanning domain II and part of the II-III intracellular loop. cDNA probes were 32 P-dCTP labelled by random priming using a Multiprime DNA labeling system (Amersham Pharmacia). Plaque lifts using H-bond nylon membranes were done in duplicate following the standard protocols supplied by manufacturer (Amersham Pharmacia). Hybridization was performed for at least 16hrs at 65°C for clone 1 and for at least 16hrs at 58°C, clones HG10-1112 and HG5-1211. Membranes were washed in 0.1X SSC/0.3% SDS at 62°C for clone 1 and 0.2X SSC/0.1% SDS at 58°C clones HG10-1112 and HG5-1211. Blots were exposed to BioMax MS Kodak film with Kodak HE intensifying screens for at least 48hrs at -80°C. Double positive plaques were isolated and re-screened to isolate single clones

according to the procedure above. Bacteriophage DNAs were then isolated according to the λ gt11 library User Manual (Clontech). Clone 1 cDNA insert was excised with EcoRI (NEB) and subcloned into pBluescriptKS (Stratagene). Clones HG10-1112 and HG5-1211 cDNA inserts were excised from λ DNA with Not I (NEB) and subcloned into the Not I site of pBluescriptKS. Plasmids with cDNA inserts were transformed by electroporation into XL-I E.Coli host strain bacteria and sequenced using universal reverse and forward primers according to Sanger double stranded DNA sequencing method in combination with automatic sequencing ABI 100 PRISM model 377 Version3.3 (PE Biosystems).

Clone 1 was identified as a human α_{1G} subunit containing the 5'UTR and 1933 bp of the in-frame coding region, including part of the intracellular I-II loop. Clone HG10-1112 was identified as a human α_{1G} subunit of 3915 bp, spanning Domain I (IS5-IS6) to the III-IV loop. Clone HG5-1211 was identified as human α_{1G} subunit of 3984 bp containing the I-II linker and C-terminus.

For expression in HEK cells, removal of 5' UTR from clone 1 was achieved by replacing 5'UTR DNA fragment flanked by Hind III/SacII restriction sites with 5'end - 291 bp cDNA fragment, containing translation start site and an incorporated Hind III site for subsequent cloning into pcDNA3.1 (Invitrogen). Following PCR conditions were used: 94°C -30 sec, 45°C -30 sec, 72°C -30 sec for 5 cycles and followed by 94°C -30 sec, 48°C -30 sec, 72°C -30 sec for 20 cycles (Bio-rad Gene Cyclor). The cDNA fragment was subcloned into p-Gem-T-Easy plasmid vector (Promega) and the DNA sequence determined.

The remaining region of the 3' α_{1G} subunit cDNA was obtained using the PCR method on a human thalamus cDNA library with primers MD19-sense (5'GCG TGG AGC TCT TTG GAG 3') and G26- antisense (5' GCA CCC AGT GGA GAA AGG TG 3'). The PCR protocol used was 94°C -30 sec, 58°C -30 sec, 72°C -30 sec for 25 cycles (Bio-rad Gene Cyclor). A cDNA fragment of 1617 bp was subcloned into p-Gem-T-Easy plasmid vector (Promega) and sequenced. The 3'PCR cDNA was identified as a human α_{1G} subunit spanning from Domain IV-S5 to the carboxyl terminus including the stop codon.

Unique restriction sites (Figures 5A and B) of the partial cDNA clones were used to construct the full length human α_{1G} T-type calcium channel in pcDNA3.1 Zeo

(+) (Invitrogen) mammalian expression vector.

The complete nucleotide and amino acid sequences are shown in Figure 6.

In order to determine the functional properties of the human α_{1G} channel standard calcium-phosphate transfection was used to transiently express the channel in HEK ts201 cells. Cells were cultured in Dulbecco's modified eagle medium (DMEM) supplemented with 10% fetal bovine serum, 200 U/ml penicillin and 0.2 mg/ml streptomycin at 37°C with 5% CO₂. At 85% confluency cells were split with 0.25% trypsin/1 mM EDTA and plated at 10% confluency on glass coverslips. At 12 hours the medium was replaced and the cells transiently transfected using a standard calcium phosphate protocol and the α_{1G} calcium channel cDNA. Fresh DMEM was supplied and the cells transferred to 28°C/5% CO₂. Cells were incubated for 1 to 2 days prior to whole cell recording. Whole cell patch recordings were performed using an Axopatch 200B amplifier (Axon Instruments) linked to an IBM compatible personal computer equipped with pCLAMP version 7.0 software. The intrapipette solution contained (in mM): 105 CsCl, 25 CsCl, 1 CaCl₂, 11 EGTA, 10 HEPES, pH 7.2. The extracellular solution contained (in mM): 40 TEA-Cl, 2 CaCl₂, 1 MgCl₂, 92 CsCl, 10 glucose, 10 HEPES, pH 7.2.

Figure 7 shows that the human α_{1G} cDNA encodes a calcium channel with typical properties of a T-type current. The left panel illustrates representative current traces obtained from a holding potential of -100 mV to test pulses potentials of -90 mV to +20 mV. The traces show a typical crossover pattern and considerable inactivation during the test pulse, both of which are consistent with native T-type channels. The right panel shows a plot of the peak whole current at various test potentials and indicates that the human α_{1G} cDNA first activates near -60 mV with maximal current near -40 mV, which is also consistent with native low-threshold T-type calcium channels.

Claims

1. A DNA molecule which comprises an expression cassette wherein said expression cassette comprises a nucleotide sequence encoding a T-type calcium channel α_1 subunit, said encoding sequence operably linked to control sequences to effect its expression.
5
2. The DNA molecule of claim 1 wherein said α_1 subunit is α_{1G} , α_{1H} , or α_{1I} .
3. The DNA molecule of claim 2 wherein said α_1 subunit is derived from a mammal.
- 10 4. Recombinant host cells modified to contain the DNA molecule of any of claims 1-3.
5. The cells of claim 4 which are mammalian cells.
6. A method to effect production of a functional calcium channel which method comprises culturing the cells of claim 4 or 5 under conditions wherein said
15 functional calcium channels are produced.
7. A method to identify a compound which is a modulator for T-type mammalian calcium channels, which method comprises contacting the cells employed in the method of claim 6 with said compound and assessing the effect of said compound on said cells.
- 20 8. A T-type calcium channel modulator identified by the method of claim 7.
9. A method to treat conditions characterized by undesirable levels of T-type calcium channel activity which method comprises administering to a subject in need of such treatment an effective amount of the modulator of claim 8.

10. The method of claim 9 wherein said condition is cardiac hypertrophy, cardiac arrhythmia, hypertension, a sleep disorder, or epilepsy.

11. A DNA molecule which comprises an expression system for a nucleotide sequence which is complementary to the nucleotide sequence encoding a T-type calcium channel α_1 subunit or which forms a triple helix with DNA comprising said encoding sequence.

12. A method to treat a condition characterized by an undesirable level of T-type calcium channel activity which method comprises administering to a subject in need of such treatment an effective amount of the DNA molecule of claim 11.

13. The method of claim 12 wherein said condition is cardiac hypertrophy, cardiac arrhythmia, hypertension, a sleep disorder, or epilepsy.

14. An oligonucleotide which consists essentially of a nucleotide sequence characteristic of a T-type calcium channel α_1 subunit, said oligonucleotide coupled to or comprising a detectable label.

15. A method to map the distribution of T-type calcium channels in a tissue which method comprises contacting said tissue with the oligonucleotide of claim 14.

16. Antibodies specifically immunoreactive with the extracellular portions of a T-type calcium channel.

17. A method to map the distribution of T-type calcium channels in a tissue which method comprises contacting said tissue with the antibodies of claim 16.

1/18




FIG. 1A




FIG. 1B




FIG. 2A




FIG. 2B

2/18







FIG. 3

3/18



4/18





FIG. 5A

5'PCR-291 bp

Clone 1- 1933 bp

HG10-1112-3915 bp

HG5-1211-3984 bp

3'PCR-1617 bp

FIG. 5B

5/18

```

1 aagcttgcttgccccctctccggtatcgccccggggccccggctggccagagg ATG GAC GAG GAG GAG GAT GGA 71
1      M D E E E D G 7
72 GCG GGC GCC GAG GAG TCG GGA CAG CCC CGG AGC TTC ATG CGG CTC AAC GAC CTG TCG GGG 131
8 A G A E E S G Q P R S F M R L N D L S G 27
132 GCC GGG GGC CCG CCG GGG TCA GCA GAA AAG GAC CCG GGC AGC GCG GAC TCC GAG 191
28 A G G R P G P G S A E K D P G S A D S E 47
192 GCG GAG GGG CTG CCG TAC CCG GCG CTG GCC CGG GTG GTT TTC TTC TAC TTG AGC CAG GAC 251
48 A E G L P Y P A L A P V F F Y L S Q D 67
252 AGC CGC CCG AGC TGG TGT CTC CGC ACG GTC TGT AAC CCC TGG TTT GAG CGC ATC AGC 311
68 S R P R S W C L R T V C N P W F E R I S 87
312 ATG TTG GTC ATC CTT CTC AAC TGC GTG ACC CTG GGC ATG TTC CGG CCA TGC GAG GAC ATC 371
88 M L V I L L N C V T L G M F R P C E D I 107
372 GCC TGT GAC TCC CAG CGC TGC CGG ATC CTG CAG GCC TTT GAT GAC TTC ATC TTT GCC TTC 431
108 A C D S Q R C R I L Q A F D D F I F A F 127
432 TTT GCC GTG GAG ATG GTG AAG ATG GTG GCC TTG GGC ATC TTT GGG AAA AAG TGT TAC 491
128 F A V E M V V K N V A L G I F G K K C Y 147
492 CTG GGA GAC ACT TGG AAC CCG CTT GAC TTT TTC ATC GTC ATC GCA GGG ATG CTG GAG TAC 551
148 L G D T N N R L D F F I V I A G M L E Y 167
552 TCG CTG GAC CTG CAG AAC GTC AGC TTC TCA GCT GTC AGG ACA GTC CGT GTG CTG CGA CCG 611
168 S L D L Q N V S F S A V R T V R V L R P 187

```

SUBSTITUTE SHEET (RULE 26)

FIG. 6A

6/18

612 CTC AGG GCC ATT AAC CGG GTG CCC AGC ATG CGC ATC CTT GTC ACG TTG CTG CTG GAT ACG 671
 188 L R A I N R V P S M R I L V T L L L D T 207
 672 CTG CCC ATG CTG GGC AAC GTC CTG CTG CTC TGC TTC TTT GTC TTC ATC TTC GGC ATC 731
 208 L P M L G N V L L L C F F V F I F G I 227
 732 GTC GGC GTC CAG CTG TGG GCA GGG CTG CTT CGG AAC CGA TGC TTC CTA CCT GAG AAT TTC 791
 228 V G V Q L W A G L L R N R C F L P E N F 247
 792 AGC CTC CCC CTG AGC GTG GAC CTG GAG CGC TAT TAC CAG ACA GAG AAC GAG GAT GAG AGC 851
 248 S L P L S V D L E R Y Y O T E N E D E S 267
 852 CCC TTC ATC TGC TCC CAG CCA CGC GAG AAC GGC ATG CGG TCC TGC AGA AGC GTG CCC ACG 911
 268 P F I C S Q P R E N G M R S C R S V P T 287
 912 CTG CGC GGG GAC GGG GGT GGC CCA CCT TGC GGT CTG GAC TAT GAG GCC TAC AAC AGC 971
 288 L R G D G G G G P C G L D Y E A Y N S 307
 972 TCC AGC AAC ACC ACC TGT GTC AAC TGG AAC CAG TAC TAC ACC AAC TGC TCA GCG GGG GAG 1031
 308 S S K T T C V N W N Q Y Y T N C S A G E 327
 1032 CAC AAC CCC TTC AAG GGC GCC ATC AAC TTT GAC AAC ATT GGC TAT GCC TGG ATC GCC ATC 1091
 328 H N P F K G A I N F D N I G Y A W I A I 347
 1092 TTC CAG GTC ATC ACG CTG GAG GGC TGG GTC GAC ATC ATG TAC TTT GTG ATG GAT GCT CAT 1151
 348 F Q V I T L E G W V D I M Y F V M D A H 367
 1152 TCC TTC TAC AAT TTC ATC TAC TTC ATC CTC ATC ATC GTG GGC TCC TTC TTC ATG ATC 1211
 368 S F Y N F I Y F I L L I I V G S F F M I 387

FIG. 6B

7/18

1212 AAC CTG TGC CTG GTG GTG ATT GCC ACG CAG TTC TCA GAG ACC AAG CAG CGG GAA AGC CAG 1271
 388 N L C L V I A T Q F S E T K Q R E S Q 407
 1272 CTG ATG CGG GAG CAG CGT GTG CGG TTC CTG TCC AAC GCC AGC ACC CTG GCT AGC TTC TCT 1331
 408 L M R E Q R V R F L S N A S T L A S F S 427
 1332 GAG CCC GGC AGC TGC TAT GAG GAG CTG CTC AAG TAC CTG GTG TAC ATC CTT CGT AAG GCA 1391
 428 E P G S C Y E E L L K Y L V Y I L R K A 447
 1392 GCC CGC AGG CTG GCT CAG GTC TCT CGG GCA GCA GGT GTG CGG GTT GGG CGT CTC AGC AGC 1451
 448 A R R L A Q V S R A A G V R V G L L S S 467
 1452 CCA GCA CCC CTC GGG GGC CAG GAG ACC CAG CCC AGC AGC AGC TGC TCT CGC TCC CAC CGC 1511
 468 P A P L G G Q E T Q P S S S C S R S H R 487
 1512 CGC CTA TCC GTC CAC CAC CTG GTG CAC CAC CAC CAT CAC CAC CAC TAC CAC CTG 1571
 488 R L S V N H L V H H H N H M H N H Y H L 507
 1572 GGC AAT GGG ACG CTC AGG GCC CCC CGG GCC AGC CCG AGC CAG ATC CAG GAG AGG GAT GCC AAT 1631
 508 G N G T L R A P R A S P E I Q D R D A N 527
 1632 GGG TCC CGC AGG CTC ATG CTG CCA CCA CCC TCG ACG CCT GCC CTC TCC GGG GCC CCT 1691
 528 G S R R L M L P P P S T P A L S G A P P 547
 1692 GGT GGC GCA GAG TCT GTG CAC AGC TTC TAC CAT GCC GAC TGC CAC TTA GAG CCA GTC CGC 1751
 548 G G A E S V H S F Y H A D C M L E P V R 567
 1752 TGC CAG GCG CCC CCT CCC AGG TCC CCA TCT GAG GCA TCC GGC AGG ACT GTG GGC AGC GGG 1811
 568 C Q A P P P R S P S E A S G R T V G S G 587

FIG. 6C

8/18

1812 AAG GTG TAT CCC ACC GTG CAC ACC AGC CCT CCA CCG GAG ACG CTG AAG GAG AAG GCA CTA 1871
 588 K V Y P T V N T S P P P E T L K E R A L 607
 1872 GTA GAG GTG GCT GCC AGC TCT GGG CCC CCA ACC CTC ACC AGC CTC AAC ATC CCA CCC GGG 1931
 608 V E V A A S S G P P T L T S L N I P P G 627
 1932 CCC TAC AGC TCC ATG CAC AAG CTG CTG GAG ACA CAG AGT ACA GGT GCC TGC CAA AGC TCT 1991
 628 P Y S S M H K L L E T Q S T G A C Q S S 647
 1992 TGC AAG ATC TCC AGC CCT TGC TTTG AAA GCA GAC AGT GGA GCC TGT GGT CCA GAC AGC TGC 2051
 648 C K I S S P C L K A D S G A C G P D S C 667
 2052 CCC TAC TGT GCC CGG GCC GCG GCA GGG GAG GTG GAG CTC GCC GAC CGT GAA ATG CCT GAC 2111
 668 P Y C A R A G A G E V E L A D R E M P D 687
 2112 TCA GAC AGC GAG GCA GTT TAT GAG TTC ACA CAG GAT GCC CAG CAC AGC GAC CTC CGG GAC 2171
 688 S D S E A V Y E F T Q D A Q H S D L R D 707
 2172 CCC CAC AGC CGG CAA CGG AGC CTG GGC CCA GAT GCA GAG CCC AGC TCT GTG CTG GCC 2231
 708 P H S R R Q R S L G P D A E P S S V L A 727
 2232 TTC TGG AGG CTA ATC TGT GAC ACC TTC CGA AAG ATT GTG GAC AGC AAG TAC TTT GGC CGG 2291
 728 F W R L I C D T F R K I V D S K Y F G R 747
 2292 GGA ATC ATG ATC GCC ATC CTG GTC AAC ACA CTC AGC ATG GGC ATC GAA TAC CAC GAG CAG 2351
 748 G I M I A I L V N T L S M G I E Y H E Q 767
 2352 CCC GAG GAG CTT ACC AAC GCC CTA GAA ATC AGC AAC ATC GTC TTC ACC AGC CTC TTT GCC 2411
 768 P E E L T N A L E I S N I V F T S L F A 787

FIG. 6D

9/18

2412 CTG GAG ATG CTG CTG AAG CTG TAT GTG TTT GGC TAC ATC AAG AAT CCC TAC 2471
 788 L E M L L K L L V Y G P F G Y I K N P Y 807
 2472 AAC ATC TTC GAT GGT GTC ATT GTG GTC ATC AGC GTG TGG GAG ATC GTG GGC CAG CAG GGG 2531
 808 N I F D G V I V V I S V N E I V G Q Q G 827
 2532 GGC GGC CTG TCG GTG CTG CGG ACC TTC CGC CTG ATG CGT GTG CTG AAG CTG GTG CGC TTC 2591
 828 G G L S V L R T F R L M R V L K L V R F 847
 2592 CTG CCG GCG CTG CAG CGG CAG CTG GTG CTG ATG AAG ACC ATG GAC AAC GTG GCC ACC 2651
 848 L P A L Q R Q L V V L M K T M D N V A T 867
 2652 TTC TGC ATG CTG CTT ATG CTC TTC ATC TTC AGC ATC CTG GGC ATG CAT CTC TTC 2711
 868 F C M L L M L F I F S I L G M H L F 887
 2712 GGC TGC AAG TTT GCC TCT GAG CGG GAT GGG GAC ACC CTG CCA GAC CGG AAG AAT TTT GAC 2771
 888 G C K F A S E R D G D T L P D R K N F D 907
 2772 TCC TTG CTC TGG GCC ATC GTC ACT GTC TTT CAG ATC CTG ACC CAG GAC TGG AAC AAA 2831
 908 S L L W A I V T V F Q I L T Q E D W N K 927
 2832 GTC CTC TAC AAT GGT ATG GCC TCC ACG TCG TCC TGG GCG GCC CTT TAT TTC ATT GCC CTC 2891
 928 V L Y N G M A S T S S W A A L Y F I A L 947
 2892 ATG ACC TTC GGC AAC TAC GTG CTC TTC AAT TTG CTG GTC GCC ATT CTG GTG GAG GGC TTC 2951
 948 M T F G N Y V L F N L L V A I L V E G F 967
 2952 CAG GCG GAG GAA ATC AGC AAA CCG GAT GCG AGT GGA CAG TTA AGC TGT ATT CAG CTG 3011
 968 Q A E E I S K R E D A S G Q L S C I Q L 987

FIG. 6E

10/18

3012 CCT GTC GAC TCC CAG GGG GGA GAT GCC AAC AAG TCC GAA TCA GAG CCC GAT TTC TTC TCA 3071
 988 P V D S Q G G D A N K S E S E P D F F S 1007
 3072 CCC AGC CTG GAT GGT GAT GGG GAC AGG AAG AAG TGC TTG GCC TTG GTG TCC CTG GGA GAG 3131
 1008 P S L D G D G D R K K C L A L V S L G E 1027
 3132 CAC CCG GAG CTG CCG AAG AGC CTG CTG CCG CCT CTC ATC ATC CAC ACG GCC GCC ACA CCC 3191
 1028 H P E L R K S L L P P L I I H T A A T P 1047
 3192 ATG TCG CTG CCC AAG AGC ACC AGC GGC CTG GGC GAG GCG CTG GGC CCT GCG TCG CGC 3251
 1048 M S L P K S T S T G L G E A L G P A S R 1067
 3252 CGC ACC AGC AGC GGG TCG GCA GAG CCT GGG GCG GCC CAC GAG ATG AAG TCA CCG CCC 3311
 1068 R T S S S G S A E P G A A H E M K S P P 1087
 3312 AGC GCC CGC AGC TCT CCG CAC AGC CCC TGG AGC GCT GCA AGC AGC TGG ACC AGC AGG CGC 3371
 1088 S A R S S P H S P W S A A S S W T S R R 1107
 3372 TCC AGC CGG AAC AGC CTC GGC CGT GCA CCC AGC CTG AAG CCG AGA AGC CCA AGT GGA GAG 3431
 1108 S S R N S L G R A P S L K R R S P S G E 1127
 3432 CGG CGG TCC CTG TTG TCG GGA GAA GGC CAG GAG AGC CAG GAT GAA GAG AGC TCA GAA 3491
 1128 R S L L S G E G Q E S Q D E E S S E 1147
 3492 GAG GAG CGG GCC AGC CCT GCG GGC AGT GAC CAT CGC CAC AGG GGG TCC CTG GAG CGG GAG 3551
 1148 E E R A S P A G S D H R N R G S L E R E 1167
 3552 GCC AAG AGT TCC TTT GAC CTG CCA GAC ACA CTG CAG CTG CCA GGG CTG CAT CGC ACT GCC 3611
 1168 A K S S F D L P D T L Q V P G L H R T A 1187

11/18

3612	AGT	GGC	CGA	GGG	TCT	GCT	TCT	GAG	CAC	CAG	GAC	TGC	AAT	CGC	AAG	TCG	GCT	TCA	GGG	CGC	3671
1188	S	G	R	G	S	A	S	E	H	Q	D	C	N	G	K	S	A	S	G	R	1207
3672	CTG	GCC	CGG	GCC	CTG	CGG	CCT	GAT	GAC	CCC	CCA	CTG	GAT	GGG	GAT	GAC	GCC	GAT	GAC	GAG	3731
1208	L	A	R	A	L	R	P	D	D	P	P	L	D	G	D	D	A	D	D	E	1227
3732	GGC	AAC	CTG	AGC	AAA	GGG	GAA	CGG	GTC	CGC	GCG	TGG	ATC	CGA	GCC	CGA	CTC	CCT	GCC	TGC	3791
1228	G	N	L	S	K	G	E	R	V	R	A	W	I	R	A	R	L	P	A	C	1247
3792	TAC	CTC	GAG	CGA	GAC	TCC	TGG	TCA	CCC	TAC	ATC	TTC	CCT	CCT	CAG	TCC	AGG	TTC	CGC	CTC	3851
1248	Y	L	E	R	D	S	W	S	A	Y	I	F	P	P	Q	S	R	F	R	L	1267
3852	CTG	TGT	CAC	CGG	ATC	ATC	ACC	CAC	AAG	ATG	TTC	GAC	CAG	GTG	GTC	CTT	GTC	ATC	ATC	TTC	3911
1268	L	C	H	R	I	I	T	N	K	M	F	D	H	V	V	L	V	I	I	F	1287
3912	CTT	AAC	TGC	ATC	ACC	ATC	GCC	ATG	GAG	CGC	CCC	AAA	ATT	GAC	CCC	CAC	AGC	GCT	GAA	CGC	3971
1288	L	N	C	I	T	I	A	M	E	R	P	K	I	D	P	H	S	A	E	R	1307
3972	ATC	TTC	CTG	ACC	CTC	TCC	AAT	TAC	ATC	TTC	ACC	GCA	GTC	TTT	CTG	GCT	GAA	ATG	ACA	GTG	4031
1308	I	F	L	T	L	S	N	Y	I	F	T	A	V	F	L	A	E	M	T	V	1327
4032	AAG	GTG	GCA	CTG	GGC	GGC	TGG	TGC	TTC	GGG	GAG	CAG	GCG	TAC	CTG	CGG	AGC	AGT	TGG	AAC	4091
1328	K	V	V	A	L	G	W	C	F	G	E	Q	A	Y	L	R	S	S	W	N	1347
4092	GTG	CTG	GAC	GGG	CTG	TTG	GTG	CTC	ATC	TCC	GTC	ATC	GAC	ATT	CTG	GTG	TCC	ATG	GTC	TCT	4151
1348	V	L	D	G	L	L	V	L	I	S	V	I	D	I	L	V	S	M	V	S	1367
4152	GAC	AGC	GGC	ACC	AAG	ATC	CTG	GGC	ATG	CTG	AGG	GTG	CTG	CGG	CTG	CTG	CGG	ACC	CTG	CGC	4211
1368	D	S	G	T	K	I	L	G	M	L	R	V	L	R	L	L	R	T	L	R	1387

FIG. 6G

12/18

4212	CCG	CTC	AGG	GTG	ATC	AGC	CGG	GCG	CAG	GGG	CTG	AAG	CTG	GTG	GTG	GAG	ACG	CTG	ATG	TCC	4271
1388	P	L	R	V	I	S	R	A	Q	G	L	K	L	V	V	E	T	L	M	S	1407
4272	TCA	CTG	AAA	CCC	ATC	GGC	AAC	ATT	GTA	GTC	ATC	TGC	TGT	GCC	TTC	TTC	ATC	ATT	TTC	GGC	4331
1408	S	L	K	P	I	G	N	I	V	V	I	C	C	A	F	F	I	I	F	G	1427
4332	ATC	TTG	GGG	GTG	CAG	CTC	TTC	AAA	GGG	AAG	TTT	TTC	GTG	TGC	CAG	GGC	GAG	GAT	ACC	AGG	4391
1428	I	L	G	V	Q	L	F	K	G	K	F	F	V	C	Q	G	E	D	T	R	1447
4392	AAC	ATC	ACC	AAT	AAA	TCG	GAC	TGT	GCC	GAG	GCC	AGT	TAC	CGG	TGG	GTC	CGG	CAC	AAG	TAC	4451
1448	N	I	T	N	K	S	D	C	A	E	A	S	Y	R	W	V	R	M	K	Y	1467
4452	AAC	TTT	GAC	AAC	CTT	GGC	CAG	GCC	CTG	ATG	TCC	CTG	TTC	GTT	TTG	GCC	TCC	AAG	GAT	GGT	4511
1468	N	F	D	N	L	G	Q	A	L	M	S	L	F	V	L	A	S	K	D	G	1487
4512	TGG	GTG	GAC	ATC	ATG	TAC	GAT	GGG	CTG	GAT	GCT	GTG	GGC	GTG	GAC	CAG	CAG	CCC	ATC	ATG	4571
1488	W	V	D	I	M	Y	D	G	L	D	A	V	G	V	D	Q	Q	P	I	M	1507
4572	AAC	CAC	AAC	CCC	TGG	ATG	CTG	CTG	TAC	TTC	ATC	TCG	TTC	CTG	CTC	ATT	GTG	GCC	TTC	TTT	4631
1508	N	H	N	P	N	M	L	L	Y	F	I	S	F	L	L	I	V	A	F	F	1527
4632	GTC	CTG	AAC	ATG	TTT	GTG	GGT	GTG	GTG	GTG	GAG	AAC	TTC	CAC	AAG	TGT	AGG	CAG	CAC	CAG	4691
1528	V	L	N	M	F	V	G	V	V	V	E	N	F	H	K	C	R	Q	H	Q	1547
4692	GAG	GAA	GAG	GAG	GCC	CGG	CGG	GAG	GAG	AAG	CGC	CTA	CGA	AGA	CTG	GAG	AAA	AAG	AGA		4751
1548	E	E	E	A	R	R	R	E	E	K	R	L	R	R	L	E	K	K	R		1567
4752	AGG	AAA	GCC	CAG	TGC	AAA	CCT	TAC	TAC	TCC	GAC	TAC	TCC	CGC	TTC	CGG	CTC	CTC	GTC	CAC	4811
1568	R	K	A	Q	C	K	P	Y	Y	S	D	Y	S	R	F	R	L	L	V	H	1587

SUBSTITUTE SHEET (RULE 26)

FIG. 6H

13/18

4812 CAC TTG TGC ACC AGC CAC TAC CTG GAC CTC TTC ATC ACA GGT GTC ATC GGG CTG AAC GTG 4871
 1588 H L C T S H Y L D L F I T G V I G L N V 1607
 4872 GTC ACC ATG GCC ATG GAG CAC TAC CAG CAG CCC CAG ATT CTG GAT GAG GCT CTG AAG ATC 4931
 1608 V T M A M E H Y Q Q P Q I L D E A L K I 1627
 4932 TGC AAC TAC ATC TTC ACT GTC ATC TTT GTC TTG GAG TCA GTT TTC AAA CTT GTG GCC TTT 4991
 1628 C N Y I F T V I F V L E S V F K L V A F 1647
 4992 GGT TTC CGT CGG TTC TTC CAG GAC AGG TGG AAC CAG CTG GAC CTG GCC ATT GTG CTG CTG 5051
 1648 G F R R F F Q D R W N Q L D L A I V L L 1667
 5052 TCC ATC ATG GGC ATC ACG CTG GAG GAA ATC GAG GTC AAC GCC TCG CTG CCC ATC AAC CCC 5111
 1668 S I M G I T L E E I E V N A S L P I N P 1687
 5112 ACC ATC ATC CGC ATC ATG AGG GTG CTG CGC ATT GCC CGA GTG CTG AAG CTG CTG AAG ATG 5171
 1688 T I I R I M R V L R I A R V L K L L K M 1707
 5172 GCT GTG GGC ATG CGG GCG CTG GAC ACG GTG ATG CAG GCC CTG CCC CAG GTG GGG AAC 5231
 1708 A V G M R A L L D T V M Q A L P Q V G N 1727
 5232 CTG GGA CTT CTC TTC ATG TTG TTG TTT TTC ATC TTT GCA GCT CTG GGC GTG GAG CTC TTT 5291
 1728 L G L L F M L L F F I F A A L G V E L F 1747
 5292 GGA GAC CTG GAG TGT GAC GAG ACA CAC CCC TGT GAG GGC CTG GGC CGT CAT GCC ACC TTT 5351
 1748 G D L E C D E T H P C E G L G R H A T F 1767
 5352 CGG AAC TTT GGC ATG GCC TTC CTA ACC CTC TTC CGA GTC TCC ACA GGT GAC AAT TGG AAT 5411
 1768 R N F G M A F L T L F R V S T G D N W E 1787

14/18

5412 GGC ATT ATG AAG GAC ACC CTC CGG GAC TGT GAC CAG GAG TCC ACC TGC TAC AAC ACG GTC 5471
 1788 G I M K D T L R D C D Q E S T C Y F T V 1807
 5472 ATC TCG CCT ATC TAC TTT GTG TTC GTG CTG ACG GCC CAG TTC GTG CTA GTC AAC GTG 5531
 1808 I S P I Y F V S F V L T A Q F V L V M V 1827
 5532 GTG ATC GCC GTG CTG ATG AAG CAC CTG GAG GAG AGC AAC AAG GAG GCC AAG GAG GAG GCC 5591
 1828 V I A V L M K H L E E S N K E A K E E A 1847
 5592 GAG CTA GAG GCT GAG CTG GAG ATG AAG ACC CTC AGC CCC CAG CCC CAC TCG CCA 5651
 1848 E L E A E L E M K T L S P Q P H S P 1867
 5652 CTG GGC AGC CCC TTC CTC TGG CCT GGG GTC GAG GGC CCC GAC AGC CCC AAG 5711
 1868 L G S P F L N P G V E G P D S P D S P K 1887
 5712 CCT GGG GCT CTG CAC CCA GCG GCC CAC GCG AGA TCA GCC TCC CAC TTT TCC CTG GAG CAC 5771
 1888 P G A L M P A A H A R S A S H F S L E H 1907
 5772 CCC ACG ATG CAG CCC CAC CCC ACG GAG CTG CCA GGA CCA GAC TTA CTG ACT GTG CGG AAG 5831
 1908 P T M Q P H P T E L P G P D L L T V R K 1927
 5832 TCT GGG GTC AGC CGA ACG CAC TCT CTG CCC AAT GAC AGC TAC ATG TGT CGG CAT GGG AGC 5891
 1928 S G V S R T M S L P N D S Y M C R G S 1947
 5892 ACT GCC GAG GGG CCC CTG GGA CAC AGG GGC TGG GGC CTC CCC AAA GCT CAG TCA GGC TCC 5951
 1948 T A E G P L G H R G W G L P K A Q S G S 1967
 5952 GTC TTG TCC GTT CAC TCC CAG CCA GCA GAT ACC AGC TAC ATC CTG CAG CTT CCC AAA GAT 6011
 1968 V L S V H S Q P A D T S Y I L Q L P K D 1987

FIG. 6J

15/18

6012 GCA CCT CAT CTG CTC CAG CCC CAC AGC GCC CCA ACC TGG GGC ACC ATC CCC AAA CTG CCC 6071
 1988 A P H L L Q Q P M S A P T W G T I P K L P 2007
 6072 CCA CCA GGA CGC TCC CCT TTG GCT CAG AGG CCA CTC AGG CGC CAG GCA GCA ATA AGG ACT 6131
 2008 P P G R S P L A Q R P L R R Q A A I R T 2027
 6132 GAC TCC TTG GAC GTT CAG GGT CTG GGC AGC CGG GAA GAC CTG CTG GCA GAG GTG AGT GGG 6191
 2028 D S L D V Q Q G L G S R E D L L A E V S G 2047
 6192 CCC TCC CCG CCC CTG GCC CGG GCC TAC TCT TTC TGG GGC CAG TCA AGT ACC CAG GCA CAG 6251
 2048 P S P P L A R A Y S F W G Q S S T Q A Q 2067
 6252 CAG CAC TCC CGC AGC CAC AGC AAG ATC TCC AAG CAC ATG ACC CCG CCA GCC CCT TGC CCA 6311
 2068 Q H S R S H S K I S K H H T P P A P C A 2087
 6312 GGC CCA GAA CCC AAC TGG GGC AAG GGC CCT CCA GAG ACC AGA AGC AGC TTA GAG TTG GAC 6371
 2088 G P E P N M G K G P P E T R S S L E L D 2107
 6372 ACG GAG CTG AGC TGG ATT TCA GGA GAC CTC CTG CCC CCT GGC GGC CAG GAG GAG CCC CCA 6431
 2108 T E L S N I S G D L L P P G G Q E E P P 2127
 6432 TCC CCA CGG GAC CTG AAG AAG TGC TAC AGC GTG GAG GCC CAG AGC TGC CAG CGC CGG CCT 6491
 2128 S P R D L K K C Y S V E A Q S C Q R R P 2147
 6492 ACG TCC TGG CTG GAT GAG CAG AGG AGA CAC TCT ATC GCC GTC AGC TGC CTG GAC AGC GGC 6551
 2148 T S W L D E Q R R H S I A V S C L D S G 2167
 6552 TCC CAA CCC CAC CTG GGC ACA GAC CCC TCT AAC CTT GGG GGC CAG CCT CTT GGG GGC CCT 6611
 2168 S Q P H L G T D P S N L G G Q P L G G P 2187

16/18

6612 GGG AGC CGG CCC AAG AAA AAA CTC AGC CCG CCT AGT ATC ACC ATA GAC CCC CCC GAG AGC 6671
 2188 G S R P K K L S P P S I T I D P P E S 2207
 6672 CAA GGT CCT CGG ACC CCG CCC AGC CCT GGT ATC TGC CTC CGG AGG AGG GCT CCG TCC AGC 6731
 2208 Q G P R T P P S P G I C L R R A P S S 2227
 6732 GAC TCC AAG GAT CCC TTG GCC TCT GGC CCC CCT GAC AGC ATG GCT GCC TCG CCC TCC CCA 6791
 2228 D S K D P L A S G P P D S M A A S P S P 2247
 6792 AAG AAA GAT GTG CTG AGT CTC TCC GGT TTA TCC TCT GAC CCA GCA GAC CTG GAC CCC TGA 6851
 2248 K K D V L S L S G L S S D P A D L D P - 2267
 6852 gtctgcccactttcccactcacttttctccactgggtgc 6892

FIG. 6L

17/18




FIG. 7

18/18

I	II	III	IV	
LAASE E GWVYV	QIITQ E GWTDF	ETLSF K GWNVI	RCLTG E DWNDI	NIC-1 (C11D2.6)
LAASQ E GWVYV	QIITQ E GWTDV	ETLSY K GWNVV	RSVTG E DWNDI	NIC-2 (C27F2.3)
EASSQ E GWVFL	QILTQ E GWVDV	EVLSL K GWVEV	RIVTG E DWNKI	Rat -NIC
QCITM E GWTDV	QILTQ E DWNSV	TVSTF K GWPEL	RCATG E AWQDI	L-Type Ca Channel
QVITL E GWVDI	QILTQ E DWNKV	VLASK D GWVDI	RVSTG D NWNKI	T-Type Ca Channel
RLMTQ D FWENL	RVLCG E WIETM	QVATF K GWMDI	QITTS A GWDGL	Na Channels

SUBSTITUTE SHEET (RULE 26)

FIG. 8

SEQUENCE LISTING

<110> Snutch, Terry P.
Baillie, David L.

<120> NOVEL HUMAN CALCIUM CHANNELS AND RELATED PROBES, CELL
LINES AND METHODS

<130> NMED.P-001-2 (CIP)

<140>

<141>

<150> 09/030,482

<151> 1998-02-25

<150> 60/039,204

<151> 1997-02-28

<160> 35

<170> PatentIn Ver. 2.0

<210> 1

<211> 24

<212> DNA

<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 1

gtcaaaactc aggccttcta ctgg

24

<210> 2

<211> 24

<212> DNA

<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 2

aacgtgttct tggctatcgc ggtg

24

<210> 3

<211> 24
<212> DNA
<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 3
gtgaaagcac agagcttcta ctgg

24

<210> 4
<211> 24
<212> DNA
<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 4
aacgttttct tggccattgc tgtg

24

<210> 5
<211> 24
<212> DNA
<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 5
gttaaatacca acgtcttcta ctgg

24

<210> 6
<211> 24
<212> DNA
<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 6
aatgtgttct tggccattgc ggtg

24

<210> 7

<211> 24
<212> DNA
<213> rat

<220>
<223> oligonucleotide probe for locating calcium channel
genes

<400> 7
gtgaagtctg tcacgtttta ctgg 24

<210> 8
<211> 24
<212> DNA
<213> rat

<220>
<223> oligonucleotide probe for locating calcium channel
genes

<400> 8
aagctcttct tggccattgc tgta 24

<210> 9
<211> 24
<212> DNA
<213> rat

<220>
<223> oligonucleotide probe for locating calcium channel
genes

<400> 9
gtcaagtcgc aagtgttcta ctgg 24

<210> 10
<211> 24
<212> DNA
<213> rat

<220>
<223> oligonucleotide probe for locating calcium channel
genes

<400> 10
aatgtattct tggctatcgc tgtg 24

<210> 11

<211> 21
<212> DNA
<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 11

atctaygcyr tsatyggsat g

21

<210> 12
<211> 20
<212> DNA
<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 12

atggacaayt tygastaytc

20

<210> 13
<211> 168
<212> DNA
<213> HUMAN

<220>

<223> expressed sequence tag H55225

<400> 13

gtgatcactc tggaggctg ggtggagatc atgtactacg tgatggatgc tcactccttc 60
tacaacttca tctacttcat cctgcttata ataccctct tgccttgac cccatattgt 120
cttcccagag tgagctcatc cacctcgtca tgcttgactc gacgttca 168

<210> 14
<211> 98
<212> DNA
<213> HUMAN

<220>

<223> expressed sequence tag H55617

<400> 14

gatggtcgag tactccctgg accttcagaa catcaacctg tcagccatcc gcaccgtgcg 60
cgtcctgagg cccctcaaag ccatcaaccg cgtgccca 98

<210> 15
<211> 94
<212> DNA
<213> HUMAN

<220>
<223> expressed sequence tag H55223

<400> 15
catgctggtg atcctgctga actgcgtgac acttggcatg taccagccgt gcgacgacat 60
ggactgectg tccgaccgt gcaagatcct gcag 94

<210> 16
<211> 123
<212> DNA
<213> HUMAN

<220>
<223> expressed sequence tag H55544

<400> 16
gtatctctgg ttacttttagt agccaacact cttggctact cagaccttgg tcccattaaa 60
tccctgcgaa ccttgagagc actaagacct ctaagagctt tgtctagatt tgaaggaatg 120
agg 123

<210> 17
<211> 5562
<212> DNA
<213> HUMAN

<220>
<223> human alpha-I partial sequence from BAC hK206c7

<400> 17
atgtttttcg tctcagccaa tccctgggtg agtttcacca gttttgattt aaacgtggcc 60
aatatggaca acttcttcgc ccccgttttc accatgggca aatattatac gcaaggcgac 120
aaggtgctga tgccgctggc gattcaggct ctgaaacagc tgatgttcaa attggtggcc 180
actgttgctc gaacacatgc tacaccgtca cacatcacgg gtggtcctgg aacagggatg 240
cacacgggca ccttccagga aggagctgag cctggttcat ctcagcacc tgaggcacag 300
gccacgtata cagcaggggtg caccocagcc cccacgggcg atcccacctg ctgctttgtc 360
cttgacttgg tgtgcacgtg gtttgaatgt gtcagcatgc tggatgacct gctgaactgc 420
gtgacacttg gcatgtacca gccgtgagac gacatggact gcctgtccga ccgctgcaag 480
atcctgcagg tctttgatga cttcatcttt atcttctttg ccatggagat ggtgctcaag 540
atggtggccc tggggatttt tggcaagaag tgctacctcg gggacacatg gaaccgcctg 600
gatttcttca tcgtcatggc aggcaacatc aacctgtcag ccatccgcac cgtgcgcgtc 660
ctgaggcccc tcaaagccat caaccgcgtg ccagtatgc ggatcctggt gaacctgctc 720
ctggacacac tgcccatgct ggggaatgtc ctgctgctct gcttctttgt cttcttcac 780
tttgcatca taggtgtgca gctctgggag ggccctgctgc gtaaccgctg cttcctggag 840

gagaacttca	ccatacaagg	ggatgtggcc	ttgcccccat	actaccagcc	ggaggaggat	900
gatgagatgc	ccttcacatc	ctccctgtcg	ggcgacaatg	ggataatggg	ctgccatgag	960
atccccccgc	tcaaggagca	gggcccgtgag	tgctgcctgt	ccaaggacga	cgtctacgac	1020
tttggggcgg	ggcgccagga	cctcaatgcc	agcggcctct	gtgtcaactg	gaaccgttac	1080
tacaatgtgt	gccgcacggg	cagcgccaac	ccccacaagg	gtgccatcaa	ctttgacaac	1140
atcgggttatg	cttggattgt	catcttccag	gtgatcactc	tggaaggctg	ggtggagatc	1200
atgtactacg	tgatggatgc	tcactccttc	tacaacttca	tctacttcat	cctgcttate	1260
ataagtgagc	tcattccact	cgtcatgcct	gactgcagct	tcagcacagc	acagtcccca	1320
aaatgtcaag	gtgattcact	cccaggagtc	gctgctgaat	ccctgctgct	gcgagactct	1380
agtcctctag	tcattcactga	tgaggctgca	gccatggaga	acctcctggc	gggcacctcc	1440
aaggggggatg	aaagctatct	gctcaggctg	gccggcagcc	aagttcactc	ccaggctcag	1500
caaatgctgg	ggagggggct	gggcccgtga	agcctggaaa	ctggagagga	gccccactcg	1560
tggagccctc	gggcccacaag	gagatgggat	ccccaatgcc	aaccaggggca	gcctctcccc	1620
cttcatttca	tgcaagcaca	ggtgggctcc	ttcttcatga	tcaacctgtg	cctcgttgte	1680
atagcgcacc	agttctcgga	gaccaagcaa	cgggagcacc	ggctgatgct	ggagcagcgg	1740
cagcgctacc	tgtctccag	cacggtggcc	agctacgccc	agcctggcga	ctgctacgag	1800
gagatcttcc	agtatgtctg	ccacatcctg	cgcaaggcca	agcgcgcgcg	cctgggcctc	1860
taccaggccc	tgagagcccg	gcgcccaggcc	ctgggcccgg	aggccccggc	ccccgccaaa	1920
cctgggcccc	acgccaagga	gccccggcac	tacctctca	cagtctggga	atcgattctt	1980
gggaggcaag	cagaagaatg	cacgctcaga	gctgcgcgcc	acccgtcctc	gggtgccagc	2040
catccaggcg	tgggctcgga	ggaggcccca	gagctgtgcc	cgcaacatag	ccccctggat	2100
gcgagcctcc	acaccctggg	gcagcccatc	cccgccacgc	tggtctccga	tcccgcgcag	2160
tgcccttgct	cccagcatga	ggacggccgg	cggccctcgg	gcctgggcag	caccgactcg	2220
ggccaggagg	gctcgggctc	cgggagctcc	gctgggtggc	aggacgaggc	ggatggggac	2280
ggggcccggga	gcagcgagga	cggagcctcc	tcagaactgg	ggaaggagga	ggaggaggag	2340
gagcaggcgg	atggggcggt	ctggctgtgc	ggggatgtgt	ggcgggagac	gcgagccaag	2400
ctgcgcggca	tcgtggacag	caagtacttc	aaccggggca	tcattgatgg	catcctgggt	2460
aacaccgtca	gcattggcat	cgagcaccac	gagcaggcca	gtgcagcgca	gccggggcgg	2520
gcctgcggga	gaggacaaaa	tccagacctt	tgcatgaccc	tcaaggcccc	ttgtctctgt	2580
cacaacgtcc	cttcaccagg	ccagggtgtc	ctgtcccatc	cagtgaactc	accccatata	2640
gccccatggc	gcattggagac	aggaaagcag	ggacacggat	gtgaagaagg	accaggacaa	2700
cgaagcagtg	acattgtttg	cctggagatg	atcctgaagc	tggttgcatc	tgggtctctc	2760
gactacctgc	gtaaccccta	caacatcttc	gacagcatca	ttgtcatcat	cagcatctgg	2820
gagatcgtgg	ggcaggcgga	cgggtgggctg	tcggtgtgtc	ggaccttccg	gctgctgcgc	2880
gtgctgaaac	tggtgcgctt	catgcctgcc	ctgcggcgcc	agctcgtggg	gctcatgaag	2940
accatggaca	acgtggccac	cttctgcatg	ctgctcatgc	tcttcatctt	catcttcagc	3000
atccttggga	tgcatatttt	tggttgcaag	ttcagcctcc	gcacggacac	tggagacacg	3060
gtgcccgcga	ggaagaactt	cgactccctg	ctgtggggca	tcgtcactgt	gttccagatc	3120
ctcaccaggg	aggactggaa	cgtcgtttct	tacaatggca	tggtcctccac	ttctccctgg	3180
gcctccctct	actttgtcgc	cctcatgacc	ttcggaact	atgtgctctt	caacctgctg	3240
gtggccatcc	tgggtgaggg	cttcaggcg	gaggtgactg	tggtcttggc	agaggaagca	3300
ccccacagg	gcctgcgaaa	gactgggcga	gggagagggtg	gcctggatgg	gggaggggctg	3360
caattcaaac	ttctagcagg	caacctatcc	ctaaaggagg	gggttgctga	tgagggtgggt	3420
gacgccaatc	gctcctactc	ggacgaggac	cagagctcat	ccaacataga	agagtttgat	3480
aagctccagg	aaggcctgga	cagcagcgga	gatcccaagc	tctgccaat	ccccatgacc	3540
cccaatgggc	acctggaccc	cagtctccca	ctgggtgggc	acctaggtcc	tgctggggct	3600
gcgggacctg	ccccccgact	ctcactgcag	ccggacccca	tgctggtggc	cctgggctcc	3660
cgaagagaca	gcgtcatgtc	tctaggagg	atgagctatg	accagcgctc	cctgggtgggt	3720

```

ggctcttagag ccacagcggg ggtgcaggct gccttttgggc acctggtgcc ccagccgtgg 3780
gtgtgcctgt ggggcgctga cccgaacggg aactccttcc agtccagctc ccggagctcc 3840
tactacgggc catggggccg cagcgcgggc tgggccagcc gtcgctccag ctggaacagc 3900
ctcaagcaca agccgcccgtc ggcggagcat gagtccctgc tctctgcgga gcgcggcggc 3960
ggcgcccggg tctgcgaggt tgccgaggac gaggggcccgc cgcggggcgc acccctgcac 4020
acccacacg cccaccacgt tcatcacggg ccccatctgg cgcaccgcca ccgccaccac 4080
cgccggacgc tgtccctcga caacagggac tcggtggacc tggccgagct ggtgcccgcg 4140
gtgggcgccc acccccgggc cgcctggagg gcggcaggcc cggcccccg gcctgaggac 4200
tgcaatggca ggatgcccag catcgccaaa gacgtcttca ccaagatggg cgaccgaggc 4260
gatcgcgggg aggatgagga ggaaatcgac tacgtgagtg ggggcggggc cgaaggggac 4320
ctgaccctgt gcttccgcgt ccgcaagatg atcgacgtct ataagcccga ctggtgcgag 4380
gtccgcgaag actggtctgt ctacctcttc tctcccgaga acaggctcag ggatctgggc 4440
tgggtaagcc tcgagtgccg gggaaagggt ggtgacctcg tgggtgtggg gtatggtcag 4500
aggaggcagc gccagaccat tattgcccac aaactcttcg actacgtcgt cctggccttc 4560
atctttctca actgcatcac catcgccctg gagcggcctc agatcgaggc cggcagcacc 4620
gaacgcattt ttctaccgt gtccaactac atcttcacgg ccatcttcgt gggcgagatg 4680
acattgaagg tagtctcgt gggcctgtac ttcggcgagc aggcgtacct acgcagcagc 4740
tggaacgtgc tggatggctt tcttgtcttc gtgtccatca tcgacatcgt ggtgtccctg 4800
gcctcagccc ggggagccaa gatcttgggg gtcctccgag tcttgccgct cctgcgcacc 4860
ctacgcccc tgctgtcat cagccgggcg ccgggcctga agctggtggg ggagacactc 4920
atctctctcc tcaagcccat cggcaacatc gtgctcatct gctgtgcctt cttcatcatc 4980
tttggcatcc tgggagtgcg gctcttcaag ggcaagtctt accactgtct gggcgtggac 5040
accgcgaaca tcaccaaccg ctcggaactg atggccgcca actaccgctg ggtccatcac 5100
aaatacaact tcgacaacct gggccaggct ctgagtctcc tctttgtcct ggcattccaag 5160
gatggttggg tgaacatcat gtacaatgga ctggatgctg ttgctgtgga ccagcagcct 5220
gtgaccaacc acaaccctg gatgctgctg tacttcatct ccttctgct catcgtcagc 5280
ttctttgtgc tcaacatgtt tgtgggtgtc gtggtggaga acttcacaa gtgccggcag 5340
caccaggagg ctgaagaggc acggcggcgt gaggagaagc ggtgcggcg cctggagaag 5400
aagcgccgga agggccagcg gctgccctac tatgccacct attgtcacac ccggctgctc 5460
atccactcca tgtgcaccag ccactacctg gacatcttca tcacctcat catctgcctc 5520
aacgtggtca ccatgtccct ggagcactac aatcagccca cg 5562

```

<210> 18

<211> 1854

<212> PRT

<213> HUMAN

<220>

<223> human alpha-I partial sequence from BAC bK206c7

<400> 18

```

Met Phe Phe Val Ser Ala Asn Pro Trp Val Ser Phe Thr Ser Phe Asp
  1                   5                   10                   15

```

```

Leu Asn Val Ala Asn Met Asp Asn Phe Phe Ala Pro Val Phe Thr Met
  20                   25                   30

```

```

Gly Lys Tyr Tyr Thr Gln Gly Asp Lys Val Leu Met Pro Leu Ala Ile

```

35

40

45

Gln Ala Leu Lys Gln Leu Met Phe Lys Leu Val Ala Thr Val Ala Arg
 50 55 60
 Thr His Ala Thr Pro Ser His Ile Thr Gly Gly Pro Gly Thr Gly Met
 65 70 75 80
 His Thr Gly Thr Phe Gln Glu Gly Ala Glu Pro Gly Ser Ser Gln His
 85 90 95
 Pro Glu Ala Gln Ala Thr Tyr Thr Ala Gly Cys Thr Pro Ala Pro Thr
 100 105 110
 Gly Asp Pro Thr Cys Cys Phe Val Leu Asp Leu Val Cys Thr Trp Phe
 115 120 125
 Glu Cys Val Ser Met Leu Val Ile Leu Leu Asn Cys Val Thr Leu Gly
 130 135 140
 Met Tyr Gln Pro Cys Asp Asp Met Asp Cys Leu Ser Asp Arg Cys Lys
 145 150 155 160
 Ile Leu Gln Val Phe Asp Asp Phe Ile Phe Ile Phe Phe Ala Met Glu
 165 170 175
 Met Val Leu Lys Met Val Ala Leu Gly Ile Phe Gly Lys Lys Cys Tyr
 180 185 190
 Leu Gly Asp Thr Trp Asn Arg Leu Asp Phe Phe Ile Val Met Ala Gly
 195 200 205
 Asn Ile Asn Leu Ser Ala Ile Arg Thr Val Arg Val Leu Arg Pro Leu
 210 215 220
 Lys Ala Ile Asn Arg Val Pro Ser Met Arg Ile Leu Val Asn Leu Leu
 225 230 235 240
 Leu Asp Thr Leu Pro Met Leu Gly Asn Val Leu Leu Leu Cys Phe Phe
 245 250 255
 Val Phe Phe Ile Phe Gly Ile Ile Gly Val Gln Leu Trp Ala Gly Leu
 260 265 270
 Leu Arg Asn Arg Cys Phe Leu Glu Glu Asn Phe Thr Ile Gln Gly Asp
 275 280 285
 Val Ala Leu Pro Pro Tyr Tyr Gln Pro Glu Glu Asp Asp Glu Met Pro

290	295	300
Phe Ile Cys Ser Leu Ser Gly Asp Asn Gly Ile Met Gly Cys His Glu 305 310 315 320		
Ile Pro Pro Leu Lys Glu Gln Gly Arg Glu Cys Cys Leu Ser Lys Asp 325 330 335		
Asp Val Tyr Asp Phe Gly Ala Gly Arg Gln Asp Leu Asn Ala Ser Gly 340 345 350		
Leu Cys Val Asn Trp Asn Arg Tyr Tyr Asn Val Cys Arg Thr Gly Ser 355 360 365		
Ala Asn Pro His Lys Gly Ala Ile Asn Phe Asp Asn Ile Gly Tyr Ala 370 375 380		
Trp Ile Val Ile Phe Gln Val Ile Thr Leu Glu Gly Trp Val Glu Ile 385 390 395 400		
Met Tyr Tyr Val Met Asp Ala His Ser Phe Tyr Asn Phe Ile Tyr Phe 405 410 415		
Ile Leu Leu Ile Ile Ser Glu Leu Ile His Leu Val Met Pro Asp Cys 420 425 430		
Ser Phe Ser Thr Ala Gln Ser Pro Lys Cys Gln Gly Asp Ser Leu Pro 435 440 445		
Gly Val Ala Ala Glu Ser Leu Leu Leu Arg Asp Ser Ser Ser Ser Val 450 455 460		
Ile Thr Asp Glu Ala Ala Ala Met Glu Asn Leu Leu Ala Gly Thr Ser 465 470 475 480		
Lys Gly Asp Glu Ser Tyr Leu Leu Arg Leu Ala Gly Ser Gln Val His 485 490 495		
Ser Gln Ala Gln Gln Met Leu Gly Arg Gly Leu Gly Pro Glu Ser Leu 500 505 510		
Glu Thr Gly Glu Glu Pro His Ser Trp Ser Pro Arg Ala Thr Arg Arg 515 520 525		
Trp Asp Pro Gln Cys Gln Pro Gly Gln Pro Leu Pro Leu His Phe Met 530 535 540		
Gln Ala Gln Val Gly Ser Phe Phe Met Ile Asn Leu Cys Leu Val Val		

545	550	555	560
Ile Ala Thr Gln Phe Ser Glu Thr Lys Gln Arg Glu His Arg Leu Met			
565		570	575
Leu Glu Gln Arg Gln Arg Tyr Leu Ser Ser Ser Thr Val Ala Ser Tyr			
580	585		590
Ala Glu Pro Gly Asp Cys Tyr Glu Glu Ile Phe Gln Tyr Val Cys His			
595	600		605
Ile Leu Arg Lys Ala Lys Arg Arg Ala Leu Gly Leu Tyr Gln Ala Leu			
610	615		620
Gln Ser Arg Arg Gln Ala Leu Gly Pro Glu Ala Pro Ala Pro Ala Lys			
625	630	635	640
Pro Gly Pro His Ala Lys Glu Pro Arg His Tyr Pro Leu Thr Val Trp			
645	650		655
Glu Ser Ile Leu Gly Arg Gln Ala Glu Glu Cys Thr Leu Arg Ala Ala			
660	665		670
Ala His Pro Ser Ser Gly Ala Ser His Pro Gly Val Gly Ser Glu Glu			
675	680		685
Ala Pro Glu Leu Cys Pro Gln His Ser Pro Leu Asp Ala Thr Pro His			
690	695	700	
Thr Leu Val Gln Pro Ile Pro Ala Thr Leu Ala Ser Asp Pro Ala Ser			
705	710	715	720
Cys Pro Cys Cys Gln His Glu Asp Gly Arg Arg Pro Ser Gly Leu Gly			
725	730		735
Ser Thr Asp Ser Gly Gln Glu Gly Ser Gly Ser Gly Ser Ser Ala Gly			
740	745		750
Gly Glu Asp Glu Ala Asp Gly Asp Gly Ala Arg Ser Ser Glu Asp Gly			
755	760		765
Ala Ser Ser Glu Leu Gly Lys Glu Glu Glu Glu Glu Glu Gln Ala Asp			
770	775	780	
Gly Ala Val Trp Leu Cys Gly Asp Val Trp Arg Glu Thr Arg Ala Lys			
785	790	795	800
Leu Arg Gly Ile Val Asp Ser Lys Tyr Phe Asn Arg Gly Ile Met Met			

805

810

815

Ala Ile Leu Val Asn Thr Val Ser Met Gly Ile Glu His His Glu Gln
820 825 830

Ala Ser Ala Ala Gln Pro Gly Arg Ala Cys Gly Arg Gly Gln Asn Pro
835 840 845

Asp Leu Cys Met Thr Leu Lys Ala Pro Cys Leu Cys His Asn Val Pro
850 855 860

Ser Pro Gly Gln Gly Val Leu Ser His Pro Val Thr Pro Pro His Thr
865 870 875 880

Ala Pro Trp Arg Met Glu Thr Gly Lys Gln Gly His Gly Cys Glu Glu
885 890 895

Gly Pro Gly Gln Arg Ser Ser Asp Met Phe Ala Leu Glu Met Ile Leu
900 905 910

Lys Leu Ala Ala Phe Gly Leu Phe Asp Tyr Leu Arg Asn Pro Tyr Asn
915 920 925

Ile Phe Asp Ser Ile Ile Val Ile Ile Ser Ile Trp Glu Ile Val Gly
930 935 940

Gln Ala Asp Gly Gly Leu Ser Val Leu Arg Thr Phe Arg Leu Leu Arg
945 950 955 960

Val Leu Lys Leu Val Arg Phe Met Pro Ala Leu Arg Arg Gln Leu Val
965 970 975

Val Leu Met Lys Thr Met Asp Asn Val Ala Thr Phe Cys Met Leu Leu
980 985 990

Met Leu Phe Ile Phe Ile Phe Ser Ile Leu Gly Met His Ile Phe Gly
995 1000 1005

Cys Lys Phe Ser Leu Arg Thr Asp Thr Gly Asp Thr Val Pro Asp Arg
1010 1015 1020

Lys Asn Phe Asp Ser Leu Leu Trp Ala Ile Val Thr Val Phe Gln Ile
1025 1030 1035 1040

Leu Thr Gln Glu Asp Trp Asn Val Val Leu Tyr Asn Gly Met Ala Ser
1045 1050 1055

Thr Ser Pro Trp Ala Ser Leu Tyr Phe Val Ala Leu Met Thr Phe Gly

1060	1065	1070
Asn Tyr Val Leu Phe Asn Leu Leu Val Ala Ile Leu Val Glu Gly Phe 1075 1080 1085		
Gln Ala Glu Val Thr Val Val Leu Ala Glu Glu Ala Pro Pro Gln Gly 1090 1095 1100		
Leu Arg Lys Thr Gly Arg Gly Arg Gly Gly Leu Asp Gly Gly Gly Leu 1105 1110 1115 1120		
Gln Phe Lys Leu Leu Ala Gly Asn Leu Ser Leu Lys Glu Gly Val Ala 1125 1130 1135		
Asp Glu Val Gly Asp Ala Asn Arg Ser Tyr Ser Asp Glu Asp Gln Ser 1140 1145 1150		
Ser Ser Asn Ile Glu Glu Phe Asp Lys Leu Gln Glu Gly Leu Asp Ser 1155 1160 1165		
Ser Gly Asp Pro Lys Leu Cys Pro Ile Pro Met Thr Pro Asn Gly His 1170 1175 1180		
Leu Asp Pro Ser Leu Pro Leu Gly Gly His Leu Gly Pro Ala Gly Ala 1185 1190 1195 1200		
Ala Gly Pro Ala Pro Arg Leu Ser Leu Gln Pro Asp Pro Met Leu Val 1205 1210 1215		
Ala Leu Gly Ser Arg Lys Ser Ser Val Met Ser Leu Gly Arg Met Ser 1220 1225 1230		
Tyr Asp Gln Arg Ser Leu Val Gly Gly Leu Arg Ala Thr Ala Gly Val 1235 1240 1245		
Gln Ala Ala Phe Gly His Leu Val Pro Gln Pro Trp Val Cys Leu Trp 1250 1255 1260		
Gly Ala Asp Pro Asn Gly Asn Ser Phe Gln Ser Ser Ser Arg Ser Ser 1265 1270 1275 1280		
Tyr Tyr Gly Pro Trp Gly Arg Ser Ala Ala Trp Ala Ser Arg Arg Ser 1285 1290 1295		
Ser Trp Asn Ser Leu Lys His Lys Pro Pro Ser Ala Glu His Glu Ser 1300 1305 1310		
Leu Leu Ser Ala Glu Arg Gly Gly Gly Ala Arg Val Cys Glu Val Ala		

1315	1320	1325
Ala Asp Glu Gly Pro Pro Arg Ala Ala Pro Leu His Thr Pro His Ala 1330	1335	1340
His His Val His His Gly Pro His Leu Ala His Arg His Arg His His 1345	1350	1355 1360
Arg Arg Thr Leu Ser Leu Asp Asn Arg Asp Ser Val Asp Leu Ala Glu 1365	1370	1375
Leu Val Pro Ala Val Gly Ala His Pro Arg Ala Ala Trp Arg Ala Ala 1380	1385	1390
Gly Pro Ala Pro Gly His Glu Asp Cys Asn Gly Arg Met Pro Ser Ile 1395	1400	1405
Ala Lys Asp Val Phe Thr Lys Met Gly Asp Arg Gly Asp Arg Gly Glu 1410	1415	1420
Asp Glu Glu Glu Ile Asp Tyr Val Ser Gly Gly Gly Ala Glu Gly Asp 1425	1430	1435 1440
Leu Thr Leu Cys Phe Arg Val Arg Lys Met Ile Asp Val Tyr Lys Pro 1445	1450	1455
Asp Trp Cys Glu Val Arg Glu Asp Trp Ser Val Tyr Leu Phe Ser Pro 1460	1465	1470
Glu Asn Arg Leu Arg Asp Leu Gly Trp Val Ser Leu Glu Cys Gln Gly 1475	1480	1485
Lys Val Gly Asp Leu Val Val Trp Val Tyr Gly Gln Arg Arg Gln Arg 1490	1495	1500
Gln Thr Ile Ile Ala His Lys Leu Phe Asp Tyr Val Val Leu Ala Phe 1505	1510	1515 1520
Ile Phe Leu Asn Cys Ile Thr Ile Ala Leu Glu Arg Pro Gln Ile Glu 1525	1530	1535
Ala Gly Ser Thr Glu Arg Ile Phe Leu Thr Val Ser Asn Tyr Ile Phe 1540	1545	1550
Thr Ala Ile Phe Val Gly Glu Met Thr Leu Lys Val Val Ser Leu Gly 1555	1560	1565
Leu Tyr Phe Gly Glu Gln Ala Tyr Leu Arg Ser Ser Trp Asn Val Leu		

1570	1575	1580
Asp Gly Phe Leu Val Phe Val Ser Ile Ile Asp Ile Val Val Ser Leu 1585	1590	1595 1600
Ala Ser Ala Gly Gly Ala Lys Ile Leu Gly Val Leu Arg Val Leu Arg 1605	1610	1615
Leu Leu Arg Thr Leu Arg Pro Leu Arg Val Ile Ser Arg Ala Pro Gly 1620	1625	1630
Leu Lys Leu Val Val Glu Thr Leu Ile Ser Ser Leu Lys Pro Ile Gly 1635	1640	1645
Asn Ile Val Leu Ile Cys Cys Ala Phe Phe Ile Ile Phe Gly Ile Leu 1650	1655	1660
Gly Val Gln Leu Phe Lys Gly Lys Phe Tyr His Cys Leu Gly Val Asp 1665	1670	1675 1680
Thr Arg Asn Ile Thr Asn Arg Ser Asp Cys Met Ala Ala Asn Tyr Arg 1685	1690	1695
Trp Val His His Lys Tyr Asn Phe Asp Asn Leu Gly Gln Ala Leu Met 1700	1705	1710
Ser Leu Phe Val Leu Ala Ser Lys Asp Gly Trp Val Asn Ile Met Tyr 1715	1720	1725
Asn Gly Leu Asp Ala Val Ala Val Asp Gln Gln Pro Val Thr Asn His 1730	1735	1740
Asn Pro Trp Met Leu Leu Tyr Phe Ile Ser Phe Leu Leu Ile Val Ser 1745	1750	1755 1760
Phe Phe Val Leu Asn Met Phe Val Gly Val Val Val Glu Asn Phe His 1765	1770	1775
Lys Cys Arg Gln His Gln Glu Ala Glu Glu Ala Arg Arg Arg Glu Glu 1780	1785	1790
Lys Arg Leu Arg Arg Leu Glu Lys Lys Arg Arg Lys Ala Gln Arg Leu 1795	1800	1805
Pro Tyr Tyr Ala Thr Tyr Cys His Thr Arg Leu Leu Ile His Ser Met 1810	1815	1820
Cys Thr Ser His Tyr Leu Asp Ile Phe Ile Thr Phe Ile Ile Cys Leu		

1825

1830

1835

1840

Asn Val Val Thr Met Ser Leu Glu His Tyr Asn Gln Pro Thr
 1845 1850

<210> 19
 <211> 567
 <212> DNA
 <213> HUMAN

<220>
 <223> human alpha-I partial sequence

<400> 19
 atgcggatcc tgggtgaacct gctcctggac aactgcccga tgctggggaa tgcctctgctg 60
 ctctgcttct ttgtcttctt cacttttggc atcataggtg tgcagctctg ggcgggcctg 120
 ctgcgtaacc gctgcttctt ggaggagaac ttcaccatac aaggggatgt ggccttgccc 180
 ccatactacc agccggagga ggatgatgag atgcccttca tctgctccct gtcgggacgac 240
 aatgggataa tgggctgccca tgagatcccc ccgctcaagg agcagggccg tgagtgtctgc 300
 ctgtccaagg acgacgtcta cgactttggg gcggggcgcc aggacctcaa tgccagcggc 360
 ctctgtgtca actggaaccg ttactacaat gtgtgccgca cgggcagcgc caacccccac 420
 aagggtgcca tcagctttga caacatcggg tatgcttgga ttgtcatctt ccaggtgatc 480
 actctggaag gctgggtggc gatcatgtac tacgtgatgg atgctctctc cttctacaac 540
 ttcgtctact tcacctgct tatcata 567

<210> 20
 <211> 189
 <212> PRT
 <213> HUMAN

<220>
 <223> human alpha-I partial sequence

<400> 20
 Met Arg Ile Leu Val Asn Leu Leu Leu Asp Thr Leu Pro Met Leu Gly
 1 5 10 15

Asn Val Leu Leu Leu Cys Phe Phe Val Phe Phe Thr Phe Gly Ile Ile
 20 25 30

Gly Val Gln Leu Trp Ala Gly Leu Leu Arg Asn Arg Cys Phe Leu Glu
 35 40 45

Glu Asn Phe Thr Ile Gln Gly Asp Val Ala Leu Pro Pro Tyr Tyr Gln
 50 55 60

Pro Glu Glu Asp Asp Glu Met Pro Phe Ile Cys Ser Leu Ser Gly Asp

65

70

75

80

Asn Gly Ile Met Gly Cys His Glu Ile Pro Pro Leu Lys Glu Gln Gly
85 90 95

Arg Glu Cys Cys Leu Ser Lys Asp Asp Val Tyr Asp Phe Gly Ala Gly
100 105 110

Arg Gln Asp Leu Asn Ala Ser Gly Leu Cys Val Asn Trp Asn Arg Tyr
115 120 125

Tyr Asn Val Cys Arg Thr Gly Ser Ala Asn Pro His Lys Gly Ala Ile
130 135 140

Ser Phe Asp Asn Ile Gly Tyr Ala Trp Ile Val Ile Phe Gln Val Ile
145 150 155 160

Thr Leu Glu Gly Trp Val Ala Ile Met Tyr Tyr Val Met Asp Ala Leu
165 170 175

Ser Phe Tyr Asn Phe Val Tyr Phe Ile Leu Leu Ile Ile
180 185

<210> 21

<211> 567

<212> DNA

<213> rat

<220>

<223> rat alpha-I partial sequence

<400> 21

atgcggatcc tggatgaacct gctgctcgac acgctgcca tgctggggaa cgtgctcctg 60
ctctgtttct tgcgtctctt catcttcggc atcattggcg tgcagctctg ggcaggcctg 120
ctacggaacc gctgcttcct ggaagaaaac ttcaccatac aaggggatgt ggccctgccc 180
ccttattacc aaccagagga ggatgacgag atgcccttta tctgctccct gactggggac 240
aatggcatca tgggctgcca cgagatcccc ccactgaagg agcagggccg ggaatgctgc 300
ctgtccaaag atgatgtgta tgacttcggg gcggggcgcc aggacctcaa cgccagcggt 360
ctgtgcgtca actggaaccg ctactacaac gtctgccgca cgggcaacgc caaccctcac 420
aagggcgcca tcaactttga caacattggc tatgcctgga ttgtgatttt ccagggtgatc 480
actctggaag gctgggtgga gatcatgtac tatgtgatgg acgcacattc tttctacaac 540
ttcatctact tcatcctgct tatcata 567

<210> 22

<211> 189

<212> PRT

<213> rat

<220>

<223> rat alpha-I partial sequence

<400> 22

Met Arg Ile Leu Val Asn Leu Leu Leu Asp Thr Leu Pro Met Leu Gly
 1 5 10 15

Asn Val Leu Leu Leu Cys Phe Phe Val Phe Phe Ile Phe Gly Ile Ile
 20 25 30

Gly Val Gln Leu Trp Ala Gly Leu Leu Arg Asn Arg Cys Phe Leu Glu
 35 40 45

Glu Asn Phe Thr Ile Gln Gly Asp Val Ala Leu Pro Pro Tyr Tyr Gln
 50 55 60

Pro Glu Glu Asp Asp Glu Met Pro Phe Ile Cys Ser Leu Thr Gly Asp
 65 70 75 80

Asn Gly Ile Met Gly Cys His Glu Ile Pro Pro Leu Lys Glu Gln Gly
 85 90 95

Arg Glu Cys Cys Leu Ser Lys Asp Asp Val Tyr Asp Phe Gly Ala Gly
 100 105 110

Arg Gln Asp Leu Asn Ala Ser Gly Leu Cys Val Asn Trp Asn Arg Tyr
 115 120 125

Tyr Asn Val Cys Arg Thr Gly Asn Ala Asn Pro His Lys Gly Ala Ile
 130 135 140

Asn Phe Asp Asn Ile Gly Tyr Ala Trp Ile Val Ile Phe Gln Val Ile
 145 150 155 160

Thr Leu Glu Gly Trp Val Glu Ile Met Tyr Tyr Val Met Asp Ala His
 165 170 175

Ser Phe Tyr Asn Phe Ile Tyr Phe Ile Leu Leu Ile Ile
 180 185

<210> 23

<211> 7540

<212> DNA

<213> rat

<400> 23

ccgtctctgg	cgcgagagcg	gacgatgctg	accccttaga	tcctgctcca	gctgcgccga	60
gggaagaggg	ggcgcccttc	cccgaccctc	cgccctccat	cggtgtggcc	cttttttttc	120
tcctctcttc	gggggtgctg	tcgccaaggg	tagcgctgtg	tacgggcaac	cggagcctgg	180
gcgcgaacga	agaagccgga	acaaagttag	gggaagccgc	ccggctagtc	ggggagcccc	240
cgggaaaccca	ggggaaagcgg	gactctacgc	caggcggggc	ttccctgaga	cccggcgccc	300
cgcgggcagc	atgccctgag	ggcaggggga	gctgagctga	actggccctc	ctggggactc	360
agcaagctct	ctagagcccc	ccacatgctc	ccccaccggg	tcctccgttg	cgtgaggaca	420
cctcctctga	ggggctccgc	tcgcccctct	tcggaccccc	cggggccccg	gctggccaga	480
ggatggacga	ggaggaggat	ggagcgggcy	ccgaggagtc	gggacagccc	cgtagcttca	540
cgcagctcaa	cgacctgtcc	ggggccgggg	gcggcagggg	ccgggtcgac	ggaaaaggac	600
ccgggcagcg	cggactccga	ggcgaggggg	ctgccgtacc	cggcgctagc	cccgggtggt	660
ttcttctact	tgagccagga	cagccgccc	cggagctggt	gtctccgcac	ggtctgtaac	720
ccgtgggttcg	agcgagtcag	tatgctggtc	attcttctca	actgtgtgac	tctgggtatg	780
ttcaggccgt	gtgaggacat	tgcctgtgac	tcacagcgct	gccggatcct	gcaggcccttc	840
gatgacttca	tctttgcctt	ctttgctgtg	gaaatggtgg	tgaagatggt	ggccttgggc	900
atctttggga	agaaatgtta	cctgggagac	acttgggaacc	ggcttgactt	tttcattgtc	960
attgcaggga	tgctggagta	ttcgtctggc	ctgcagaacg	tcagcttctc	cgcagtcagg	1020
acagtccgtg	tgctgcgacc	gctcagggcc	attaaccggg	tgcccagcat	gcgcattctc	1080
gtcacattac	tgctggacac	cttgccctatg	ctgggcaacg	tcctgctgct	ctgtttcttc	1140
gtctttttca	tctttggcat	cgtgggcgtc	cagctgtggg	caggactgct	tcgcaaccgc	1200
tgtctctctcc	ccgagaactt	cagcctcccc	ctgagcgtgg	acctggagcc	ttattaccag	1260
acagagaatg	aggacgagag	cccttctatc	tgctctcagc	ctcgggagaa	tggcatgaga	1320
tcctgcagga	gtgtgcccac	actgcgtggg	gaaggcggtg	gtggcccacc	ctgcagtctg	1380
gactatgaga	cctataacag	ttccagcaac	accacctgtg	tcaactggaa	ccagtactat	1440
accaactgct	ctgcgggcga	gcacaacccc	ttcaaaggcg	ccatcaactt	tgacaacatt	1500
ggctatgcct	ggatcgccat	cttccaggtc	atcacactgg	agggtctggg	cgacatcatg	1560
tacttcgtaa	tggagctca	ctccttctac	aacttcatct	acttcattct	tctcatcacc	1620
gtgggtctct	tcttcagat	caacctgtgc	ctgggtggtg	ttgccacgca	gttctccgag	1680
accaaacagc	gggagagtca	gctgatgcgg	gagcagcgtg	tacgattcct	gtccaatgct	1740
agcaccctgg	caagcttctc	tgagccaggg	agctgctatg	aggagctact	caagtacctg	1800
gtgtacatcc	tcgaaaaagc	agcccgaagg	ctggcccagg	tctctagggc	tataggcggtg	1860
cggtctgggc	tgctcagcag	cccagtggtc	cgtagtgggc	aggagcccca	gcccagtggtc	1920
agctgcactc	gctcacaccc	tcgtctgtct	gtccaccacc	tggtccacca	ccatcaccac	1980
caccatcacc	actaccacct	gggtaatggg	acgctcagag	ttccccgggc	cagcccagag	2040
atccaggaca	gggatgccaa	tgggtctcgc	cggtctatgc	taccaccacc	ctctacaccc	2100
actccctctg	ggggcccttc	gaggggtgcy	gagctctgtac	acagcttcta	ccatgctgac	2160
tgccacttgg	agccagtccg	ttgccaggca	ccccctccca	gatgcccata	ggaggcatct	2220
ggtaggactg	tgggtagtgg	gaagggtgtac	cccactgtgc	ataccagccc	tccaccagag	2280
atactgaagg	ataaagcact	agtggagggtg	gccccagccc	ctgggcccc	caccctcacc	2340
agcttcaaca	tcccacctgg	gcccttcagc	tccatgcaca	agctcctgga	gacacagagt	2400
acgggagcct	gccatagctc	ctgcaaaatc	tccagccctt	gctccaaggc	agacagtggg	2460
gcctgcgggc	cggacagtgg	tcctactgtg	gcccggacag	gagcaggaga	gccagagtcc	2520
gctgaccatg	tcatgcctga	ctcagacagc	gaggctgtgt	atgagttcac	acaggacgct	2580
cagcacagtg	acctccggga	tccccacagc	cggcggcgac	agcggagcct	gggcccagat	2640
gcagagccta	gttctgtgct	ggctttctgg	aggctgatct	gtgacacatt	ccggaagatc	2700
gtagatagca	aatactttgg	ccgggggaatc	atgatcgcca	tcctgggtcaa	tacactcagc	2760
atgggcatcg	agtaccacga	gcagcccagc	gagctcacca	acgccctgga	aatcagcaac	2820
atcgtcttca	ccagcctctt	cgccttgagg	atgctgctga	aactgcttgt	ctacgggtccc	2880

tttggctaca	ttaagaatcc	ctacaacatc	tttgatgggt	tcattgtggt	catcagtgtg	2940
tgggagattg	tgggccagca	gggaggtggc	ctgtcgggtg	tgcggacett	ccgcctgatg	3000
cgggtgctga	agctggtgcg	cttcctgccc	gccctgcagc	gccagctcgt	ggtgctcatg	3060
aagaccatgg	acaacgtggc	caccttctgc	atgctcctca	tgtgttccat	cttcattctc	3120
agcatcctgg	gcatgcatct	ctttggttgc	aagttcgcgt	ctgaacggga	tggggacacg	3180
ttgccagacc	ggaagaattt	cgactccctg	ctctggggca	tcgtcactgt	ctttcagatt	3240
ctgactcagg	aagactggaa	taaagtcctc	tacaacggca	tggcctccac	atcgtcttgg	3300
gctgctcttt	acttcatcgc	cctcatgact	tttggcaact	atgtgctctt	taacctgctg	3360
gtggccattc	ttgtggaagg	attccaggca	gagggagatg	ccaccaagtc	tgagtccagag	3420
cctgatttct	tttcgcccag	tgtggatggg	gatggggaca	gaaagaagcg	cttggccctg	3480
gtggctttgg	gagaacacgc	ggaactacga	aagagccttt	tgccaccctt	catcatccat	3540
acggctgcga	gcccaatgtc	acaccccaag	agctccagca	caggtgtggg	ggaagcactg	3600
ggctctggct	ctcgacgtac	cagtagcagt	gggtccgctg	agcctggagc	tgcccaccat	3660
gagatgaaat	gtccgccaa	tgcccgcagc	tccccgcaca	gtccctggag	tgccggcaagc	3720
agctggacca	gcaggcgctc	cagcaggaac	agcctggggc	gggccccag	cctaaagcgg	3780
aggagcccga	gcgggggagc	gaggtccctg	ctgtctggag	agggccagga	gagtcaggat	3840
gaggaggaaa	gttcagaaga	ggaccggggc	agcccagcag	gcagtgacca	tcgccacagg	3900
ggttccttgg	aacgtgaggc	caagagttcc	tttgacctgc	ctgacactct	gcaggtgccg	3960
gggctgcacc	gcacagccag	cgcccgagc	tctgcctctg	agcaccgaag	ctgtaatggc	4020
aagtcggctt	cagggcgctt	ggcccgacc	ctgaggactg	atgaccccca	actggatggg	4080
gatgatgaca	atgatgaggg	aaatctgagc	aaaggggaa	gcatacaagc	ctgggtcaga	4140
tcccggcttc	ctgcctgttg	ccgagagcga	gattcctggt	cgccctatat	ctttcctcct	4200
cagtcaaggt	ttcgtctcct	gtgtcaccgg	atcatcacc	acaagatgtt	tgaccatgtg	4260
gtcctcgtca	tcatcttctt	caactgtatc	accatcgcta	tggagcgccc	caaaattgac	4320
ccccacagcg	ctgagcgcgt	cttcttgacc	ctctccaact	acatcttcac	ggcagtcttt	4380
ctagctgaaa	tgacagtga	ggtgggtggc	ctgggctggt	gctttgggga	gcaggccctac	4440
ctgctcgagc	gctgggaatg	gctggacggc	ttgctggtgc	tcattctcgt	catcgacatc	4500
ctggctctcca	tggtctccga	cagcggcacc	aagatccttg	gcatgctgag	ggtgctgagg	4560
ctgctgcggg	ccctgcgtcc	actcagggtc	atcagccggg	cccagggact	gaagctgggtg	4620
gtagagactc	tgatgtcatc	cctcaaacc	attggcaaca	ttgtggatcat	ttgtgtgccc	4680
ttcttcatca	tttttggaat	tctcggggtg	cagctcttca	aagggaagtt	cttcgtgtgt	4740
caggggtgagg	acaccaggaa	catcactaac	aaatccgact	gcgctgaggc	cagctaccga	4800
tgggtccggc	acaagtacaa	ctttgacaac	ctgggccagg	ctctgatgtc	cctgtttgtg	4860
ctggcctcca	aggatgggtg	ggttgacatc	atgtatgatg	ggctggatgc	tgtgggtgtg	4920
gatcagcagc	ccatcatgaa	ccacaacccc	tggatgctgc	tatacttcat	ctccttctc	4980
ctcatcgtgg	ccttctttgt	cctgaacatg	tttgtgggcg	tgggtggtgga	gaacttccat	5040
aagtgcagac	agcaccagga	ggaggaggag	gcgaggcggc	gtgaggagaa	gcgactacgg	5100
aggctggaga	aaaagagaag	gagtaaggag	aagcagatgg	ccgaagccca	gtgcaagccc	5160
tactactctg	actactcgag	attccggctc	cttgtccacc	acctgtgtac	cagccactac	5220
ctggacctct	tcatcactgg	tgtcatcggg	ctgaacgtgg	tcactatggc	catggaacat	5280
taccagcagc	cccagatcct	ggacgaggct	ctgaagatct	gcaattacat	ctttaccgtc	5340
atctttgtct	ttgagtcagt	tttcaaactt	gtggcctttg	cgttccgccc	tttcttccag	5400
gacaggtgga	accagctgga	cctggctatt	gtgcttctgt	ccatcatggg	catcacactg	5460
gaggagattg	aggtcaatct	gtcgtgcccc	atcaacccca	ccatcatccg	tatcatgagg	5520
gtgctccgca	ttgctcgagt	tctgaagctg	ttgaagatgg	ctgtgggcat	gcgggactg	5580
ctgcacacgg	tgatgcaggc	cctgccccag	gtggggaacc	tgggacttct	cttcattgta	5640
ttgtttttca	tctttgcagc	tctgggcgtg	gagctctttg	gagacctgga	gtgtgatgag	5700
acacaccctt	gtgagggctt	gggtcggcat	gccaccttta	ggaactttgg	tatggccttt	5760

```

ctgaccctct tccgagcttc cactgggtgac aactggaatg gtattatgaa ggacccttcc 5820
cgggactgtg accaggagtc cactgtgtac aacactgtca tctcccctat ctactttgtg 5880
tccttcgtgc tgacggccca gtttgtgctg gtcaacgtgg tcatagctgt gctgatgaag 5940
cacctggaag aaagcaacaa agaggccaag gaggaggccg agctcgaggc cgagctggag 6000
ctggagatga agacgtcag cccgcagccc cactccccgc tgggcagccc ctctctctgg 6060
cccggggtgg aggggtgtcaa cagtactgac agccctaagc ctggggctcc acacaccact 6120
gccacattg gagcagcctc gggcttctcc ctgtagcacc ccacgatggg accccacccc 6180
gaggaggtgc cagtccccct aggaccagac ctgctgactg tgaggaagtc tgggtgcagc 6240
cggacgcact ctctgcccac tgacagctac atgtgcccga atgggagcac tgctgagaga 6300
tccttaggac acaggggctg ggggctcccc aaagcccagt caggctccat cttgtccggt 6360
cactcccaac cagcagacac cagctgcac ctacagcttc ccaaagatgt gcactatctg 6420
ctccagcctc atggggctcc cacctggggc gccatcccta aactaccccc acctggccgc 6480
tcctctctgg ctccagagcc tctcaggcgc caggcagcaa taaggactga ctccctggat 6540
gtgcagggcc tgggtagccg ggaagacctg ttgtcagagg tgagtgggccc ctctgccct 6600
ctgacccggt cctcatcctt ctggggcggg tcgagcatcc aggtgcagca gcgttccggc 6660
atccagagca aagtctccaa gcacatccgc ctgccagccc ctgcccagg cctggaaccc 6720
agctgggcca aggaccctcc agagaccaga agcagcttag agctggacac ggagctgagc 6780
tggatttcag gagaccctct tcccagcagc caggaagaac ccctgttccc acgggacctg 6840
aagaagtgct acagtgtaga gaccagagc tgcaggcgca ggcttgggtt ctggctagat 6900
gaacagcgga gacactccat tgctgtcagc tgtctggaca gggctccca accccgcta 6960
tgtccaagcc cctcaagcct cgggggcca cctcttgggg gtcttgggag cgggctaag 7020
aaaaaactca gccacccag tatctctata gacccccgg agagccaggg ctctcgccc 7080
ccatgcagtc ctggtgtctg cctcaggagg agggcgccg ccagtgactc taaggatccc 7140
tcggtctcca gcccccttga cagcacggct gcctcaccct ccccaaagaa agacacgtg 7200
agtctctctg gtttgtcttc tgacccaaca gacatggacc cctgagtcc acccactctc 7260
ccccatcacc tttctccacc ggggttcagat cctacgtccg cctctggggc agcgttctg 7320
aaaagtccca cgtaagcagc aagcagccac gaggcacctc acctgccttc ttcagtggct 7380
gggtggggatg acgagcagaa cttccggaga gtcgatctga agagaacaca gccctggagc 7440
ccctgcctcc gggaagaagg aaaaggagaa gccagtggtg gccaaaggctc ccgacaccag 7500
gagctgttgg gagaagcaat acgtttgtgc agaattctcta 7540

```

<210> 24

<211> 2287

<212> PRT

<213> rat

<400> 24

Met Leu Pro His Arg Val Pro Arg Cys Val Arg Thr Pro Pro Leu Arg
1 5 10 15

Gly Ser Ala Arg Pro Ser Ser Asp Pro Pro Gly Pro Arg Leu Ala Arg
20 25 30

Gly Trp Thr Arg Arg Arg Met Glu Arg Ala Pro Arg Ser Arg Asp Ser
35 40 45

Pro Val Ala Ser Arg Ser Ser Thr Thr Cys Pro Gly Pro Gly Ala Ala
50 55 60

Gly	Ala	Gly	Ser	Thr	Glu	Lys	Asp	Pro	Gly	Ser	Ala	Asp	Ser	Glu	Ala	65	70	75	80
Glu	Gly	Leu	Pro	Tyr	Pro	Ala	Leu	Ala	Pro	Val	Val	Phe	Phe	Tyr	Leu	85	90	95	
Ser	Gln	Asp	Ser	Arg	Pro	Arg	Ser	Trp	Cys	Leu	Arg	Thr	Val	Cys	Asn	100	105	110	
Pro	Trp	Phe	Glu	Arg	Val	Ser	Met	Leu	Val	Ile	Leu	Leu	Asn	Cys	Val	115	120	125	
Thr	Leu	Gly	Met	Phe	Arg	Pro	Cys	Glu	Asp	Ile	Ala	Cys	Asp	Ser	Gln	130	135	140	
Arg	Cys	Arg	Ile	Leu	Gln	Ala	Phe	Asp	Asp	Phe	Ile	Phe	Ala	Phe	Phe	145	150	155	160
Ala	Val	Glu	Met	Val	Val	Lys	Met	Val	Ala	Leu	Gly	Ile	Phe	Gly	Lys	165	170	175	
Lys	Cys	Tyr	Leu	Gly	Asp	Thr	Trp	Asn	Arg	Leu	Asp	Phe	Phe	Ile	Val	180	185	190	
Ile	Ala	Gly	Met	Leu	Glu	Tyr	Ser	Leu	Asp	Leu	Gln	Asn	Val	Ser	Phe	195	200	205	
Ser	Ala	Val	Arg	Thr	Val	Arg	Val	Leu	Arg	Pro	Leu	Arg	Ala	Ile	Asn	210	215	220	
Arg	Val	Pro	Ser	Met	Arg	Ile	Leu	Val	Thr	Leu	Leu	Leu	Asp	Thr	Leu	225	230	235	240
Pro	Met	Leu	Gly	Asn	Val	Leu	Leu	Leu	Cys	Phe	Phe	Val	Phe	Phe	Ile	245	250	255	
Phe	Gly	Ile	Val	Gly	Val	Gln	Leu	Trp	Ala	Gly	Leu	Leu	Arg	Asn	Arg	260	265	270	
Cys	Phe	Leu	Pro	Glu	Asn	Phe	Ser	Leu	Pro	Leu	Ser	Val	Asp	Leu	Glu	275	280	285	
Pro	Tyr	Tyr	Gln	Thr	Glu	Asn	Glu	Asp	Glu	Ser	Pro	Phe	Ile	Cys	Ser	290	295	300	
Gln	Pro	Arg	Glu	Asn	Gly	Met	Arg	Ser	Cys	Arg	Ser	Val	Pro	Thr	Leu	305	310	315	320

Arg Gly Glu Gly Gly Gly Gly Pro Pro Cys Ser Leu Asp Tyr Glu Thr
 325 330 335
 Tyr Asn Ser Ser Ser Asn Thr Thr Cys Val Asn Trp Asn Gln Tyr Tyr
 340 345 350
 Thr Asn Cys Ser Ala Gly Glu His Asn Pro Phe Lys Gly Ala Ile Asn
 355 360 365
 Phe Asp Asn Ile Gly Tyr Ala Trp Ile Ala Ile Phe Gln Val Ile Thr
 370 375 380
 Leu Glu Gly Trp Val Asp Ile Met Tyr Phe Val Met Asp Ala His Ser
 385 390 395 400
 Phe Tyr Asn Phe Ile Tyr Phe Ile Leu Leu Ile Ile Val Gly Ser Phe
 405 410 415
 Phe Met Ile Asn Leu Cys Leu Val Val Ile Ala Thr Gln Phe Ser Glu
 420 425 430
 Thr Lys Gln Arg Glu Ser Gln Leu Met Arg Glu Gln Arg Val Arg Phe
 435 440 445
 Leu Ser Asn Ala Ser Thr Leu Ala Ser Phe Ser Glu Pro Gly Ser Cys
 450 455 460
 Tyr Glu Glu Leu Leu Lys Tyr Leu Val Tyr Ile Leu Arg Lys Ala Ala
 465 470 475 480
 Arg Arg Leu Ala Gln Val Ser Arg Ala Ile Gly Val Arg Ala Gly Leu
 485 490 495
 Leu Ser Ser Pro Val Ala Arg Ser Gly Gln Glu Pro Gln Pro Ser Gly
 500 505 510
 Ser Cys Thr Arg Ser His Arg Arg Leu Ser Val His His Leu Val His
 515 520 525
 His His His His His His His Tyr His Leu Gly Asn Gly Thr Leu
 530 535 540
 Arg Val Pro Arg Ala Ser Pro Glu Ile Gln Asp Arg Asp Ala Asn Gly
 545 550 555 560
 Ser Arg Arg Leu Met Leu Pro Pro Pro Ser Thr Pro Thr Pro Ser Gly
 565 570 575

Gly Pro Pro Arg Gly Ala Glu Ser Val His Ser Phe Tyr His Ala Asp
 580 585 590
 Cys His Leu Glu Pro Val Arg Cys Gln Ala Pro Pro Pro Arg Cys Pro
 595 600 605
 Ser Glu Ala Ser Gly Arg Thr Val Gly Ser Gly Lys Val Tyr Pro Thr
 610 615 620
 Val His Thr Ser Pro Pro Pro Glu Ile Leu Lys Asp Lys Ala Leu Val
 625 630 635 640
 Glu Val Ala Pro Ser Pro Gly Pro Pro Thr Leu Thr Ser Phe Asn Ile
 645 650 655
 Pro Pro Gly Pro Phe Ser Ser Met His Lys Leu Leu Glu Thr Gln Ser
 660 665 670
 Thr Gly Ala Cys His Ser Ser Cys Lys Ile Ser Ser Pro Cys Ser Lys
 675 680 685
 Ala Asp Ser Gly Ala Cys Gly Pro Asp Ser Cys Pro Tyr Cys Ala Arg
 690 695 700
 Thr Gly Ala Gly Glu Pro Glu Ser Ala Asp His Val Met Pro Asp Ser
 705 710 715 720
 Asp Ser Glu Ala Val Tyr Glu Phe Thr Gln Asp Ala Gln His Ser Asp
 725 730 735
 Leu Arg Asp Pro His Ser Arg Arg Arg Gln Arg Ser Leu Gly Pro Asp
 740 745 750
 Ala Glu Pro Ser Ser Val Leu Ala Phe Trp Arg Leu Ile Cys Asp Thr
 755 760 765
 Phe Arg Lys Ile Val Asp Ser Lys Tyr Phe Gly Arg Gly Ile Met Ile
 770 775 780
 Ala Ile Leu Val Asn Thr Leu Ser Met Gly Ile Glu Tyr His Glu Gln
 785 790 795 800
 Pro Glu Glu Leu Thr Asn Ala Leu Glu Ile Ser Asn Ile Val Phe Thr
 805 810 815
 Ser Leu Phe Ala Leu Glu Met Leu Leu Lys Leu Leu Val Tyr Gly Pro
 820 825 830

Phe Gly Tyr Ile Lys Asn Pro Tyr Asn Ile Phe Asp Gly Val Ile Val
 835 840 845
 Val Ile Ser Val Trp Glu Ile Val Gly Gln Gln Gly Gly Gly Leu Ser
 850 855 860
 Val Leu Arg Thr Phe Arg Leu Met Arg Val Leu Lys Leu Val Arg Phe
 865 870 875 880
 Leu Pro Ala Leu Gln Arg Gln Leu Val Val Leu Met Lys Thr Met Asp
 885 890 895
 Asn Val Ala Thr Phe Cys Met Leu Leu Met Leu Phe Ile Phe Ile Phe
 900 905 910
 Ser Ile Leu Gly Met His Leu Phe Gly Cys Lys Phe Ala Ser Glu Arg
 915 920 925
 Asp Gly Asp Thr Leu Pro Asp Arg Lys Asn Phe Asp Ser Leu Leu Trp
 930 935 940
 Ala Ile Val Thr Val Phe Gln Ile Leu Thr Gln Glu Asp Trp Asn Lys
 945 950 955 960
 Val Leu Tyr Asn Gly Met Ala Ser Thr Ser Ser Trp Ala Ala Leu Tyr
 965 970 975
 Phe Ile Ala Leu Met Thr Phe Gly Asn Tyr Val Leu Phe Asn Leu Leu
 980 985 990
 Val Ala Ile Leu Val Glu Gly Phe Gln Ala Glu Gly Asp Ala Thr Lys
 995 1000 1005
 Ser Glu Ser Glu Pro Asp Phe Phe Ser Pro Ser Val Asp Gly Asp Gly
 1010 1015 1020
 Asp Arg Lys Lys Arg Leu Ala Leu Val Ala Leu Gly Glu His Ala Glu
 1025 1030 1035 1040
 Leu Arg Lys Ser Leu Leu Pro Pro Leu Ile Ile His Thr Ala Ala Thr
 1045 1050 1055
 Pro Met Ser His Pro Lys Ser Ser Ser Thr Gly Val Gly Glu Ala Leu
 1060 1065 1070
 Gly Ser Gly Ser Arg Arg Thr Ser Ser Ser Gly Ser Ala Glu Pro Gly
 1075 1080 1085

Ala Ala His His Glu Met Lys Cys Pro Pro Ser Ala Arg Ser Ser Pro
 1090 1095 1100

His Ser Pro Trp Ser Ala Ala Ser Ser Trp Thr Ser Arg Arg Ser Ser
 1105 1110 1115 1120

Arg Asn Ser Leu Gly Arg Ala Pro Ser Leu Lys Arg Arg Ser Pro Ser
 1125 1130 1135

Gly Glu Arg Arg Ser Leu Leu Ser Gly Glu Gly Gln Glu Ser Gln Asp
 1140 1145 1150

Glu Glu Glu Ser Ser Glu Glu Asp Arg Ala Ser Pro Ala Gly Ser Asp
 1155 1160 1165

His Arg His Arg Gly Ser Leu Glu Arg Glu Ala Lys Ser Ser Phe Asp
 1170 1175 1180

Leu Pro Asp Thr Leu Gln Val Pro Gly Leu His Arg Thr Ala Ser Gly
 1185 1190 1195 1200

Arg Ser Ser Ala Ser Glu His Gln Asp Cys Asn Gly Lys Ser Ala Ser
 1205 1210 1215

Gly Arg Leu Ala Arg Thr Leu Arg Thr Asp Asp Pro Gln Leu Asp Gly
 1220 1225 1230

Asp Asp Asp Asn Asp Glu Gly Asn Leu Ser Lys Gly Glu Arg Ile Gln
 1235 1240 1245

Ala Trp Val Arg Ser Arg Leu Pro Ala Cys Cys Arg Glu Arg Asp Ser
 1250 1255 1260

Trp Ser Ala Tyr Ile Phe Pro Pro Gln Ser Arg Phe Arg Leu Leu Cys
 1265 1270 1275 1280

His Arg Ile Ile Thr His Lys Met Phe Asp His Val Val Leu Val Ile
 1285 1290 1295

Ile Phe Leu Asn Cys Ile Thr Ile Ala Met Glu Arg Pro Lys Ile Asp
 1300 1305 1310

Pro His Ser Ala Glu Arg Ile Phe Leu Thr Leu Ser Asn Tyr Ile Phe
 1315 1320 1325

Thr Ala Val Phe Leu Ala Glu Met Thr Val Lys Val Val Ala Leu Gly
 1330 1335 1340

Trp Cys Phe Gly Glu Gln Ala Tyr Leu Arg Ser Ser Trp Asn Val Leu
1345 1350 1355 1360

Asp Gly Leu Leu Val Leu Ile Ser Val Ile Asp Ile Leu Val Ser Met
1365 1370 1375

Val Ser Asp Ser Gly Thr Lys Ile Leu Gly Met Leu Arg Val Leu Arg
1380 1385 1390

Leu Leu Arg Thr Leu Arg Pro Leu Arg Val Ile Ser Arg Ala Gln Gly
1395 1400 1405

Leu Lys Leu Val Val Glu Thr Leu Met Ser Ser Leu Lys Pro Ile Gly
1410 1415 1420

Asn Ile Val Val Ile Cys Cys Ala Phe Phe Ile Ile Phe Gly Ile Leu
1425 1430 1435 1440

Gly Val Gln Leu Phe Lys Gly Lys Phe Phe Val Cys Gln Gly Glu Asp
1445 1450 1455

Thr Arg Asn Ile Thr Asn Lys Ser Asp Cys Ala Glu Ala Ser Tyr Arg
1460 1465 1470

Trp Val Arg His Lys Tyr Asn Phe Asp Asn Leu Gly Gln Ala Leu Met
1475 1480 1485

Ser Leu Phe Val Leu Ala Ser Lys Asp Gly Trp Val Asp Ile Met Tyr
1490 1495 1500

Asp Gly Leu Asp Ala Val Gly Val Asp Gln Gln Pro Ile Met Asn His
1505 1510 1515 1520

Asn Pro Trp Met Leu Leu Tyr Phe Ile Ser Phe Leu Leu Ile Val Ala
1525 1530 1535

Phe Phe Val Leu Asn Met Phe Val Gly Val Val Val Glu Asn Phe His
1540 1545 1550

Lys Cys Arg Gln His Gln Glu Glu Glu Glu Ala Arg Arg Arg Glu Glu
1555 1560 1565

Lys Arg Leu Arg Arg Leu Glu Lys Lys Arg Arg Ser Lys Glu Lys Gln
1570 1575 1580

Met Ala Glu Ala Gln Cys Lys Pro Tyr Tyr Ser Asp Tyr Ser Arg Phe
1585 1590 1595 1600

Arg Leu Leu Val His His Leu Cys Thr Ser His Tyr Leu Asp Leu Phe
 1605 1610 1615
 Ile Thr Gly Val Ile Gly Leu Asn Val Val Thr Met Ala Met Glu His
 1620 1625 1630
 Tyr Gln Gln Pro Gln Ile Leu Asp Glu Ala Leu Lys Ile Cys Asn Tyr
 1635 1640 1645
 Ile Phe Thr Val Ile Phe Val Phe Glu Ser Val Phe Lys Leu Val Ala
 1650 1655 1660
 Phe Ala Phe Arg Arg Phe Phe Gln Asp Arg Trp Asn Gln Leu Asp Leu
 1665 1670 1675 1680
 Ala Ile Val Leu Leu Ser Ile Met Gly Ile Thr Leu Glu Glu Ile Glu
 1685 1690 1695
 Val Asn Leu Ser Leu Pro Ile Asn Pro Thr Ile Ile Arg Ile Met Arg
 1700 1705 1710
 Val Leu Arg Ile Ala Arg Val Leu Lys Leu Leu Lys Met Ala Val Gly
 1715 1720 1725
 Met Arg Ala Leu Leu His Thr Val Met Gln Ala Leu Pro Gln Val Gly
 1730 1735 1740
 Asn Leu Gly Leu Leu Phe Met Leu Leu Phe Phe Ile Phe Ala Ala Leu
 1745 1750 1755 1760
 Gly Val Glu Leu Phe Gly Asp Leu Glu Cys Asp Glu Thr His Pro Cys
 1765 1770 1775
 Glu Gly Leu Gly Arg His Ala Thr Phe Arg Asn Phe Gly Met Ala Phe
 1780 1785 1790
 Leu Thr Leu Phe Arg Val Ser Thr Gly Asp Asn Trp Asn Gly Ile Met
 1795 1800 1805
 Lys Asp Pro Ser Arg Asp Cys Asp Gln Glu Ser Thr Cys Tyr Asn Thr
 1810 1815 1820
 Val Ile Ser Pro Ile Tyr Phe Val Ser Phe Val Leu Thr Ala Gln Phe
 1825 1830 1835 1840
 Val Leu Val Asn Val Val Ile Ala Val Leu Met Lys His Leu Glu Glu
 1845 1850 1855

Ser Asn Lys Glu Ala Lys Glu Glu Ala Glu Leu Glu Ala Glu Leu Glu
 1860 1865 1870
 Leu Glu Met Lys Thr Leu Ser Pro Gln Pro His Ser Pro Leu Gly Ser
 1875 1880 1885
 Pro Phe Leu Trp Pro Gly Val Glu Gly Val Asn Ser Thr Asp Ser Pro
 1890 1895 1900
 Lys Pro Gly Ala Pro His Thr Thr Ala His Ile Gly Ala Ala Ser Gly
 1905 1910 1915 1920
 Phe Ser Leu Glu His Pro Thr Met Val Pro His Pro Glu Glu Val Pro
 1925 1930 1935
 Val Pro Leu Gly Pro Asp Leu Leu Thr Val Arg Lys Ser Gly Val Ser
 1940 1945 1950
 Arg Thr His Ser Leu Pro Asn Asp Ser Tyr Met Cys Arg Asn Gly Ser
 1955 1960 1965
 Thr Ala Glu Arg Ser Leu Gly His Arg Gly Trp Gly Leu Pro Lys Ala
 1970 1975 1980
 Gln Ser Gly Ser Ile Leu Ser Val His Ser Gln Pro Ala Asp Thr Ser
 1985 1990 1995 2000
 Cys Ile Leu Gln Leu Pro Lys Asp Val His Tyr Leu Leu Gln Pro His
 2005 2010 2015
 Gly Ala Pro Thr Trp Gly Ala Ile Pro Lys Leu Pro Pro Pro Gly Arg
 2020 2025 2030
 Ser Pro Leu Ala Gln Arg Pro Leu Arg Arg Gln Ala Ala Ile Arg Thr
 2035 2040 2045
 Asp Ser Leu Asp Val Gln Gly Leu Gly Ser Arg Glu Asp Leu Leu Ser
 2050 2055 2060
 Glu Val Ser Gly Pro Ser Cys Pro Leu Thr Arg Ser Ser Ser Phe Trp
 2065 2070 2075 2080
 Gly Gly Ser Ser Ile Gln Val Gln Gln Arg Ser Gly Ile Gln Ser Lys
 2085 2090 2095
 Val Ser Lys His Ile Arg Leu Pro Ala Pro Cys Pro Gly Leu Glu Pro
 2100 2105 2110

Ser Trp Ala Lys Asp Pro Pro Glu Thr Arg Ser Ser Leu Glu Leu Asp
 2115 2120 2125

Thr Glu Leu Ser Trp Ile Ser Gly Asp Leu Leu Pro Ser Ser Gln Glu
 2130 2135 2140

Glu Pro Leu Phe Pro Arg Asp Leu Lys Lys Cys Tyr Ser Val Glu Thr
 2145 2150 2155 2160

Gln Ser Cys Arg Arg Arg Pro Gly Phe Trp Leu Asp Glu Gln Arg Arg
 2165 2170 2175

His Ser Ile Ala Val Ser Cys Leu Asp Ser Gly Ser Gln Pro Arg Leu
 2180 2185 2190

Cys Pro Ser Pro Ser Ser Leu Gly Gly Gln Pro Leu Gly Gly Pro Gly
 2195 2200 2205

Ser Arg Pro Lys Lys Lys Leu Ser Pro Pro Ser Ile Ser Ile Asp Pro
 2210 2215 2220

Pro Glu Ser Gln Gly Ser Arg Pro Pro Cys Ser Pro Gly Val Cys Leu
 2225 2230 2235 2240

Arg Arg Arg Ala Pro Ala Ser Asp Ser Lys Asp Pro Ser Val Ser Ser
 2245 2250 2255

Pro Leu Asp Ser Thr Ala Ala Ser Pro Ser Pro Lys Lys Asp Thr Leu
 2260 2265 2270

Ser Leu Ser Gly Leu Ser Ser Asp Pro Thr Asp Met Asp Pro Glx
 2275 2280 2285

<210> 25

<211> 8447

<212> DNA

<213> rat

<400> 25

cgggataatt ctgtctcatt accataggca cacaataaaa catctttacc atttctctaa 60
 actcagccat tggccaaagc cagaaggaag acctgtgcat ttgcatctgg ggatccgac 120
 ctgactgatg ctctaggttg ctgctgtatc agtggaggag actgtgagaa aggaccatag 180
 tagtcaagga agaaagcatc ctgggacaga gccacaatca cgagatgatt cctaccaatg 240
 aacctcttcg gactgggtcc cagtgcacgc gccgcccggg ctatgccacg gggacgcgc 300
 tagccaccgg agcgaggtga gatgcggagg gtacgcgcgc ttactgcgcg cctgggaccc 360
 tttgaacttg agctctgtgg gctccgagcc cctagggtc cgcgaaccct tcgcctcggc 420

cttgggggtg	gggctgccag	gctttgccgg	cgaggagggg	cgggggggcg	atttgtctct	480
aataaggaga	gacaaagaca	tcccgggcgc	cgcggctgtt	cccgcagctc	cgctccgcct	540
gaggcggggc	gggggcgtcg	ttcctgggcc	agggctacct	cctgccctct	ctccgcagggt	600
gctgccctcc	gccaccatga	ccgagggcac	gctggcagcg	gacgaagtcc	gggtgccccct	660
gggcgcttcg	ccgcggggcc	ctgcagcgcc	ggtagagagct	tccccagcga	gccctggggc	720
gccggggcgc	gaggagcagg	gaggatccgg	gtcgggagtg	ttggctcccc	agagcccagg	780
gaccgagtg	ggtgcggacc	tgggcgcga	cgaggaacag	ccggteccat	accagctct	840
ggctgccaca	gtcttcttct	gcctcgggca	aaccacgcgg	ccgcgcagct	gggtgcctccg	900
actggtttgt	aaccctgggt	tgcagcacgt	cagcatgctg	gtcatcatgc	tgaactgcgt	960
gacactgggc	atgttcaggc	cctgtgagga	tgttgagtgc	cgctccgaac	gttgacagcat	1020
cttggaggcc	ttcgacgact	tcatctttgc	cttcttcgcc	gtggagatgg	tgatcaagat	1080
ggtggctttg	gggctgtttg	ggcaaaaatg	ctacctgggt	gacacctgga	acaggctgga	1140
cttcttcatt	gtcatggcgg	gcatgatgga	gtactctctg	gacggacaca	aggtgagcct	1200
ctctgccatc	cgaaccgtgc	gtgtgctgcg	gccccccgcg	gccatcaacc	gagtccccag	1260
tatgcggatc	ctggtcactc	tgtgtctgga	cacgctgccc	atgcttgga	atgtcctcct	1320
cctctgcttc	ttcgtcttct	tcatcttcgg	cattgttggg	gtccagctct	gggctggcct	1380
gcttcggaac	cgatgcttcc	tggacagcgc	cttcgtcagg	aacaacaacc	tgaccttctt	1440
gcggccatac	taccagacgg	aggaggggtga	ggagaacctt	ttcatctgct	cctcccgccg	1500
tgacaacggc	atgcagaagt	gctcgcacat	ccccagccgc	cgtgagcttc	gagtgcagtg	1560
cacactcggc	tgggagggcct	atgggcagcc	acaggctgag	gatgggggtg	ctggccgcaa	1620
cgctgtatc	aactggaacc	agtattacaa	cgtgtgccgc	tcgggggaat	tcaacctca	1680
caacggtgcc	atcaacttcg	acaacattgg	ctacgcttgg	attgccatct	tccaggtcat	1740
cacactggag	ggctgggtgg	acatcatgta	cattgctcatg	gatgccact	cgttctacaa	1800
cttcatctac	ttcatcctcc	tcatcattat	gggtctcttc	ttcatgatca	acctgtgcct	1860
gggtggtgata	gccacacagt	tctcagagac	aaagcaaaagg	gaaaaccagc	tgatgcgaga	1920
acagcggggc	cgctatctgt	ccaacgcagag	cactctggcc	agcttctcag	agcccgccag	1980
ctgctacgag	gagctcctca	agtatgtagg	ccacatcttc	cggaagggtta	aacgcgtag	2040
cctgcgtctt	tatgcccgt	ggcagagccg	ctggcgtaag	aagggtggatc	ccagcagtac	2100
cgtgcatggc	caaggccctg	ggcggcgggc	acgacgggca	ggcaggcgta	cagcttcagt	2160
gcaccatctg	gtctaccacc	accaccacca	ccatcaccac	cattaccact	ttagccacgg	2220
tggcccacgc	aggccagcc	cagagcgctg	tgtgtgtgac	aacagggttg	tcaggcgctg	2280
tgcggccacc	tgcggcccat	ccccaggcca	tgggcccacca	gactctgagt	ctgtgcacag	2340
tatctaccat	gctgactgcc	acgtggaggg	gccgcaggaa	cgagcccag	tggcacactc	2400
catagccact	gctgctagcc	tcaagctggc	ctcagggttg	ggtaccatga	actaccccac	2460
catcctacct	tcaggaacag	tcaacagcaa	agggtggcacc	agctcacgac	ccaaggggct	2520
acgaggtgct	ggcgccccag	gggctgcagt	acacagccct	ctgagcctgg	gaagccccag	2580
accctatgag	aagatccagg	atgtgggtgg	agaacaagga	ctaggccgag	cctctagcca	2640
cctgtcaggc	ctgagtgtgc	cttgccccct	gcccagcccc	caggctggca	cgctgacctg	2700
tgagctgaag	agctgcccct	attgtgccag	cgccctggag	gaccccgagt	ttgaattcag	2760
tggctcagag	agcggggact	cggatgcccc	cggagtctat	gagtttacc	aggatgtacg	2820
gcatggggat	tgtcgggacc	ctgtgcagca	gccccatgaa	gtgggcacac	caggccacag	2880
caatgagcgg	cggcggacac	cactgcggaa	ggcctcacia	ccaggaggga	taggccacct	2940
ctgggcatcc	ttcagtggca	agctacgtcg	cattgtagac	agcaagtact	tcaaccgagg	3000
catcatggca	gccatcctcg	tcaatactct	gagcatgggc	gttgagtatc	atgaacagcc	3060
tgaggagctg	accaacgccc	tggagataag	caacatcgctg	ttcaccagca	tgtttgcctt	3120
ggagatgcta	ctgaagctgc	tggcctgcgg	cccactggga	tacatccgga	acccctacaa	3180
catcttcgat	ggcattgttg	tgtcataaag	tgtctgggag	atcgtggggc	aggcagacgg	3240
tggccagtct	gtgctgcgca	ccttcaggct	gctgcgggtg	ctgaagctgg	tgcgcttctt	3300

gccggccctg	cgggccagc	tcgtggtgct	catgaggacc	atggacaacg	tggccacctt	3360
ctgcatgctc	ctcatgctgt	tcattctcat	cttcagcatc	ctgggcatgc	acctgttcgg	3420
ctgtaagtcc	agcctgaaga	cagactctgg	agacaccgtc	cctgacagga	agaacttcga	3480
ctccctactg	tgggccatcg	tcaccgtgtt	tcagatcttg	acacaggaag	actggaacgt	3540
ggttctgtac	aacggcatgg	cctccacttc	gtcctggggc	gccctttact	ttgtggccct	3600
catgaccttt	gggaactatg	tgctcttcaa	cctgctggta	gccatcctgg	tggaagggtt	3660
ccaggcagag	ggtgacgcca	ccagatctga	caccgacgag	gataagacgt	ctaccacagt	3720
agaggagat	ttcgataagc	tcagagatct	tcgagccaca	gagatgaaga	tgtattcact	3780
ggcagtgacc	cctaacgggc	acctagaggg	ccgaggcagc	ctgccgcgc	ccctcatcac	3840
tcacacggca	gctacgccta	tgctactctc	caaaagctcc	ccaaacctgg	acgtggccca	3900
tgctctcctg	gactctcggc	gcagcagcag	cggctctgtg	gacccccagc	tgggggacca	3960
gaagtctctg	gccagcctcc	gcagctcccc	ttgcacccca	tggggcccca	acagcgctgg	4020
gagcagcagg	cgtctcagtt	ggaacagcct	ggggccgcga	cccagcctca	aacgccgcag	4080
ccagtgtggg	gagcgcgagt	ccctgctctc	tggagagggg	aagggcagca	ccgatgacga	4140
ggcgaggagc	agcagaccaa	gcacgggaac	ccacccaggg	gcctcgccag	ggccccgagc	4200
cacgcccactg	cggcgtgccc	agtcattgga	ccaccgcagc	acgctggacc	tgtgtccacc	4260
acggcctcgc	cctcctgccc	tccaagtcca	tgactgcaac	gggcagatgg	tggccctgcc	4320
cagcgagttc	tttctgcgca	tcgacagcca	caaggaggat	gcagcggagt	ttgatgatga	4380
catagaggat	agctgtgctt	tccgtctaca	caaagtgtctg	gaaccctatg	caccccagtg	4440
gtgccttagc	cgggagtcct	gggccctgta	tctcttccca	ccgcagaaca	ggctacgcgt	4500
ctcctgccag	aaagtcatcg	cacacaagat	gtttgaccac	gtggctcctt	tcttcatctt	4560
cctcaactgt	atcaccattg	ctctggagag	gccagacatt	gacccaggca	gcactgagcg	4620
ggccttcctc	agccttccca	actacatctt	ccagccatc	ttcgtgggtg	agatgatggt	4680
gaagggtgta	gccctgggac	tgctgtgggg	tgaacatgcc	tacctacaga	gcagttggaa	4740
tgtgtcggac	gggctgcttg	tctgtgtatc	cctgggtgac	atcatcgtgg	ccatggcctc	4800
agctggcggg	gccaaagatc	taggcgtcct	gcgtgtcgtg	cgctgtcgtc	ggaccctgag	4860
gcctctgagg	gtcatcagcc	gagctccagg	cctcaagctg	gttgtagaga	ctctgatatc	4920
atcgctcagg	cccattggga	acatcgtcct	catctgctgc	gccttcttca	tcattcttgg	4980
catcctcggg	gtgcagcttt	tcaagggcaa	attctactac	tgcgagggca	cagataccag	5040
gaatatcacc	accaaggccg	agtgccatgc	tgcccactac	cgctgggtga	ggcgcaaata	5100
caactttgac	aacctgggtc	aggcgtgat	gtctctgttc	gtgctgtcat	ctaaggatgg	5160
ctgggtaaac	atcatgtatg	acgggctgga	tgccgtgggc	atcgaccagc	agcccgtgca	5220
gaaccacaac	ccctggatgc	tgctctactt	catctccttc	ctgctcatcg	tcagcttctt	5280
cgtgtctaac	atgtttgtgg	gcgtgggtgg	ggagaacttc	cacaagtgcc	ggcagcacca	5340
ggaggctgag	gaggctcggc	gccgggagga	gaaacggctg	cggcgccctg	agaggaggcg	5400
caggaaaggcc	cagcgccggc	cctactacgc	agactattca	cacactcgcc	gctccatcca	5460
ttcgtgtgtc	accagccact	acctggacct	cttcatcacc	ttcatcatct	gcctcaatgt	5520
catcaccatg	tccatggagc	actacaacca	gcccaggtcc	ctggatgagg	ccctcaagta	5580
ctgcaactac	gtctttacca	tcgtcttcgt	ctttgaggct	gcactgaagc	tgggtggcctt	5640
tgggttccgg	aggttcttca	aggacagggtg	gaaccagctg	gacttggcca	tcgtcctcct	5700
atccatcatg	ggcattgcgc	tggaggagat	tgagatgaac	gccgccttgc	ccatcaatcc	5760
caccatcatc	cgcattcatg	gtgtgcttcg	aatcgcccgt	gtgctgaagc	tactgaagat	5820
ggccacaggc	atgcgcgcct	tgctggatac	tgtggttcaa	gctctgcctc	aggtagggaa	5880
ccttgggtctt	cttttcatgc	tctgtttttt	tatctatgct	gccctgggag	tggagctggt	5940
tgggaggcta	gagtgcagcg	aggataaccc	ctgcgagggc	ctgagcaggc	acgtacctt	6000
caccaacttc	ggcatggcct	tcctcacact	gttccgagtg	tccactgggg	acaactggaa	6060
tgggattatg	aaggataccc	tccgtgagtg	taccctgtag	gacaagcact	gcctcagcta	6120
cctgccccgc	ctctcacccg	tctacttcgt	caccttcatt	ctgggtggctc	agttcgtgct	6180

```

ggccaatgtg gtggtggcgg tgctcatgaa gcacctggag gagagcaaca aggaggcccc 6240
cgaggatgca gagatggacg ccgagatcga gctggagatg gcacaggggt ccacagccca 6300
gccccacact acagcacagg aaagccaagg taccagacca gacaccccgga acctcctggt 6360
cgtgcgaaaa gtatctgtgt ccaggatgct ctcgctgccc aatgacagct acatgttcag 6420
gccggtggct cccgcggtcg cccacattc ccacccactg caggaagtgg agatggagac 6480
ctacacaggg ccggtcacct ctgctcactc gccacccctg gagcccccg cctctttcca 6540
ggccccatca gccgcgtcct cccagccag ggtcagtac cccctttgtg ccctttcacc 6600
ccgggggtaca cccgcgtctc tgagtctctc acggatactc tgcagacagg aggccatgca 6660
ctctgagttc ctggaaggga aggttgatga tggtggagga gacagcatcc cagactacac 6720
agagcctgct gaaaatatgt ccacgagcca ggcataca ggtgccccga ggtccccctc 6780
gtgctccccg cgacctgcca gcgtccgtac ccgcaagcac acgtttgggc aacgctgcat 6840
ctccagccgc cctcccaccc tgggaggaga tgaggctgaa gcagcagacc cagcagatga 6900
ggaggctcagc cacatcacca gctcagccca cccctggccg gctacagagc cccacagccc 6960
tgaggcctcc ccaacagcct ctctgtgaa aggcacaatg ggcagtgggc gggacccacg 7020
caggttctgc agtgtagatg ctgagagctt cctggacaaa ccaggtcggc cagatgcaca 7080
acggtgggtc tcagtggaa tcgataacgg agaaagccac ctgaggtccg ggaagtggag 7140
gggcccggcc tcagagctcg aaccagctct tgggtcacga aggaagaaga agatgagccc 7200
tccctgcac tcattgaac ctccactaa ggatgagggc tcttcccgcc cccctgcagc 7260
cgaaggaggc aacactaccc tgaggcggcg aaccccatcc tgtgaggctg ccctccatag 7320
ggactgcccc gagcctacag aaggcccagg caccggaggg gaccctgtag ccaagggtga 7380
gcgtgggggc caggcctctt gccgagcaga gcatctgact gtccccaact ttgcctttga 7440
gcctctggac atgggcggac ctggtggaga ctgtttcttg gacagtgacc aaagtgtgac 7500
cccagaacct agagtttcct ctttgggggc tatagtgcct ctgatactag aaactgaact 7560
ttctatggcc tctcctgact gccagagaa ggaacaagga ctgtacctca ctgtgcccc 7620
gacccccctg aagaaaccag ggtctacccc agccactcct gcccagatg acagtggaga 7680
tgagcctgtg tagatggggc tgcgtgtcca cagggtcttg gcattgaggt tgttggctcc 7740
tgaggggtgg tagggccatg agtggaccct gcttagggcc cactaaggca gagggaccgg 7800
gagataacca tcccaggaga ggcagcagac atcccgtctc tgcaccatga cacaggagca 7860
gcctcggggc ccacgagcct ccctcgtggt gattcaggtt tgggttttcc tgagttttaa 7920
ccaccaccag aagctgtacc aggaccagg catcagctctc agggaggag gctgtgtcct 7980
gggaaggacc agtaattcct cacaggcacc acagctccat ccagtgtgaca cacaggtttc 8040
cgacaggggag tacagcttga gcctgtgtac attgggtcct gcagccaccg caccatata 8100
caccttcgtt cacagtcctg tttctgtcca ccactcgga tccttccctc tcacagtgc 8160
cctcccccat tccatccct tagatggtct agaactttgc agtgaccctg ggaagtactg 8220
acccatgcaa taagacattg cagtcccaac tgagggtggg cttcccatcc attccaggct 8280
gttgggtcca acattcattt gacatccatt tgctttatgt catccgtttc tacaaattca 8340
ggttaaagt tgcaataatc tgatgcagaa aacttggtt cctaagtcaa agctgagggg 8400
aggggagggg aggggcaagg caaatctgaa taaacactaa cttattg 8447

```

<210> 26

<211> 2359

<212> PRT

<213> rat

<400> 26

Met Thr Glu Gly Thr Leu Ala Ala Asp Glu Val Arg Val Pro Leu Gly

1

5

10

15

Ala Ser Pro Pro Ala Pro Ala Ala Pro Val Arg Ala Ser Pro Ala Ser
 20 25 30
 Pro Gly Ala Pro Gly Arg Glu Glu Gln Gly Gly Ser Gly Ser Gly Val
 35 40 45
 Leu Ala Pro Glu Ser Pro Gly Thr Glu Cys Gly Ala Asp Leu Gly Ala
 50 55 60
 Asp Glu Glu Gln Pro Val Pro Tyr Pro Ala Leu Ala Ala Thr Val Phe
 65 70 75 80
 Phe Cys Leu Gly Gln Thr Thr Arg Pro Arg Ser Trp Cys Leu Arg Leu
 85 90 95
 Val Cys Asn Pro Trp Phe Glu His Val Ser Met Leu Val Ile Met Leu
 100 105 110
 Asn Cys Val Thr Leu Gly Met Phe Arg Pro Cys Glu Asp Val Glu Cys
 115 120 125
 Arg Ser Glu Arg Cys Ser Ile Leu Glu Ala Phe Asp Asp Phe Ile Phe
 130 135 140
 Ala Phe Phe Ala Val Glu Met Val Ile Lys Met Val Ala Leu Gly Leu
 145 150 155 160
 Phe Gly Gln Lys Cys Tyr Leu Gly Asp Thr Trp Asn Arg Leu Asp Phe
 165 170 175
 Phe Ile Val Met Ala Gly Met Met Glu Tyr Ser Leu Asp Gly His Lys
 180 185 190
 Val Ser Leu Ser Ala Ile Arg Thr Val Arg Val Leu Arg Pro Leu Arg
 195 200 205
 Ala Ile Asn Arg Val Pro Ser Met Arg Ile Leu Val Thr Leu Leu Leu
 210 215 220
 Asp Thr Leu Pro Met Leu Gly Asn Val Leu Leu Leu Cys Phe Phe Val
 225 230 235 240
 Phe Phe Ile Phe Gly Ile Val Gly Val Gln Leu Trp Ala Gly Leu Leu
 245 250 255
 Arg Asn Arg Cys Phe Leu Asp Ser Ala Phe Val Arg Asn Asn Asn Leu
 260 265 270

Thr Phe Leu Arg Pro Tyr Tyr Gln Thr Glu Glu Gly Glu Glu Asn Pro
 275 280 285
 Phe Ile Cys Ser Ser Arg Arg Asp Asn Gly Met Gln Lys Cys Ser His
 290 295 300
 Ile Pro Ser Arg Arg Glu Leu Arg Val Gln Cys Thr Leu Gly Trp Glu
 305 310 315 320
 Ala Tyr Gly Gln Pro Gln Ala Glu Asp Gly Gly Ala Gly Arg Asn Ala
 325 330 335
 Cys Ile Asn Trp Asn Gln Tyr Tyr Asn Val Cys Arg Ser Gly Glu Phe
 340 345 350
 Asn Pro His Asn Gly Ala Ile Asn Phe Asp Asn Ile Gly Tyr Ala Trp
 355 360 365
 Ile Ala Ile Phe Gln Val Ile Thr Leu Glu Gly Trp Val Asp Ile Met
 370 375 380
 Tyr Tyr Val Met Asp Ala His Ser Phe Tyr Asn Phe Ile Tyr Phe Ile
 385 390 395 400
 Leu Leu Ile Ile Met Gly Ser Phe Phe Met Ile Asn Leu Cys Leu Val
 405 410 415
 Val Ile Ala Thr Gln Phe Ser Glu Thr Lys Gln Arg Glu Asn Gln Leu
 420 425 430
 Met Arg Glu Gln Arg Ala Arg Tyr Leu Ser Asn Asp Ser Thr Leu Ala
 435 440 445
 Ser Phe Ser Glu Pro Gly Ser Cys Tyr Glu Glu Leu Leu Lys Tyr Val
 450 455 460
 Gly His Ile Phe Arg Lys Val Lys Arg Arg Ser Leu Arg Leu Tyr Ala
 465 470 475 480
 Arg Trp Gln Ser Arg Trp Arg Lys Lys Val Asp Pro Ser Ser Thr Val
 485 490 495
 His Gly Gln Gly Pro Gly Arg Arg Pro Arg Arg Ala Gly Arg Arg Thr
 500 505 510
 Ala Ser Val His His Leu Val Tyr His His His His His His His His
 515 520 525

His Tyr His Phe Ser His Gly Gly Pro Arg Arg Pro Ser Pro Glu Pro
530 535 540

Gly Ala Gly Asp Asn Arg Leu Val Arg Ala Cys Ala Pro Pro Ser Pro
545 550 555 560

Pro Ser Pro Gly His Gly Pro Pro Asp Ser Glu Ser Val His Ser Ile
565 570 575

Tyr His Ala Asp Cys His Val Glu Gly Pro Gln Glu Arg Ala Arg Val
580 585 590

Ala His Ser Ile Ala Thr Ala Ala Ser Leu Lys Leu Ala Ser Gly Leu
595 600 605

Gly Thr Met Asn Tyr Pro Thr Ile Leu Pro Ser Gly Thr Val Asn Ser
610 615 620

Lys Gly Gly Thr Ser Ser Arg Pro Lys Gly Leu Arg Gly Ala Gly Ala
625 630 635 640

Pro Gly Ala Ala Val His Ser Pro Leu Ser Leu Gly Ser Pro Arg Pro
645 650 655

Tyr Glu Lys Ile Gln Asp Val Val Gly Glu Gln Gly Leu Gly Arg Ala
660 665 670

Ser Ser His Leu Ser Gly Leu Ser Val Pro Cys Pro Leu Pro Ser Pro
675 680 685

Gln Ala Gly Thr Leu Thr Cys Glu Leu Lys Ser Cys Pro Tyr Cys Ala
690 695 700

Ser Ala Leu Glu Asp Pro Glu Phe Glu Phe Ser Gly Ser Glu Ser Gly
705 710 715 720

Asp Ser Asp Ala His Gly Val Tyr Glu Phe Thr Gln Asp Val Arg His
725 730 735

Gly Asp Cys Arg Asp Pro Val Gln Gln Pro His Glu Val Gly Thr Pro
740 745 750

Gly His Ser Asn Glu Arg Arg Arg Thr Pro Leu Arg Lys Ala Ser Gln
755 760 765

Pro Gly Gly Ile Gly His Leu Trp Ala Ser Phe Ser Gly Lys Leu Arg
770 775 780

Arg	Ile	Val	Asp	Ser	Lys	Tyr	Phe	Asn	Arg	Gly	Ile	Met	Ala	Ala	Ile	785	790	795	800
Leu	Val	Asn	Thr	Leu	Ser	Met	Gly	Val	Glu	Tyr	His	Glu	Gln	Pro	Glu	805	810	815	
Glu	Leu	Thr	Asn	Ala	Leu	Glu	Ile	Ser	Asn	Ile	Val	Phe	Thr	Ser	Met	820	825	830	
Phe	Ala	Leu	Glu	Met	Leu	Leu	Lys	Leu	Leu	Ala	Cys	Gly	Pro	Leu	Gly	835	840	845	
Tyr	Ile	Arg	Asn	Pro	Tyr	Asn	Ile	Phe	Asp	Gly	Ile	Val	Val	Val	Ile	850	855	860	
Ser	Val	Trp	Glu	Ile	Val	Gly	Gln	Ala	Asp	Gly	Gly	Gln	Ser	Val	Leu	865	870	875	880
Arg	Thr	Phe	Arg	Leu	Leu	Arg	Val	Leu	Lys	Leu	Val	Arg	Phe	Leu	Pro	885	890	895	
Ala	Leu	Arg	Arg	Gln	Leu	Val	Val	Leu	Met	Arg	Thr	Met	Asp	Asn	Val	900	905	910	
Ala	Thr	Phe	Cys	Met	Leu	Leu	Met	Leu	Phe	Ile	Phe	Ile	Phe	Ser	Ile	915	920	925	
Leu	Gly	Met	His	Leu	Phe	Gly	Cys	Lys	Phe	Ser	Leu	Lys	Thr	Asp	Ser	930	935	940	
Gly	Asp	Thr	Val	Pro	Asp	Arg	Lys	Asn	Phe	Asp	Ser	Leu	Leu	Trp	Ala	945	950	955	960
Ile	Val	Thr	Val	Phe	Gln	Ile	Leu	Thr	Gln	Glu	Asp	Trp	Asn	Val	Val	965	970	975	
Leu	Tyr	Asn	Gly	Met	Ala	Ser	Thr	Ser	Ser	Trp	Ala	Ala	Leu	Tyr	Phe	980	985	990	
Val	Ala	Leu	Met	Thr	Phe	Gly	Asn	Tyr	Val	Leu	Phe	Asn	Leu	Leu	Val	995	1000	1005	
Ala	Ile	Leu	Val	Glu	Gly	Phe	Gln	Ala	Glu	Gly	Asp	Ala	Thr	Arg	Ser	1010	1015	1020	
Asp	Thr	Asp	Glu	Asp	Lys	Thr	Ser	Thr	Gln	Leu	Glu	Gly	Asp	Phe	Asp	1025	1030	1035	1040

Lys Leu Arg Asp Leu Arg Ala Thr Glu Met Lys Met Tyr Ser Leu Ala
 1045 1050 1055
 Val Thr Pro Asn Gly His Leu Glu Gly Arg Gly Ser Leu Pro Pro Pro
 1060 1065 1070
 Leu Ile Thr His Thr Ala Ala Thr Pro Met Pro Thr Pro Lys Ser Ser
 1075 1080 1085
 Pro Asn Leu Asp Val Ala His Ala Leu Leu Asp Ser Arg Arg Ser Ser
 1090 1095 1100
 Ser Gly Ser Val Asp Pro Gln Leu Gly Asp Gln Lys Ser Leu Ala Ser
 1105 1110 1115 1120
 Leu Arg Ser Ser Pro Cys Thr Pro Trp Gly Pro Asn Ser Ala Gly Ser
 1125 1130 1135
 Ser Arg Arg Ser Ser Trp Asn Ser Leu Gly Arg Ala Pro Ser Leu Lys
 1140 1145 1150
 Arg Arg Ser Gln Cys Gly Glu Arg Glu Ser Leu Leu Ser Gly Glu Gly
 1155 1160 1165
 Lys Gly Ser Thr Asp Asp Glu Ala Glu Asp Ser Arg Pro Ser Thr Gly
 1170 1175 1180
 Thr His Pro Gly Ala Ser Pro Gly Pro Arg Ala Thr Pro Leu Arg Arg
 1185 1190 1195 1200
 Ala Glu Ser Leu Asp His Arg Ser Thr Leu Asp Leu Cys Pro Pro Arg
 1205 1210 1215
 Pro Ala Pro Pro Ala Val Gln Val His Asp Cys Asn Gly Gln Met Val
 1220 1225 1230
 Ala Leu Pro Ser Glu Phe Phe Leu Arg Ile Asp Ser His Lys Glu Asp
 1235 1240 1245
 Ala Ala Glu Phe Asp Asp Asp Ile Glu Asp Ser Cys Cys Phe Arg Leu
 1250 1255 1260
 His Lys Val Leu Glu Pro Tyr Ala Pro Gln Trp Cys Arg Ser Arg Glu
 1265 1270 1275 1280
 Ser Trp Ala Leu Tyr Leu Phe Pro Pro Gln Asn Arg Leu Arg Val Ser
 1285 1290 1295

Cys Gln Lys Val Ile Ala His Lys Met Phe Asp His Val Val Leu Val
 1300 1305 1310

Phe Ile Phe Leu Asn Cys Ile Thr Ile Ala Leu Glu Arg Pro Asp Ile
 1315 1320 1325

Asp Pro Gly Ser Thr Glu Arg Ala Phe Leu Ser Val Ser Asn Tyr Ile
 1330 1335 1340

Phe Thr Ala Ile Phe Val Val Glu Met Met Val Lys Val Val Ala Leu
 1345 1350 1355 1360

Gly Leu Leu Trp Gly Glu His Ala Tyr Leu Gln Ser Ser Trp Asn Val
 1365 1370 1375

Leu Asp Gly Leu Leu Val Leu Val Ser Leu Val Asp Ile Ile Val Ala
 1380 1385 1390

Met Ala Ser Ala Gly Gly Ala Lys Ile Leu Gly Val Leu Arg Val Val
 1395 1400 1405

Arg Leu Leu Arg Thr Leu Arg Pro Leu Arg Val Ile Ser Arg Ala Pro
 1410 1415 1420

Gly Leu Lys Leu Val Val Glu Thr Leu Ile Ser Ser Leu Arg Pro Ile
 1425 1430 1435 1440

Gly Asn Ile Val Leu Ile Cys Cys Ala Phe Phe Ile Ile Phe Gly Ile
 1445 1450 1455

Leu Gly Val Gln Leu Phe Lys Gly Lys Phe Tyr Tyr Cys Glu Gly Thr
 1460 1465 1470

Asp Thr Arg Asn Ile Thr Thr Lys Ala Glu Cys His Ala Ala His Tyr
 1475 1480 1485

Arg Trp Val Arg Arg Lys Tyr Asn Phe Asp Asn Leu Gly Gln Ala Leu
 1490 1495 1500

Met Ser Leu Phe Val Leu Ser Ser Lys Asp Gly Trp Val Asn Ile Met
 1505 1510 1515 1520

Tyr Asp Gly Leu Asp Ala Val Gly Ile Asp Gln Gln Pro Val Gln Asn
 1525 1530 1535

His Asn Pro Trp Met Leu Leu Tyr Phe Ile Ser Phe Leu Leu Ile Val
 1540 1545 1550

Ser Phe Phe Val Leu Asn Met Phe Val Gly Val Val Val Glu Asn Phe
 1555 1560 1565

His Lys Cys Arg Gln His Gln Glu Ala Glu Glu Ala Arg Arg Arg Glu
 1570 1575 1580

Glu Lys Arg Leu Arg Arg Leu Glu Arg Arg Arg Lys Ala Gln Arg
 1585 1590 1595 1600

Arg Pro Tyr Tyr Ala Asp Tyr Ser His Thr Arg Arg Ser Ile His Ser
 1605 1610 1615

Leu Cys Thr Ser His Tyr Leu Asp Leu Phe Ile Thr Phe Ile Ile Cys
 1620 1625 1630

Leu Asn Val Ile Thr Met Ser Met Glu His Tyr Asn Gln Pro Lys Ser
 1635 1640 1645

Leu Asp Glu Ala Leu Lys Tyr Cys Asn Tyr Val Phe Thr Ile Val Phe
 1650 1655 1660

Val Phe Glu Ala Ala Leu Lys Leu Val Ala Phe Gly Phe Arg Arg Phe
 1665 1670 1675 1680

Phe Lys Asp Arg Trp Asn Gln Leu Asp Leu Ala Ile Val Leu Leu Ser
 1685 1690 1695

Ile Met Gly Ile Ala Leu Glu Glu Ile Glu Met Asn Ala Ala Leu Pro
 1700 1705 1710

Ile Asn Pro Thr Ile Ile Arg Ile Met Arg Val Leu Arg Ile Ala Arg
 1715 1720 1725

Val Leu Lys Leu Leu Lys Met Ala Thr Gly Met Arg Ala Leu Leu Asp
 1730 1735 1740

Thr Val Val Gln Ala Leu Pro Gln Val Gly Asn Leu Gly Leu Leu Phe
 1745 1750 1755 1760

Met Leu Leu Phe Phe Ile Tyr Ala Ala Leu Gly Val Glu Leu Phe Gly
 1765 1770 1775

Arg Leu Glu Cys Ser Glu Asp Asn Pro Cys Glu Gly Leu Ser Arg His
 1780 1785 1790

Ala Thr Phe Thr Asn Phe Gly Met Ala Phe Leu Thr Leu Phe Arg Val
 1795 1800 1805

Ser Thr Gly Asp Asn Trp Asn Gly Ile Met Lys Asp Thr Leu Arg Glu
1810 1815 1820

Cys Thr Arg Glu Asp Lys His Cys Leu Ser Tyr Leu Pro Ala Leu Ser
1825 1830 1835 1840

Pro Val Tyr Phe Val Thr Phe Met Leu Val Ala Gln Phe Val Leu Val
1845 1850 1855

Asn Val Val Val Ala Val Leu Met Lys His Leu Glu Glu Ser Asn Lys
1860 1865 1870

Glu Ala Arg Glu Asp Ala Glu Met Asp Ala Glu Ile Glu Leu Glu Met
1875 1880 1885

Ala Gln Gly Ser Thr Ala Gln Pro Pro Pro Thr Ala Gln Glu Ser Gln
1890 1895 1900

Gly Thr Gln Pro Asp Thr Pro Asn Leu Leu Val Val Arg Lys Val Ser
1905 1910 1915 1920

Val Ser Arg Met Leu Ser Leu Pro Asn Asp Ser Tyr Met Phe Arg Pro
1925 1930 1935

Val Ala Pro Ala Ala Ala Pro His Ser His Pro Leu Gln Glu Val Glu
1940 1945 1950

Met Glu Thr Tyr Thr Gly Pro Val Thr Ser Ala His Ser Pro Pro Leu
1955 1960 1965

Glu Pro Arg Ala Ser Phe Gln Val Pro Ser Ala Ala Ser Ser Pro Ala
1970 1975 1980

Arg Val Ser Asp Pro Leu Cys Ala Leu Ser Pro Arg Gly Thr Pro Arg
1985 1990 1995 2000

Ser Leu Ser Leu Ser Arg Ile Leu Cys Arg Gln Glu Ala Met His Ser
2005 2010 2015

Glu Ser Leu Glu Gly Lys Val Asp Asp Val Gly Gly Asp Ser Ile Pro
2020 2025 2030

Asp Tyr Thr Glu Pro Ala Glu Asn Met Ser Thr Ser Gln Ala Ser Thr
2035 2040 2045

Gly Ala Pro Arg Ser Pro Pro Cys Ser Pro Arg Pro Ala Ser Val Arg
2050 2055 2060

Thr Arg Lys His Thr Phe Gly Gln Arg Cys Ile Ser Ser Arg Pro Pro
 2065 2070 2075 2080
 Thr Leu Gly Gly Asp Glu Ala Glu Ala Ala Asp Pro Ala Asp Glu Glu
 2085 2090 2095
 Val Ser His Ile Thr Ser Ser Ala His Pro Trp Pro Ala Thr Glu Pro
 2100 2105 2110
 His Ser Pro Glu Ala Ser Pro Thr Ala Ser Pro Val Lys Gly Thr Met
 2115 2120 2125
 Gly Ser Gly Arg Asp Pro Arg Arg Phe Cys Ser Val Asp Ala Gln Ser
 2130 2135 2140
 Phe Leu Asp Lys Pro Gly Arg Pro Asp Ala Gln Arg Trp Ser Ser Val
 2145 2150 2155 2160
 Glu Leu Asp Asn Gly Glu Ser His Leu Glu Ser Gly Glu Val Arg Gly
 2165 2170 2175
 Arg Ala Ser Glu Leu Glu Pro Ala Leu Gly Ser Arg Arg Lys Lys Lys
 2180 2185 2190
 Met Ser Pro Pro Cys Ile Ser Ile Glu Pro Pro Thr Lys Asp Glu Gly
 2195 2200 2205
 Ser Ser Arg Pro Pro Ala Ala Glu Gly Gly Asn Thr Thr Leu Arg Arg
 2210 2215 2220
 Arg Thr Pro Ser Cys Glu Ala Ala Leu His Arg Asp Cys Pro Glu Pro
 2225 2230 2235 2240
 Thr Glu Gly Pro Gly Thr Gly Gly Asp Pro Val Ala Lys Gly Glu Arg
 2245 2250 2255
 Trp Gly Gln Ala Ser Cys Arg Ala Glu His Leu Thr Val Pro Asn Phe
 2260 2265 2270
 Ala Phe Glu Pro Leu Asp Met Gly Gly Pro Gly Gly Asp Cys Phe Leu
 2275 2280 2285
 Asp Ser Asp Gln Ser Val Thr Pro Glu Pro Arg Val Ser Ser Leu Gly
 2290 2295 2300
 Ala Ile Val Pro Leu Ile Leu Glu Thr Glu Leu Ser Met Pro Ser Pro
 2305 2310 2315 2320

Asp Cys Pro Glu Lys Glu Gln Gly Leu Tyr Leu Thr Val Pro Gln Thr
 2325 2330 2335

Pro Leu Lys Lys Pro Gly Ser Thr Pro Ala Thr Pro Ala Pro Asp Asp
 2340 2345 2350

Ser Gly Asp Glu Pro Val Glx
 2355

<210> 27
 <211> 5735
 <212> DNA
 <213> rat

<400> 27

ccggcttcgg	cgccgtgccc	ggccacgtcc	atgccaaagg	ctccctgctc	cacgctgaca	60
tggctgacag	caacttaccg	ccctcatctg	cagcagcccc	ggcccccgag	ccgggaatca	120
ctgagcagcc	ggggccccgg	agtccccctc	catccccctc	aggcctggag	gagccattgg	180
aaggaaccaa	ccctgacgtc	ccacatccag	acctgggtcc	tgttgcttcc	ttctgcctgc	240
gccagaccac	gagccacagg	aactgggtgca	tcaagatggg	ttgtaaccgg	tggttcgagt	300
gtgtgagcat	gctggttatt	ctgctgaact	gtgtgaccct	gggcatgtac	cagccatgtg	360
atgacatgga	gtgcctgtcg	gaccgttgca	agatcctgca	ggctctcgat	gacttcacat	420
tcactcttct	tgccatggag	atggtgctta	agatgggtgg	cctgggcatt	tttggcaaga	480
agtgtacact	cggagacaca	tggaaaccgg	tggatttctt	cattgtcatg	gcagggatgg	540
ttgagtactc	tctggacctc	cagaacatca	acctgtcagc	catccgcact	gtgcgtgtcc	600
tgaggcctct	caaagccatc	aaccgtgtac	ccagcctgcg	gatcctgggtg	aacctgctgc	660
tcgacacgct	gcccattgctg	gggaacgtgc	tcctgctctg	tttcttcgtc	ttcttcacat	720
tcggcatcat	tggcgtgcag	ctctggggcag	gcctgtctacg	gaaccgctgc	ttcctggaag	780
aaaacttcac	catacaaggg	gatgtggccc	tgccccctta	ttaccaacca	gaggaggatg	840
acgagatgcc	ctttatctgc	tccctgactg	gggacaatgg	catcatgggc	tgccacgaga	900
tccccccact	gaaggagcag	ggcggggaag	tctgcctgtc	caaagatgat	gtgtatgact	960
tcggggcggg	gcgccaggac	ctcaacgcca	gcggtctgtg	cgtaactggg	aaccgctact	1020
acaacgtctg	ccgcacgggc	aacgccaacc	ctcacaaggg	cgccatcaac	tttgacaaca	1080
ttggctatgc	ctggattgtg	atcttccagg	tgatcactct	ggaaggctgg	gtggagatca	1140
tgtactatgt	gatggacgca	cattctttct	acaacttcat	tctgctcatc	atagtgggct	1200
ccttcttcat	gatcaacttg	tgctcgttc	tcatagcaac	ccagttctct	gagaccaagc	1260
aacggaacca	ccggtgatg	ctggagcaac	gccagcgcta	cctgtcctcc	agcacggtgg	1320
ccagttacgc	tgagcccggt	gattgctatg	aggagatctt	ccaatatgtc	tgccacatcc	1380
ttcgcaaaagc	caagcgccgt	gccctaggcc	tctaccaggc	cctgcagaac	cggcgccagg	1440
ccatggggccc	ggggacacca	gcccctgcca	agcctggggc	ccatgccaaag	gagcccagcc	1500
actcgaagct	gtgcccacga	cacagcccc	tggacccac	tccccacaca	ctggtgcagc	1560
ccatctctgc	cattctggcc	tcttacccca	gcagctgccc	tactgcccag	cacgaggcag	1620
gcagggcgcc	ctctggcctg	ggcagcactg	actcaggcca	ggaaggctca	ggttctggtg	1680
gctctgcaga	ggccgaagcc	aatggggatg	gactccagag	cagagaggat	ggggtctcct	1740
cggacctggg	gaaggaggag	gaacaggagg	acggggcagc	ccgactgtgt	ggggatgtat	1800
ggcgcgagac	acgaaaaaag	ctgcggggca	tcgtggacag	caagtacttc	aacagaggta	1860
tcatgatggc	tatcctgggtg	aacacagtca	gcaggggcat	cgagcaccac	gaacagcccc	1920

aggagctgac	caacatcctg	gagatctgca	atgtggtcct	caccagtatg	tttgcctgg	1980
agatgatcct	gaaactggcc	gcctttgggc	tcttcgacta	cctgcggaac	ccttacaaca	2040
tctttgacag	catcatcgtc	atcatcagca	tctgggaaat	cgtggggcag	gcggacagt	2100
gcctgtctgt	gctgcgcact	tcccggttgc	tgcgggtgct	gaagctagt	cgcttcatgc	2160
cggcgtctgc	ccagctcgtg	gtgctcatga	agaccatgga	caacgtggcc	accttctgca	2220
tgctactcat	gctgttcata	ttcatcttca	gcataccttg	gatcgatatc	tttggctgca	2280
aattcagcct	ccgcacggac	acgggagaca	ccgttcctga	caggaagaac	ttcgtatcct	2340
tactgtgggc	catcgtcaca	gtgttcacga	tcctcactca	ggaggactgg	aacgttgtcc	2400
tgtacaatgg	catggcctcc	accacccctc	gggcctccct	ctattttgtt	gccctcatga	2460
cctttggcaa	ctacgttctc	ttcaatctcc	tggtggctat	cctggtagag	ggtttccagg	2520
ctgagggtga	tgctaactcg	tcctactctg	atgaggacca	gagctcatcc	aatttagagg	2580
agttagacaa	gctcccagag	ggcctggaca	acaggagaga	tctcaagctc	tgcccaatac	2640
ccatgacacc	caatggacac	ctggacccta	gcctccctct	gggtgcgcat	ctgggtcctg	2700
ctggtaccat	gggtactgcc	ccccgcctct	cactgcagcc	agacccggt	ctggtggccc	2760
gggactctcg	gaaaagcagt	tactggctcc	tgggcaggat	gagctatgat	cagcgatcct	2820
tgtcagctgc	ccggagctcc	tactacggcc	ctggggggcc	cagtgggacc	tgggctagcc	2880
gccgctccag	ctggaacagc	ctgaaacaca	agccgccttc	agctgagcat	gagtccttac	2940
tgtctgggga	gggtggaggt	agctgcgtca	gggcctgtga	aggcgcccg	gaggaggcgc	3000
caactcgcac	cgcacccctg	catgctccac	accggcacca	cgcgcaccat	ggacccacc	3060
tggcacaccg	tcaccgacac	caccgcccga	ctctgtccct	cgataccagg	gactctgttg	3120
acctgggaga	gctggtgccc	gtggtgggtg	cccactcacg	ggccgcttgg	agggggcgcg	3180
gtcaggcccc	tgggcacgag	gactgcaatg	gcagaatgcc	caacatggcc	aaggatgtct	3240
tcaccaagat	ggatgaccgc	cgcgaccgcg	gggaggacga	ggaggagatc	gactataccc	3300
tgtgtttccg	ggtccgcaag	atgatttgct	gtgtgtacaa	gccggactgg	tgcgaaagtc	3360
gcgaggactg	gtcgggtctac	ctcttctccc	ccgagaacaa	gttccggatc	ctgtgtcaga	3420
ctatcattgc	tcacaagctt	tttgactacg	tggctctggc	ctttatcttc	ctcaactgta	3480
tcaccattgc	tctggagaga	ccccagattg	aagctggtag	cactgagcgc	atcttccotca	3540
cgggtgtctaa	ctacatcttc	acagccatct	tcgtgggcga	gatgacactg	aagggtggtt	3600
ctctgggcct	gtactttggt	gagcaggcgt	acctgcgtac	ggactggaat	gtactggatg	3660
gtttcctggg	ctttgtgtcc	atcatcgata	tcgtagtgtc	cgtggcctct	gctgggggag	3720
ccaagattct	gggggtcctg	cggctcctgc	gtaccttacg	tcctttgaga	gttatcagcc	3780
gggcccctgg	gctgaagctg	gtggtagaga	cgtcatcttc	ctccctcaag	cccattggga	3840
acatcgtcct	catctgctgt	gccttcttca	tcattctcgg	catcctgggg	gtgcagcttt	3900
tcaaaggcaa	gttctaccat	tgtttgggag	tggacaccgc	aaacatcacc	aaccgatctg	3960
actgcgtggc	ggccaactac	cgtcgggtgc	atcacaaata	caactttgac	aacctgggcc	4020
aggcattgat	gtccctcttt	gtcctggcct	ccaaggacgg	ctgggtgaac	atcatgtata	4080
atggattaga	tgtgtttgct	gtggaccagc	agcccgtgac	gaaccacaac	ccctggatgc	4140
tactgtactt	catttcgttc	ctgctcatcg	tcagcttctt	tgtgctcaac	atgtttgtgg	4200
gcgtggctgt	ggagaacttc	cacaagtgcc	ggcagcacca	ggaggctgag	gaggcgcgga	4260
ggcgtgagga	gaaacggctg	cggcgcctgg	aaaagaagcg	ccgttacgct	cagaggctgc	4320
cctactatgc	tacctactgt	cccacaaggc	tgtcatcca	ctccatgtgc	accagccact	4380
acctggacat	cttcattacc	ttcatcatct	gcctcaatgt	tgtcaccatg	tccttggagc	4440
actacaacca	gcctacatcc	ctagagacag	cccttaagta	ctgcaactac	atgttcacca	4500
ctgtgtttgt	gctggaggct	gtgctgaagc	tgggtggcatt	tggcctgagg	cgtttcttca	4560
aggaccgatg	gaaccagctg	gacctggcca	ttgtgctgct	gtccgtcatg	ggcatcacac	4620
tggaggagat	cgagatcaat	gccgcccttc	ccatcaaccc	caccatcatc	cgtatcatgc	4680
gtgttctgcg	tatcgcccg	gtgttgaagc	tattgaagat	ggccacagga	atgcccggcc	4740
tgttgacac	agtgttacag	gctctgcccc	aggtgggcaa	cctgggcctg	ctcttcatgc	4800

```

tgctcttctt catctatgct gctctgggag tggagctctt cggaaagctg gtctgcaatg 4860
acgagaaccc gtgtgagggg atgagccggc acgccacctt tgaaaactct gctagggcct 4920
tcctcacgct cttccaggtc tccacaggcg ataactggaa tgggaattatg aaggacaccc 4980
tgcgagactg tacccatgat gagcgacagt gcctaagcag cctgcagttt gtgtcaccgc 5040
tctactttgt gagcttcgtg ctcacagctc agttcgtgct catcaacgtg gtggtggccg 5100
tgctgatgaa acatctggat gacagcaaca aggaggccca ggaggatgca gagatggatg 5160
ctgagatcga gctggagatg gcccatggct ccggccccctg ccctggcccc tgccttggtc 5220
cctgccccctg cccctgcccc tgccccctgt ctggccccgag gtgcccacta gttacctggg 5280
gctcgggggc gatggatcgg gaggggcagg tgctggaggc acaccgagag tcacctgtgc 5340
gcactgctat caggtgctgg acaccgagag tcacctgtgc cggcactgct attctccagc 5400
ccaggagacc ctgtggctgg acagggtctc tttaatcatc aaggactcct tggaggggga 5460
gctgaccatc attgacaacc tgtctgggtc cgtcttccac cactacgcct cactgacggc 5520
tgtggcaagt gtcaccatga caagcaagag gtgcagctgg ctgagacaga ggccttctcc 5580
ctgaactcag acaggtcttc atccatcctg ctgggggatg acctgagtct tgaggacccc 5640
acggcctcgc acagggcccc aaaggagagc aaggggtgaac aataaagagc ctccggagcc 5700
catgcaggct ggagacctgg atgaatgcaa aaaaaa 5735

```

<210> 28

<211> 1792

<212> PRT

<213> rat

<400> 28

```

Met Ala Asp Ser Asn Leu Pro Pro Ser Ser Ala Ala Ala Pro Ala Pro
  1             5             10             15

```

```

Glu Pro Gly Ile Thr Glu Gln Pro Gly Pro Arg Ser Pro Pro Pro Ser
      20             25             30

```

```

Pro Pro Gly Leu Glu Glu Pro Leu Glu Gly Thr Asn Pro Asp Val Pro
      35             40             45

```

```

His Pro Asp Leu Ala Pro Val Ala Phe Phe Cys Leu Arg Gln Thr Thr
      50             55             60

```

```

Ser Pro Arg Asn Trp Cys Ile Lys Met Val Cys Asn Pro Trp Phe Glu
      65             70             75             80

```

```

Cys Val Ser Met Leu Val Ile Leu Leu Asn Cys Val Thr Leu Gly Met
      85             90             95

```

```

Tyr Gln Pro Cys Asp Asp Met Glu Cys Leu Ser Asp Arg Cys Lys Ile
      100            105            110

```

```

Leu Gln Val Phe Asp Asp Phe Ile Phe Ile Phe Phe Ala Met Glu Met
      115            120            125

```

```

Val Leu Lys Met Val Ala Leu Gly Ile Phe Gly Lys Lys Cys Tyr Leu

```

130	135	140
Gly Asp Thr Trp Asn Arg Leu Asp Phe Phe Ile Val Met Ala Gly Met 145 150 155 160		
Val Glu Tyr Ser Leu Asp Leu Gln Asn Ile Asn Leu Ser Ala Ile Arg 165 170 175		
Thr Val Arg Val Leu Arg Pro Leu Lys Ala Ile Asn Arg Val Pro Ser 180 185 190		
Leu Arg Ile Leu Val Asn Leu Leu Leu Asp Thr Leu Pro Met Leu Gly 195 200 205		
Asn Val Leu Leu Leu Cys Phe Phe Val Phe Phe Ile Phe Gly Ile Ile 210 215 220		
Gly Val Gln Leu Trp Ala Gly Leu Leu Arg Asn Arg Cys Phe Leu Glu 225 230 235 240		
Glu Asn Phe Thr Ile Gln Gly Asp Val Ala Leu Pro Pro Tyr Tyr Gln 245 250 255		
Pro Glu Glu Asp Asp Glu Met Pro Phe Ile Cys Ser Leu Thr Gly Asp 260 265 270		
Asn Gly Ile Met Gly Cys His Glu Ile Pro Pro Leu Lys Glu Gln Gly 275 280 285		
Arg Glu Val Cys Leu Ser Lys Asp Asp Val Tyr Asp Phe Gly Ala Gly 290 295 300		
Arg Gln Asp Leu Asn Ala Ser Gly Leu Cys Val Asn Trp Asn Arg Tyr 305 310 315 320		
Tyr Asn Val Cys Arg Thr Gly Asn Ala Asn Pro His Lys Gly Ala Ile 325 330 335		
Asn Phe Asp Asn Ile Gly Tyr Ala Trp Ile Val Ile Phe Gln Val Ile 340 345 350		
Thr Leu Glu Gly Trp Val Glu Ile Met Tyr Tyr Val Met Asp Ala His 355 360 365		
Ser Phe Tyr Asn Phe Ile Leu Leu Ile Ile Val Gly Ser Phe Phe Met 370 375 380		
Ile Asn Leu Cys Leu Val Leu Ile Ala Thr Gln Phe Ser Glu Thr Lys		

385	390	395	400
Gln Arg Asn His Arg Leu Met Leu Glu Gln Arg Gln Arg Tyr Leu Ser			
405		410	415
Ser Ser Thr Val Ala Ser Tyr Ala Glu Pro Gly Asp Cys Tyr Glu Glu			
420	425		430
Ile Phe Gln Tyr Val Cys His Ile Leu Arg Lys Ala Lys Arg Arg Ala			
435	440		445
Leu Gly Leu Tyr Gln Ala Leu Gln Asn Arg Arg Gln Ala Met Gly Pro			
450	455	460	
Gly Thr Pro Ala Pro Ala Lys Pro Gly Pro His Ala Lys Glu Pro Ser			
465	470	475	480
His Ser Lys Leu Cys Pro Arg His Ser Pro Leu Asp Pro Thr Pro His			
485	490		495
Thr Leu Val Gln Pro Ile Ser Ala Ile Leu Ala Ser Tyr Pro Ser Ser			
500	505		510
Cys Pro His Cys Gln His Glu Ala Gly Arg Arg Pro Ser Gly Leu Gly			
515	520		525
Ser Thr Asp Ser Gly Gln Glu Gly Ser Gly Ser Gly Gly Ser Ala Glu			
530	535	540	
Ala Glu Ala Asn Gly Asp Gly Leu Gln Ser Arg Glu Asp Gly Val Ser			
545	550	555	560
Ser Asp Leu Gly Lys Glu Glu Glu Gln Glu Asp Gly Ala Ala Arg Leu			
565	570		575
Cys Gly Asp Val Trp Arg Glu Thr Arg Lys Lys Leu Arg Gly Ile Val			
580	585		590
Asp Ser Lys Tyr Phe Asn Arg Gly Ile Met Met Ala Ile Leu Val Asn			
595	600		605
Thr Val Ser Met Gly Ile Glu His His Glu Gln Pro Glu Glu Leu Thr			
610	615	620	
Asn Ile Leu Glu Ile Cys Asn Val Val Phe Thr Ser Met Phe Ala Leu			
625	630	635	640
Glu Met Ile Leu Lys Leu Ala Ala Phe Gly Leu Phe Asp Tyr Leu Arg			

645

650

655

Asn	Pro	Tyr	Asn	Ile	Phe	Asp	Ser	Ile	Ile	Val	Ile	Ile	Ser	Ile	Trp
			660					665					670		
Glu	Ile	Val	Gly	Gln	Ala	Asp	Ser	Gly	Leu	Ser	Val	Leu	Arg	Thr	Ser
		675					680					685			
Arg	Leu	Leu	Arg	Val	Leu	Lys	Leu	Val	Arg	Phe	Met	Pro	Ala	Leu	Arg
	690					695					700				
Gln	Leu	Val	Val	Leu	Met	Lys	Thr	Met	Asp	Asn	Val	Ala	Thr	Phe	Cys
705					710					715					720
Met	Leu	Leu	Met	Leu	Phe	Ile	Phe	Ile	Phe	Ser	Ile	Leu	Gly	Ile	Asp
			725						730					735	
Ile	Phe	Gly	Cys	Lys	Phe	Ser	Leu	Arg	Thr	Asp	Thr	Gly	Asp	Thr	Val
		740						745					750		
Pro	Asp	Arg	Lys	Asn	Phe	Asp	Ser	Leu	Leu	Trp	Ala	Ile	Val	Thr	Val
		755					760					765			
Phe	Gln	Ile	Leu	Thr	Gln	Glu	Asp	Trp	Asn	Val	Val	Leu	Tyr	Asn	Gly
	770					775					780				
Met	Ala	Ser	Thr	Thr	Pro	Trp	Ala	Ser	Leu	Tyr	Phe	Val	Ala	Leu	Met
785					790					795					800
Thr	Phe	Gly	Asn	Tyr	Val	Leu	Phe	Asn	Leu	Leu	Val	Ala	Ile	Leu	Val
			805						810					815	
Glu	Gly	Phe	Gln	Ala	Glu	Gly	Asp	Ala	Asn	Arg	Ser	Tyr	Ser	Asp	Glu
			820					825						830	
Asp	Gln	Ser	Ser	Ser	Asn	Leu	Glu	Glu	Leu	Asp	Lys	Leu	Pro	Glu	Gly
		835					840					845			
Leu	Asp	Asn	Arg	Arg	Asp	Leu	Lys	Leu	Cys	Pro	Ile	Pro	Met	Thr	Pro
	850					855					860				
Asn	Gly	His	Leu	Asp	Pro	Ser	Leu	Pro	Leu	Gly	Ala	His	Leu	Gly	Pro
865					870					875					880
Ala	Gly	Thr	Met	Gly	Thr	Ala	Pro	Arg	Leu	Ser	Leu	Gln	Pro	Asp	Pro
			885						890					895	
Val	Leu	Val	Ala	Arg	Asp	Ser	Arg	Lys	Ser	Ser	Tyr	Trp	Ser	Leu	Gly

1155	1160	1165
Ala Ile Phe Val Gly Glu Met Thr Leu Lys Val Val Ser Leu Gly Leu 1170	1175	1180
Tyr Phe Gly Glu Gln Ala Tyr Leu Arg Thr Asp Trp Asn Val Leu Asp 1185	1190	1195 1200
Gly Phe Leu Val Phe Val Ser Ile Ile Asp Ile Val Val Ser Val Ala 1205	1210	1215
Ser Ala Gly Gly Ala Lys Ile Leu Gly Val Leu Arg Leu Leu Arg Thr 1220	1225	1230
Leu Arg Pro Leu Arg Val Ile Ser Arg Ala Pro Gly Leu Lys Leu Val 1235	1240	1245
Val Glu Thr Leu Ile Ser Ser Leu Lys Pro Ile Gly Asn Ile Val Leu 1250	1255	1260
Ile Cys Cys Ala Phe Phe Ile Ile Phe Gly Ile Leu Gly Val Gln Leu 1265	1270	1275 1280
Phe Lys Gly Lys Phe Tyr His Cys Leu Gly Val Asp Thr Arg Asn Ile 1285	1290	1295
Thr Asn Arg Ser Asp Cys Val Ala Ala Asn Tyr Arg Trp Val His His 1300	1305	1310
Lys Tyr Asn Phe Asp Asn Leu Gly Gln Ala Leu Met Ser Leu Phe Val 1315	1320	1325
Leu Ala Ser Lys Asp Gly Trp Val Asn Ile Met Tyr Asn Gly Leu Asp 1330	1335	1340
Ala Val Ala Val Asp Gln Gln Pro Val Thr Asn His Asn Pro Trp Met 1345	1350	1355 1360
Leu Leu Tyr Phe Ile Ser Phe Leu Leu Ile Val Ser Phe Phe Val Leu 1365	1370	1375
Asn Met Phe Val Gly Val Val Val Glu Asn Phe His Lys Cys Arg Gln 1380	1385	1390
His Gln Glu Ala Glu Glu Ala Arg Arg Glu Glu Lys Arg Leu Arg 1395	1400	1405
Arg Leu Glu Lys Lys Arg Arg Tyr Ala Gln Arg Leu Pro Tyr Tyr Ala		

1410	1415	1420
Thr Tyr Cys Pro Thr Arg Leu Leu Ile His Ser Met Cys Thr Ser His		
1425	1430	1435 1440
Tyr Leu Asp Ile Phe Ile Thr Phe Ile Ile Cys Leu Asn Val Val Thr		
1445	1450	1455
Met Ser Leu Glu His Tyr Asn Gln Pro Thr Ser Leu Glu Thr Ala Leu		
1460	1465	1470
Lys Tyr Cys Asn Tyr Met Phe Thr Thr Val Phe Val Leu Glu Ala Val		
1475	1480	1485
Leu Lys Leu Val Ala Phe Gly Leu Arg Arg Phe Phe Lys Asp Arg Trp		
1490	1495	1500
Asn Gln Leu Asp Leu Ala Ile Val Leu Leu Ser Val Met Gly Ile Thr		
1505	1510	1515 1520
Leu Glu Glu Ile Glu Ile Asn Ala Ala Leu Pro Ile Asn Pro Thr Ile		
1525	1530	1535
Ile Arg Ile Met Arg Val Leu Arg Ile Ala Arg Val Leu Lys Leu Leu		
1540	1545	1550
Lys Met Ala Thr Gly Met Arg Ala Leu Leu Asp Thr Val Val Gln Ala		
1555	1560	1565
Leu Pro Gln Val Gly Asn Leu Gly Leu Leu Phe Met Leu Leu Phe Phe		
1570	1575	1580
Ile Tyr Ala Ala Leu Gly Val Glu Leu Phe Gly Lys Leu Val Cys Asn		
1585	1590	1595 1600
Asp Glu Asn Pro Cys Glu Gly Met Ser Arg His Ala Thr Phe Glu Asn		
1605	1610	1615
Ser Ala Arg Ala Phe Leu Thr Leu Phe Gln Val Ser Thr Gly Asp Asn		
1620	1625	1630
Trp Asn Gly Ile Met Lys Asp Thr Leu Arg Asp Cys Thr His Asp Glu		
1635	1640	1645
Arg Thr Cys Leu Ser Ser Leu Gln Phe Val Ser Pro Leu Tyr Phe Val		
1650	1655	1660
Ser Phe Val Leu Thr Ala Gln Phe Val Leu Ile Asn Val Val Val Ala		

1665 1670 1675 1680
 Val Leu Met Lys His Leu Asp Asp Ser Asn Lys Glu Ala Gln Glu Asp
 1685 1690 1695
 Ala Glu Met Asp Ala Glu Ile Glu Leu Glu Met Ala His Gly Ser Gly
 1700 1705 1710
 Pro Cys Pro Gly Pro Cys Pro Gly Pro Cys Pro Cys Pro Cys Pro Cys
 1715 1720 1725
 Pro Cys Ser Gly Pro Arg Cys Pro Leu Val Thr Trp Gly Ser Gly Ala
 1730 1735 1740
 Met Asp Arg Glu Gly Gln Val Leu Glu Ala His Arg Glu Ser Pro Val
 1745 1750 1755 1760
 Arg Thr Ala Ile Arg Cys Trp Thr Pro Arg Val Thr Cys Ala Gly Thr
 1765 1770 1775
 Ala Ile Leu Gln Pro Arg Arg Pro Cys Gly Trp Thr Gly Ser Leu Glx
 1780 1785 1790

<210> 29
 <211> 540
 <212> DNA
 <213> rat

<400> 29
 aagcttctct gagccaggca gctgctatga ggagctactc aagtacctgg tgtacatcct 60
 ccgaaaagca gcccgaaaggc tggcccaggt ctctagggct ataggcgtgc gggctgggct 120
 gctcagcagc ccagtggccc gtagtgggca ggagccccag ccagtggca gctgcactcg 180
 ctcacaccgt cgtctgtctg tccaccacct ggtccaccac catcaccacc accatcacca 240
 ctaccacctg ggtaatggga cgctcagagt tccccggggc agcccagaga tccaggacag 300
 ggatgccaat ggggtctcgcc ggctcatgct accaccaccc tctacacca ctccctctgg 360
 gggccctccg aggggtgctg agtctgtaca cagcttctac catgctgact gccacttggg 420
 gccagtccgt tgcaggcac cccctcccag atgcccacg gaggcactctg gtaggactgt 480
 gggtagtggg aaggtgtacc ccactgtgca taccagccct ccaccagaga tactgaagga 540

<210> 30
 <211> 2212
 <212> DNA
 <213> HUMAN

<400> 30

```

gtgaggggga gccggccggc tggccccgga agccccaggg gcgcagggga agcgggactc 60
gcgccgggag ggggtttccct gcgccccggc gccccgcggg cagcatgccc ctgcgggcag 120
ggggagctgg gctgaactgg cctccccggg ggctcagctt gcgccctaga gccaccaga 180
tgtgcccccg cgggggcccc cgggttgctg gaggacacct cctctgaggg gcgccgcttg 240
ccccctctcg gatcgccccg ggccccggct ggccagagga tggacgagga ggaggatgga 300
gcgggcgccg aggagtcggg acagccccgg agcttcatgc ggctcaacga cctgtcgggg 360
gccggggggc ggccgggggc ggggtcagca gaaaaggacc cgggcagcgc ggactccgag 420
gcggaggggc tgcggtaccc ggcgctggcc cgggtgggtt tcttctactt gagccaggac 480
agccgccccg ggagctgggt tctccgcacg gtctgtaacc cctggtttga gcgcatacag 540
atgttggtca tcttctcaa ctgcgtgacc ctgggcatgt tccggccatg cgaggacatc 600
gcctgtgact ccagcgctg ccggatcctg caggcctttg atgacttcat ctttgccttc 660
tttgccgtgg agatgggtgg gaagatgggt gccttgggca tctttgggaa aaagtgttac 720
ctgggagaca cttggaaccg gcttgacttt ttcatacgtc tgcagggat gctggagtac 780
tcgctggacc tgcagaacgt cagcttctca gctgtcagga cagtccgtgt gctgcgaccg 840
ctcaggggca ttaaccgggt gccagcatg cgcatccttg tcacgttgct gctggatacg 900
ctgccatgc tgggcaacgt cctgctgctc tgcttcttcg tcttcttcat cttcggcatc 960
gtcggcgctc agctgtgggc agggctgctt cggaaccgat gcttccctacc tgagaatttc 1020
agcctcccc tggcgtgga cctggagcgc tattaccaga cagagaacga ggatgagagc 1080
cccttcatct gctcccagcc acgcgagaac ggcatgcggg cctgcagaag cgtgccaccg 1140
ctgcgcgggg acggggggcg tggcccacct tgcggtctgg actatgaggc ctacaacagc 1200
tccagcaaca ccacctgtgt caactggaac cagtactaca ccaactgctc agcggggggag 1260
cacaacccct tcaaggcgcc catcaacttt gacaacattg gctatgcctg gatcgccatc 1320
ttccaggtca tcacgtgga gggctgggtc gacatcatgt actttgtgat ggatgctcat 1380
tcttctaca atttcatcta cttcatctc ctcatcatcg tgggctcctt cttcatgac 1440
aacctgtgcc tgggtggtgat tgccacgcag ttctcagaga ccaagcagcg ggaaagccag 1500
ctgatgcggg agcagcgtgt gcggttctct tccaacgcca gcaccctggc tagcttctct 1560
gagcccggca gctgctatga ggagctgctc aagtacctgg tgtacatcct tcgtaaggca 1620
gccccagggc tggctcaggt ctctcgggca gcaggtgtgc ggggtgggct gctcagcagc 1680
ccagcaccct tcggggggcc ggagaccag cccagcagca gctgctctcg ctcccaccgc 1740
cgcttatccg tccaccacct ggtgcaccac caccaccacc atcaccacca ctaccacctg 1800
ggcaatggga cgctcagggc cccccgggac agcccggaga tccaggacag ggatgccaat 1860
gggtcccggc ggctcatgct gccaccaccc tcgacgctg ccctctccgg ggccccccct 1920
gggtggcgag agtctgtgca cagcttctac catgccgact gccacttaga gccagtccgc 1980
tgccaggcgc cccctcccag gtcccatct gaggcatccg gcaggactgt gggcagcggg 2040
aagggtgtat ccaccgtgca caccagccct ccaccggaga cgctgaagga gaaggcacta 2100
gtagaggtgg ctgcccagctc tggggcccca accctcacca gcctcaacat cccaccgggg 2160
ccctacagct ccatgcacaa gctgctggag acacagagta caggtgcctg cc 2212

```

<210> 31

<211> 644

<212> PRT

<213> HUMAN

<400> 31

Met Asp Glu Glu Glu Asp Gly Ala Gly Ala Glu Glu Ser Gly Gln Pro

1

5

10

15

Arg Ser Phe Met Arg Leu Asn Asp Leu Ser Gly Ala Gly Gly Arg Pro
 20 25 30
 Gly Pro Gly Ser Ala Glu Lys Asp Pro Gly Ser Ala Asp Ser Glu Ala
 35 40 45
 Glu Gly Leu Pro Tyr Pro Ala Leu Ala Pro Val Val Phe Phe Tyr Leu
 50 55 60
 Ser Gln Asp Ser Arg Pro Arg Ser Trp Cys Leu Arg Thr Val Cys Asn
 65 70 75 80
 Pro Trp Phe Glu Arg Ile Ser Met Leu Val Ile Leu Leu Asn Cys Val
 85 90 95
 Thr Leu Gly Met Phe Arg Pro Cys Glu Asp Ile Ala Cys Asp Ser Gln
 100 105 110
 Arg Cys Arg Ile Leu Gln Ala Phe Asp Asp Phe Ile Phe Ala Phe Phe
 115 120 125
 Ala Val Glu Met Val Val Lys Met Val Ala Leu Gly Ile Phe Gly Lys
 130 135 140
 Lys Cys Tyr Leu Gly Asp Thr Trp Asn Arg Leu Asp Phe Phe Ile Val
 145 150 155 160
 Ile Ala Gly Met Leu Glu Tyr Ser Leu Asp Leu Gln Asn Val Ser Phe
 165 170 175
 Ser Ala Val Arg Thr Val Arg Val Leu Arg Pro Leu Arg Ala Ile Asn
 180 185 190
 Arg Val Pro Ser Met Arg Ile Leu Val Thr Leu Leu Leu Asp Thr Leu
 195 200 205
 Pro Met Leu Gly Asn Val Leu Leu Leu Cys Phe Phe Val Phe Phe Ile
 210 215 220
 Phe Gly Ile Val Gly Val Gln Leu Trp Ala Gly Leu Leu Arg Asn Arg
 225 230 235 240
 Cys Phe Leu Pro Glu Asn Phe Ser Leu Pro Leu Ser Val Asp Leu Glu
 245 250 255
 Arg Tyr Tyr Gln Thr Glu Asn Glu Asp Glu Ser Pro Phe Ile Cys Ser
 260 265 270

Gln Pro Arg Glu Asn Gly Met Arg Ser Cys Arg Ser Val Pro Thr Leu
 275 280 285
 Arg Gly Asp Gly Gly Gly Gly Pro Pro Cys Gly Leu Asp Tyr Glu Ala
 290 295 300
 Tyr Asn Ser Ser Ser Asn Thr Thr Cys Val Asn Trp Asn Gln Tyr Tyr
 305 310 315 320
 Thr Asn Cys Ser Ala Gly Glu His Asn Pro Phe Lys Gly Ala Ile Asn
 325 330 335
 Phe Asp Asn Ile Gly Tyr Ala Trp Ile Ala Ile Phe Gln Val Ile Thr
 340 345 350
 Leu Glu Gly Trp Val Asp Ile Met Tyr Phe Val Met Asp Ala His Ser
 355 360 365
 Phe Tyr Asn Phe Ile Tyr Phe Ile Leu Leu Ile Ile Val Gly Ser Phe
 370 375 380
 Phe Met Ile Asn Leu Cys Leu Val Val Ile Ala Thr Gln Phe Ser Glu
 385 390 395 400
 Thr Lys Gln Arg Glu Ser Gln Leu Met Arg Glu Gln Arg Val Arg Phe
 405 410 415
 Leu Ser Asn Ala Ser Thr Leu Ala Ser Phe Ser Glu Pro Gly Ser Cys
 420 425 430
 Tyr Glu Glu Leu Leu Lys Tyr Leu Val Tyr Ile Leu Arg Lys Ala Ala
 435 440 445
 Arg Arg Leu Ala Gln Val Ser Arg Ala Ala Gly Val Arg Val Gly Leu
 450 455 460
 Leu Ser Ser Pro Ala Pro Leu Gly Gly Gln Glu Thr Gln Pro Ser Ser
 465 470 475 480
 Ser Cys Ser Arg Ser His Arg Arg Leu Ser Val His His Leu Val His
 485 490 495
 His His His His His His His Tyr His Leu Gly Asn Gly Thr Leu
 500 505 510
 Arg Ala Pro Arg Ala Ser Pro Glu Ile Gln Asp Arg Asp Ala Asn Gly
 515 520 525

Ser Arg Arg Leu Met Leu Pro Pro Pro Ser Thr Pro Ala Leu Ser Gly
530 535 540

Ala Pro Pro Gly Gly Ala Glu Ser Val His Ser Phe Tyr His Ala Asp
545 550 555 560

Cys His Leu Glu Pro Val Arg Cys Gln Ala Pro Pro Pro Arg Ser Pro
565 570 575

Ser Glu Ala Ser Gly Arg Thr Val Gly Ser Gly Lys Val Tyr Pro Thr
580 585 590

Val His Thr Ser Pro Pro Pro Glu Thr Leu Lys Glu Lys Ala Leu Val
595 600 605

Glu Val Ala Ala Ser Ser Gly Pro Pro Thr Leu Thr Ser Leu Asn Ile
610 615 620

Pro Pro Gly Pro Tyr Ser Ser Met His Lys Leu Leu Glu Thr Gln Ser
625 630 635 640

Thr Gly Ala Cys

<210> 32

<211> 1608

<212> DNA

<213> HUMAN

<400> 32

atgcccgcg ggacgcccgc gccagcaga gcgaggtgct gccggccgcc accatgaccg 60
agggcgacag ggccgcccgc gaggtccggg tgcccctggg cgccgcccgc cctggccctg 120
cggcgttggt gggggcgctc ccggagagcc ccggggcgcc gggacgagag gcggagcggg 180
ggtccgagct cggcggtgtc cctccgaga gcccgccggc cgagcgcggc gcggagctgg 240
gtgccgacga ggagcagcgc gtcccgtacc cggccttggc ggccacggtc ttcttctgcc 300
tcggtcagac cagcgccgcg cgcagctggt gcctccggct ggtctgcaac ccatgggttcg 360
agcacgtgag catgctggtg atcatgctca actgctgac cctgggcatg ttccggccct 420
gtgaggacgt tgagtgcggc tccgagcgt gcaacatcct ggaggccttt gacgccttca 480
ttttcgccct ttttgcgggt gagatggtca tcaagatggt ggccctgggg ctgttcgggc 540
agaagtgtta cctgggtgac acgtggaaca ggctggattt cttcatcgtc gtggcgggca 600
tgatggagta ctcgttggac ggacacaacg tgagcctctc ggctatcagg accgtgcggg 660
tgctgcggcc cctccgcgcc atcaaccgcg tgcctagcat gcggatcctg gtcactctgc 720
tgctggatac gctgcccacg ctcgggaacg tccttctgct gtgcttcttc gtcttcttca 780
ttttcgccat cgttggcgtc cagctctggg ctggcctcct gcggaaccgc tgcttctctg 840
acagtgcctt tgtcaggaac aacaacctga ccttctctgc gccgtactac cagacggagg 900
agggcgagga gaacccttc atctgtcct cagcccgaga caacggcatg cagaagtgtc 960
cgcacatccc cggccgcccgc gagctgcgca tgccctgcac cctgggctgg gaggcctaca 1020

cgcagccgca ggccgagggg gtggggcgctg caccgaacgc ctgcatcaac tggaaccagt 1080
 actacaacgt gtgccgctcg ggtgactcca acccccacaa cggtgccatc aacttcgaca 1140
 acatcggtta cgcctggatc gccatcttcc aggtgatcac gctggaaggc tgggtggaca 1200
 tcatgtacta cgtcatggac gccactcat tctacaactt catctatttc atcctgctca 1260
 tcatcgtggg ctcttcttc atgatcaacc tgtgcctggt ggtgattgcc acgcagttct 1320
 cggagacgaa gcagcgggag agtcagctga tgcgggagca gcgggcacgc cacctgtcca 1380
 acgacagcac gctggccagc ttctccgagc ctggcagctg ctacgaagag ctgctgaagt 1440
 acgtgggcca catattccgc aagggtcaagc ggcgagctt gcgcctctac gcccgctggc 1500
 agagccgctg gcgcaagaag gtggacccca gtgctgtgca aggccagggt cccgggcacc 1560
 gccagcgccg ggcaggcagg cacacagcct cgggtgcacca cctggtct 1608

<210> 33

<211> 518

<212> PRT

<213> HUMAN

<400> 33

Met Thr Glu Gly Ala Arg Ala Ala Asp Glu Val Arg Val Pro Leu Gly
 1 5 10 15

Ala Pro Pro Pro Gly Pro Ala Ala Leu Val Gly Ala Ser Pro Glu Ser
 20 25 30

Pro Gly Ala Pro Gly Arg Glu Ala Glu Arg Gly Ser Glu Leu Gly Val
 35 40 45

Ser Pro Ser Glu Ser Pro Ala Ala Glu Arg Gly Ala Glu Leu Gly Ala
 50 55 60

Asp Glu Glu Gln Arg Val Pro Tyr Pro Ala Leu Ala Ala Thr Val Phe
 65 70 75 80

Phe Cys Leu Gly Gln Thr Thr Arg Pro Arg Ser Trp Cys Leu Arg Leu
 85 90 95

Val Cys Asn Pro Trp Phe Glu His Val Ser Met Leu Val Ile Met Leu
 100 105 110

Asn Cys Val Thr Leu Gly Met Phe Arg Pro Cys Glu Asp Val Glu Cys
 115 120 125

Gly Ser Glu Arg Cys Asn Ile Leu Glu Ala Phe Asp Ala Phe Ile Phe
 130 135 140

Ala Phe Phe Ala Val Glu Met Val Ile Lys Met Val Ala Leu Gly Leu
 145 150 155 160

Phe Gly Gln Lys Cys Tyr Leu Gly Asp Thr Trp Asn Arg Leu Asp Phe

165

170

175

Phe Ile Val Val Ala Gly Met Met Glu Tyr Ser Leu Asp Gly His Asn
 180 185 190
 Val Ser Leu Ser Ala Ile Arg Thr Val Arg Val Leu Arg Pro Leu Arg
 195 200 205
 Ala Ile Asn Arg Val Pro Ser Met Arg Ile Leu Val Thr Leu Leu Leu
 210 215 220
 Asp Thr Leu Pro Met Leu Gly Asn Val Leu Leu Leu Cys Phe Phe Val
 225 230 235 240
 Phe Phe Ile Phe Gly Ile Val Gly Val Gln Leu Trp Ala Gly Leu Leu
 245 250 255
 Arg Asn Arg Cys Phe Leu Asp Ser Ala Phe Val Arg Asn Asn Asn Leu
 260 265 270
 Thr Phe Leu Arg Pro Tyr Tyr Gln Thr Glu Glu Gly Glu Glu Asn Pro
 275 280 285
 Phe Ile Cys Ser Ser Arg Arg Asp Asn Gly Met Gln Lys Cys Ser His
 290 295 300
 Ile Pro Gly Arg Arg Glu Leu Arg Met Pro Cys Thr Leu Gly Trp Glu
 305 310 315 320
 Ala Tyr Thr Gln Pro Gln Ala Glu Gly Val Gly Ala Ala Arg Asn Ala
 325 330 335
 Cys Ile Asn Trp Asn Gln Tyr Tyr Asn Val Cys Arg Ser Gly Asp Ser
 340 345 350
 Asn Pro His Asn Gly Ala Ile Asn Phe Asp Asn Ile Gly Tyr Ala Trp
 355 360 365
 Ile Ala Ile Phe Gln Val Ile Thr Leu Glu Gly Trp Val Asp Ile Met
 370 375 380
 Tyr Tyr Val Met Asp Ala His Ser Phe Tyr Asn Phe Ile Tyr Phe Ile
 385 390 395 400
 Leu Leu Ile Ile Val Gly Ser Phe Phe Met Ile Asn Leu Cys Leu Val
 405 410 415
 Val Ile Ala Thr Gln Phe Ser Glu Thr Lys Gln Arg Glu Ser Gln Leu

420

425

430

Met Arg Glu Gln Arg Ala Arg His Leu Ser Asn Asp Ser Thr Leu Ala
 435 440 445

Ser Phe Ser Glu Pro Gly Ser Cys Tyr Glu Glu Leu Leu Lys Tyr Val
 450 455 460

Gly His Ile Phe Arg Lys Val Lys Arg Arg Ser Leu Arg Leu Tyr Ala
 465 470 475 480

Arg Trp Gln Ser Arg Trp Arg Lys Lys Val Asp Pro Ser Ala Val Gln
 485 490 495

Gly Gln Gly Pro Gly His Arg Gln Arg Arg Ala Gly Arg His Thr Ala
 500 505 510

Ser Val His His Leu Val
 515

<210> 34

<211> 1080

<212> DNA

<213> HUMAN

<400> 34

gcagtgtcat gtctctaggg aggatgagct atgaccagcg ctccctgtcc agtccccgga 60
 gtcctacta cgggccatgg ggccgcagcg cggcctgggc cagccgtcgc tccagctgga 120
 acagcctcaa gcacaagccg ccgtcggcgg agcatgagtc cctgctctct gcggagcgcg 180
 gcggcggcgc ccgggtctgc gaggttgccg cggacgaggg gccgcgcgcg gccgcacccc 240
 tgcacacccc acacgcccac cacattcatc acggggccca tctggcgcac cgccaccgcc 300
 accaccgcgc gacgtgttcc ctgcacaaca gggactcggg ggacctggcc gagctggtgc 360
 ccgcgggtggg cgcccacccc cgggcccgcct ggagggcggc agggccggcc cccgggcatg 420
 aggactgcaa tggcaggatg cccagcatcg ccaaagacgt cttcaccaag atgggcgacc 480
 gcggggatcg cggggaggat gaggaggaaa tcgactacac cctgtgtctc cgcgtccgca 540
 agatgatcga cgtctataag cccgactggt gcgaggtccg cgaagactgg tctgtctacc 600
 tcttctctcc cgagaacagg ttccgggtcc tgtgtcagac cattattgcc cacaaactct 660
 tcgactacgt cgctctggcc ttcatctttc tcaactgcat caccatcgcc ctggagcggc 720
 ctcagatcga ggccggcagc accgaacgca tctttctcac cgtgtccaac tacatcttca 780
 cggccatctt cgtgggcgag atgacattga aggtagtctc gctgggcctg tacttcggcg 840
 agcaggcgta cctacgcagc agctggaacg tgctggatgg ctttcttgte ttcgtgtcca 900
 tcatcgacat cgtggtgtcc ctggcctcag ccgggggagc caagatcttg ggggtcctcc 960
 gagtcttgcg gtcctgcgc accctacgcc ccctgcgtgt catcagccgg gcgccgggccc 1020
 tgaagctggt ggtggagaca ctcctctcct ccctcaagcc catcggaac atcgtgtctca 1080

<210> 35

<211> 359

<212> PRT
<213> HUMAN

<400> 35

Ser Val Met Ser Leu Gly Arg Met Ser Tyr Asp Gln Arg Ser Leu Ser
1 5 10 15

Ser Ser Arg Ser Ser Tyr Tyr Gly Pro Trp Gly Arg Ser Ala Ala Trp
20 25 30

Ala Ser Arg Arg Ser Ser Trp Asn Ser Leu Lys His Lys Pro Pro Ser
35 40 45

Ala Glu His Glu Ser Leu Leu Ser Ala Glu Arg Gly Gly Gly Ala Arg
50 55 60

Val Cys Glu Val Ala Ala Asp Glu Gly Pro Pro Arg Ala Ala Pro Leu
65 70 75 80

His Thr Pro His Ala His His Ile His His Gly Pro His Leu Ala His
85 90 95

Arg His Arg His His Arg Arg Thr Leu Ser Leu Asp Asn Arg Asp Ser
100 105 110

Val Asp Leu Ala Glu Leu Val Pro Ala Val Gly Ala His Pro Arg Ala
115 120 125

Ala Trp Arg Ala Ala Gly Pro Ala Pro Gly His Glu Asp Cys Asn Gly
130 135 140

Arg Met Pro Ser Ile Ala Lys Asp Val Phe Thr Lys Met Gly Asp Arg
145 150 155 160

Gly Asp Arg Gly Glu Asp Glu Glu Glu Ile Asp Tyr Thr Leu Cys Phe
165 170 175

Arg Val Arg Lys Met Ile Asp Val Tyr Lys Pro Asp Trp Cys Glu Val
180 185 190

Arg Glu Asp Trp Ser Val Tyr Leu Phe Ser Pro Glu Asn Arg Phe Arg
195 200 205

Val Leu Cys Gln Thr Ile Ile Ala His Lys Leu Phe Asp Tyr Val Val
210 215 220

Leu Ala Phe Ile Phe Leu Asn Cys Ile Thr Ile Ala Leu Glu Arg Pro
225 230 235 240

Gln Ile Glu Ala Gly Ser Thr Glu Arg Ile Phe Leu Thr Val Ser Asn
245 250 255

Tyr Ile Phe Thr Ala Ile Phe Val Gly Glu Met Thr Leu Lys Val Val
260 265 270

Ser Leu Gly Leu Tyr Phe Gly Glu Gln Ala Tyr Leu Arg Ser Ser Trp
275 280 285

Asn Val Leu Asp Gly Phe Leu Val Phe Val Ser Ile Ile Asp Ile Val
290 295 300

Val Ser Leu Ala Ser Ala Gly Gly Ala Lys Ile Leu Gly Val Leu Arg
305 310 315 320

Val Leu Arg Leu Leu Arg Thr Leu Arg Pro Leu Arg Val Ile Ser Arg
325 330 335

Ala Pro Gly Leu Lys Leu Val Val Glu Thr Leu Ile Ser Ser Leu Lys
340 345 350

Pro Ile Gly Asn Ile Val Leu
355